

## P279 – PROPOSED LEGAL TEXT

### SECTION R: COLLECTION AND AGGREGATION OF METER DATA FROM CVA METERING SYSTEMS (Version 12)

To facilitate review by respondents to the P279 Report Phase consultation, changes are redlined on version 12 of Section R (which will go live in the November Release on 3 November 2011). Changes which will be made in the November Release are shown highlighted in [blue text](#).

#### 4.2 Submission to CDCA

Amend the typographical error in paragraph 4.2.1 as follows:

- 4.2.1 BSCCo shall submit to the CDCA, in accordance with ~~BSCP28~~[BSCP128](#), for each relevant Metering System, Line Loss Factors as submitted to and approved by the Panel, or as from time to time applying in default of such submission or approval, pursuant to Section K1.7.

Amend the typographical error in paragraph 4.2.2 as follows:

- 4.2.2 If for any relevant Metering System, Line Loss Factor(s) as specified in the Aggregation Rules have not been submitted to the CDCA, the CDCA shall assume a default Line Loss Factor of 1.0 or as otherwise provided in ~~BSCP28~~[BSCP128](#) until such time as the required Line Loss Factor(s) are submitted to it.

#### 5.7 Submission of Aggregated Meter Data

Amend paragraph 5.7.1 to read as follows:

- 5.7.1 The CDCA shall submit in accordance with BSCP01:
- (a) for each relevant BM Unit, Interconnector and GSP Group respectively, BM Unit Metered Volumes, Interconnector Metered Volumes and GSP Group Takes for each Settlement Period to the SAA;
  - (b) the ~~magnitude-value~~ of the GSP Group Take for each GSP Group for each Settlement Period to the SVAA (~~but not including~~ in relation to any Interim Information Volume Allocation Run);
  - (c) Interconnector Metered Volumes in relation to each Interconnector for each Settlement Period to the Interconnector Administrator; and
  - (d) for each Credit Qualifying BM Unit which is not a Supplier BM Unit Metered Volumes which have been received by the CDCA for each Settlement Period to the ECVAA.

Insert new paragraph 5.7.2 to read as follows:

- 5.7.2 For the purposes of paragraph 5.7.1(b), the value to be submitted by the CDCA shall be:
- (a) positive if the GSP Group is a net importer; or
  - (b) negative if the GSP Group is a net exporter.