



Attachment – CP1335 redline changes to SVA Data Catalogue Volume 1

Create new entry for the data flow index with appropriate references to BSCP504 and BSCP514:

| Flow Ref | Data Flow Name | Source | From | To | Version |
|----------|-----------------------------------|---------|-------|----------|---------|
| Dxxx | Auxiliary Meter Technical Details | BSCP504 | NHHMO | NHHDC | 001 |
| | | | NHHMO | LDSO | 001 |
| | | | NHHMO | Supplier | 001 |
| | | BSCP514 | NHHMO | NHHMO | 001 |
| | | | NHHMO | NHHDC | 001 |
| | | | NHHMO | LDSO | 001 |
| | | | NHHMO | Supplier | 001 |
| | | BSCP515 | NHHMO | LDSO | 001 |

Amend existing entries for D0149 and D0150 flows to better reflect the content of the BSCPs:

| Flow Ref | Data Flow Name | Source | From | To | Version |
|----------|---------------------------------|---------|---------------------|------------------|----------------|
| D0149 | Notification of Mapping Details | BSCP504 | LDSO | NHHMO | 001 |
| | | | MOANHHMO | Supplier | 001 |
| | | | NHHMO | LDSO | 001 |
| | | BSCP514 | NHHMO | NHHDC | 001 |
| | | | LDSO | NHHMO | 001 |
| | | | NHHMO | HHMO | 001 |
| | | | NHHMO | LDSO | 001 |
| | | | NHHMO | NHHDC | 001 |
| | | | NHHMO | NHHMO | 001 |

| | | | | | |
|-------|---|--------------------|------------------|---------------------|----------------|
| | | | NHHMO | Supplier | 001 |
| | | BSCP515 | NHHMO | LDSO | 001 |
| D0150 | Non Half Hourly Meter Technical Details | BSCP504 | NHHMO | Supplier | 001 |
| | | | NHHMO | NHHDC | 001 |
| | | | NHHMO | LDSO | 001 |
| | | | LDSO | NHHMO | 001 |
| | | | LDSO | NHHDC | 001 |
| | | | LDSO | Supplier | 001 |
| | | BSCP514 | LDSO | NHHMO | 001 |
| | | | NHHMO | HHMO | 001 |
| | | | NHHMO | LDSO | 001 |
| | | | NHHMO | NHHDC | 001 |
| | | | NHHMO | NHHMO | 001 |
| | | | NHHMO | Supplier | 001 |
| | | BSCP515 | NHHMO | LDSO | 001 |

No other sections are impacted by CP1335 within the SVA Data Catalogue Volume 1.