

NETA Change Form

Title		Version No.
P162 - Changes to the definition of Imports and Exports.		Version 0.1
		LogicaCMG Reference
		ICR588
ELEXON Reference	Date CP Received	Date IA Issued
MP162	17 th March 2004	23 rd March 2004
Price Breakdown		
Item description	Remarks	Price (ex VAT)
Change Specific		£ 0
Incremental Release Costs		£ 0
Fixed Release Costs		£ 0

Total Price (ex VAT)	£ 0
----------------------	-----

Price Tolerance	0%
Justification for Price Tolerance	

Project Duration	N/A
Cut Off Date for Inclusion in Specified Release (if applicable)	

Operational Price (e.g. per annum or event) (ex VAT)	£ 0
Rationale	
N/A	

Annual Maintenance Price (ex VAT)	£ 0
Rationale	
n/a	

Validity Constraints	
<ul style="list-style-type: none"> • No allowance is included for the final solution being different from the MP • No allowance is included for supporting PwC activities. Any effort will be charged at contracted T&M rates • No allowance is included for supporting ELEXON assurance activities. Any effort will be charged at contracted T&M rates • No allowance is included for End to End/Participant Testing activities. Any effort will be charged at contracted T&M rates • No allowance is included for Walkthrough activities. Any effort will be charged at contracted T&M rates • The validity period for this quote is 30 days. 	
Authorised Signature	Date Signed

Requirements and Solution

Brief Summary of Change

The modification seeks to remove a possible anomaly from the BSC Code and make sure current working practice is maintained. As such there is no impact on the LogicaCMG systems or documents.

The working group have said (In section 4.3 of P162AC10) that the cost justification for this modification will be based upon the market participants not changing their metering registrations.

This assessment is against the P162 Version 1.0 dated 30th January 2004 and P162AC10 version 1.0 dated 2nd March 2004.

LogicaCMG's Proposed Solution

The modification does not impact LogicaCMG systems or documents.

Deviation from ELEXON's Solution / Requirements
--

None

Operational Solution and Impact
--

None

Testing Strategy

Unit		Change Specific		End to End	
Module		Operational Acceptance		Participant Testing	
System		Performance		Parallel Running	
Regression		Volume		Deployment/ Backout	

Other:

Validated Assumptions

The working group have said that the cost justification for this modification will be based upon the market participants not changing their metering registrations.

Outstanding Issues

We have assumed that the participants will continue to register metering systems, aggregation rules and BM Units in the same way as now.

Changes to Service							
Services Impacted							
	BMRA	CDCA	CRA	ECVAA	SAA	TAA	Other
Software							
IDD Part 1 (Docs)							
IDD Part 1 (S'Sheet)							
IDD Part 2 (Docs)							
IDD Part 2 (S'Sheet)							
URS							
SS							
DS							
MSS							
OSM							
LWIs							
RTP	None						
Comms	None						
Other	None						
Nature of Documentation Changes							
None							
Nature / Size of System Changes							
N/A							
Deployment Issues, e.g. Outage Requirements:			None				
Impact on Service Levels:			None				
Impact on System Performance:			None				
Responsibilities of ELEXON							
None							
Acceptance Criteria							
N/A							
Any Other Information							
None							
Attachments							
MP162 Version 1.0 P162AC10 version 1.0							