

Modification P116

SECTION S: SUPPLIER VOLUME ALLOCATION (Version 2.0 together with changes introduced by Approved Modification P62)

Amend Paragraph 2.4 as follows:

2.4 Data Aggregators

2.4.1 The principal functions of a Half Hourly Data Aggregator are, in accordance with this Section S and the Supplier Volume Allocation Rules, with BSCP 503 and with Party Service Line 150:

- (a) to receive half-hourly data from the relevant Half Hourly Data Collectors;
- (b) to validate data and provide reports;
- (c) to enter data into the relevant data aggregation system;
- (d) to maintain relevant standing data;
- (e) to receive and maintain Line Loss Factors provided by ~~Licensed Distribution System Operators~~ BSCCo and approved by the Panel;
- (f) to aggregate the metered data in MWh in the relevant data aggregation system;
- (g) to receive and maintain Additional BM Unit data for each Supplier (in respect of which such Half Hourly Data Aggregator is appointed) and to receive, validate and maintain details of the SVA Metering Systems for which such Supplier is the Registrant allocated by that Supplier to its Additional BM Units in the same GSP Group;
- (h) to provide to the SVAA data aggregated by Supplier BM Unit or by Supplier and by GSP Group in accordance with the further provisions of this Section S.

Modification P116