

## Attachment – CP1335 redline changes to SVA Data Catalogue Volume 1

Create new entry for the data flow index with appropriate references to BSCP504 and BSCP514:

Flow Ref	Data Flow Name	Source	From	To	Version
Dxxx	Auxiliary Meter Technical Details	BSCP504	NHHMO	NHHDC	001
			NHHMO	LDSO	001
			NHHMO	Supplier	001
		BSCP514	NHHMO	NHHMO	001
			NHHMO	NHHDC	001
			NHHMO	LDSO	001
			NHHMO	Supplier	001
		BSCP515	NHHMO	LDSO	001

Amend existing entries for D0149 and D0150 flows to better reflect the content of the BSCPs:

Flow Ref	Data Flow Name	Source	From	To	Version
D0149	Notification of Mapping Details	BSCP504	<del>LDSO</del>	<del>NHHMO</del>	<del>001</del>
			<del>MOANHHMO</del>	Supplier	001
			<del>NHHMO</del>	LDSO	001
		BSCP514	NHHMO	NHHDC	001
			LDSO	NHHMO	<del>001</del>
			NHHMO	HHMO	001
			NHHMO	LDSO	001
			NHHMO	NHHDC	001
			NHHMO	NHHMO	001

			NHHMO	Supplier	001
		<del>BSCP515</del>	<del>NHHMO</del>	<del>LDSO</del>	<del>001</del>
D0150	Non Half Hourly Meter Technical Details	BSCP504	NHHMO	Supplier	001
			NHHMO	NHHDC	001
			<del>NHHMO</del>	<del>LDSO</del>	<del>001</del>
			<del>LDSO</del>	<del>NHHMO</del>	<del>001</del>
			<del>LDSO</del>	<del>NHHDC</del>	<del>001</del>
			<del>LDSO</del>	<del>Supplier</del>	<del>001</del>
		BSCP514	LDSO	NHHMO	001
			NHHMO	HHMO	001
			NHHMO	LDSO	001
			NHHMO	NHHDC	001
			NHHMO	NHHMO	001
			NHHMO	Supplier	001
		<del>BSCP515</del>	<del>NHHMO</del>	<del>LDSO</del>	<del>001</del>

**No other sections are impacted by CP1335 within the SVA Data Catalogue Volume 1.**