



**CP1320 Attachment– REDLINE TEXT CHANGES TO BSCP504 V23.2**

**Section 1 to Section 3.2.6.32 will not be impacted by CP1320.**

REF	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.2.6.33	No later than 12 months <sup>1</sup> after SSD, if the new Supplier wants to dispute the CoS reading prior to the Final Volume Allocation Run <sup>2</sup> .	Disagree reading and: a) Provide an actual or customer Meter register reading. b) Agree this Meter register reading with the old Supplier <sup>3</sup> . c) Send the agreed Meter register reading to the new NHHDC.  Refer to 3.2.6.36.	New Supplier.  New Supplier.  New Supplier.	Old Supplier <sup>3</sup> .  Old Supplier.  New NHHDC.	D0300 Disputed Readings or Missing Readings on Change of Supplier <sup>3</sup> .  D0300 Disputed Readings or Missing Readings on Change of Supplier.  D0300 Disputed Readings or Missing Readings on Change of Supplier.	Manual Process.

<sup>1</sup> Except where erroneous consumption values associated with the CoS reading are subject to an authorised Trading Dispute and a Post-Final Volume Allocation Run (PFVAR) has been scheduled. Where this exception applies a CoS reading can be disputed no later than 26 months after SSD.

<sup>2</sup> The Supplier may choose to raise a dispute where, in the Supplier's view, there is difference of more than 250kWh from the original CoS reading.

<sup>3</sup> Refer to MRA Agreed Procedure 08 'The Procedure for Agreement of Change of Supplier Readings and Resolution of Disputed Change of Supplier Readings'.

3.2.6.34	No later than 12 months <sup>1</sup> after SSD if the old Supplier wants to dispute the CoS reading prior to the Final Volume Allocation Run <sup>2</sup> .	Disagree reading and:	Old Supplier.	New Supplier.	D0300 Disputed Readings or Missing Readings on Change of Supplier.	Manual Process.
		a) Send a request to the new Supplier to provide an actual Meter register reading or; (If option (a) selected, refer to 3.2.6.36.)	Old Supplier.	New Supplier <sup>3</sup> .	D0300 Disputed Readings or Missing Readings on Change of Supplier <sup>3</sup> .	
		b) Provide an actual or customer Meter register reading or	Old Supplier.	New Supplier.	D0300 Disputed Readings or Missing Readings on Change of Supplier	
		c) Agree an alternative Meter register reading, to be used as the CoS reading, with the new Supplier <sup>3</sup> .	New Supplier.	New NHHDC.	D0300 Disputed Readings or Missing Readings on Change of Supplier	
		d) Send the agreed Meter register reading to the new NHHDC. (If option b) or c) and d) selected, refer to 3.2.6.33.)				

**Please Note:** If CP1320 were approved there will be an impact on the current footnote numbers within BSCP504.

**There will be no additional impacts on BSCP504 as part of CP1320.**