

CP1295 redline changes to BSCP508 v16



**CP1295 ATTACHMENT - REDLINE CHANGES TO BSCP508 V16 SECTION 3.7 'IMPLEMENTATION OF MDD CHANGES' – SEE BELOW:**

3.7.7	In accordance with timescales published in MDD CMC.	a) Send Complete and Incremental MDD <sup>1</sup> .	MDDM.	Relevant MDD Recipients <sup>3</sup> .	D0269 Market Domain Data Complete Set. D0270 Market Domain Data Incremental Set.	Electronic or other method as agreed.
		b) Send Technical Product Deliverables (TPD) in accordance with the confidentiality agreement <sup>2</sup> .	MDDM.	SVAA, HHDC.	D0269 Market Domain Data Complete Set. D0270 Market Domain Data Incremental Set.	Manual Process.
		c) Send remaining MDD dataflows.	MDDM.	NHHDC <sup>4</sup> .	P0190 GSP Group Profile Class Tolerances <sup>7</sup> . D0227 Pool Market Domain Data File <sup>8 9</sup> .	Electronic or other method as agreed.
				NHHDA <sup>5</sup> .	D0227 Pool Market Domain Data File <sup>9</sup> D0286 Data Aggregation and Settlements Timetable File. <u>Pxxxx (Note: the P flow number will be issued once the CP is approved) GSP Group Profile Class Default EAC</u>	
			Non-BSC Parties <sup>6</sup>	D0269 Market Domain Data Complete Set (excluding TPD). D0270 Market Domain Data Incremental Set (excluding TPD).		

<sup>1</sup> The SVAA will distribute a cut down version of these dataflows unless the MDD recipients have specifically requested, via the NHD, a full version of these dataflows. However, if all of the data items within the dataflows have changed, the SVAA will provide the complete dataflows to the recipients.

<sup>2</sup> The SVAA will distribute a cut down version of these dataflows unless the MDD recipients have specifically requested, via the NHD, a full version of these dataflows.

<sup>3</sup> MDD recipients for these dataflows will include: Suppliers, DAs, DCs, MOAs, LDSOs, UMSO, Panel, SAA, CDCA, OFGEM, SMRS, Transmission Company, and SVAA (for use in Stage 2 DPP and Initial Volume Allocation Run). The SVAA will use the MDD matrix to determine how many versions of these dataflows are distributed to each

3.7.7 (Cont/d.)			MDDM.	SVAA <sup>10</sup> .	P0015 Profile Data File. D0278 Teleswitch BSCCo Market Domain Data File. D0286 Data Aggregation and Settlements Timetable File. <sup>11</sup> D0299 Stage 2 BM Unit Registration Data File.	Manual Process. Electronic or other method as agreed.
-----------------	--	--	-------	----------------------	---	---

***SECTION 3.7.8 - END OF DOCUMENT WILL NOT BE IMPACTED BY CP1295.***

---

MDD recipient. These dataflows will be sent automatically from the MDDM system to the SVA System. These recipients may also request data on an ad-hoc basis from MDDM.

<sup>4</sup> This dataflow will be provided with every publication of the MDD, even though the data contained within the file may not have changed.

<sup>5</sup> These dataflows will be provided with every publication of the MDD, even though the data contained within the file may not have changed.

<sup>6</sup> These dataflows are optional and will only be provided to a non-BSC party if the SVAA is directed to do so by BSCCo.

<sup>7</sup> This dataflow will be provided with every publication of the MDD, even though the data contained within the file may not have changed.

<sup>8</sup> This dataflow will be provided with every publication of the MDD, even though the data contained within the file may not have changed.

<sup>9</sup> The version of the D0227 dataflow being sent is the Standard Settlement Configuration extract file.

<sup>10</sup> These dataflows will be provided with every publication of the MDD, even though the data contained within the file may not have changed.

<sup>11</sup> This dataflow will be sent automatically from the MDDM system to the SVA System.