



CP1256 Proposed redlined changes to BSCP520

BSCP520 v14.0

Insert new step into the general NHH trading section to explain the handling of backdated D0052s by UMSOs

3.9.2 Non-Half Hourly Trading

| REF. | WHEN | ACTION | FROM | TO | INFORMATION REQUIRED | METHOD |
|---------|--|--|----------------|------------------|--|------------------------------------|
| 3.9.2.1 | On new connection / change of detail /sending of annual spreadsheet. | Send split EAC per MSID | UMSO. | Supplier, NHHDC. | D0052 Affirmation Of Metering System Settlement Details. | Electronic or other agreed method. |
| 3.9.2.2 | On receipt of D0052. | Validate D0052.If valid proceed to 3.9.2.6, otherwise 3.9.2.3. | NHHDC | | In accordance with BSCP504 Non-Half Hourly Data Collection. | |
| 3.9.2.3 | If D0052 is invalid. | Send notification of invalid Metering System Settlement details. | NHHDC | UMSO, Supplier | D0310 Notification of Failure to Load or Receive Metering System Settlement Details. | Electronic or other agreed method. |
| 3.9.2.4 | On receipt of D0310. | Resolve missing or invalid data with NHHDC. | Supplier, UMSO | NHHDC. | | Electronic or other agreed method. |

| REF. | WHEN | ACTION | FROM | TO | INFORMATION REQUIRED | METHOD |
|----------------|--|---|-------------|------------------------|--|------------------------------------|
| 3.9.2.5 | | On resolution, UMSO to resend data to Supplier and NHHDC. | UMSO. | Supplier, NHHDC. | D0052 Affirmation Of Metering System Settlement Details (Resend data). | Electronic or other agreed method. |
| 3.9.2.6 | If data valid and as agreed with Suppliers schedule | For each energised MSID, send the new or updated split EAC data. Resolve inconsistencies in accordance with BSCP504. | NHHDC. | NHHDA. | D0019 Metering System EAC/AA Data. | Electronic or other agreed method. |
| <u>3.9.2.7</u> | <u>As required in order to correct previous data</u> | <u>Send corrected EAC data per MSID.⁷</u> <u>Where Effective from Settlement Date {EACDC} is more than 14 months old, amend Effective From Settlement date to the earliest date for which Final Reconciliation has not taken place.</u> <u>Proceed to 3.9.2.2.</u> | <u>UMSO</u> | <u>Supplier, NHHDC</u> | <u>D0052 Affirmation of Metering System Settlement Details</u> | |

⁷ Backdated D0052s supersede previous data held by the NHHDC after the Effective From Settlement Date {EACDC}. Where any existing data is to be maintained, this must therefore be reaffirmed by issuing subsequent D0052s in the order by which they should be processed.