

<b>Change Proposal – F40/01 (Page 1 of 3)</b>	<b>CP No: 772</b> <i>(mandatory by BSCCo)</i>
<p><b>Title</b> <i>(mandatory by originator)</i></p> <p>Enhance D0268 'Half Hourly Meter Technical Details' within the Code Subsidiary Documents.</p>	
<p><b>Description of Change</b> <i>(mandatory by originator)</i></p> <p>Apply a number of improvements to the D0268 'Half Hourly Meter Technical Details' dataflow within the Code Subsidiary Documents to reflect existing manual processes being operated in the half hourly market.</p> <p>The improvements relate to the following:</p> <ol style="list-style-type: none"> <li>1. Identify whether the half hourly site is a 'complex site' and therefore an information sheet should be provided.</li> <li>2. Enhance the valid types of communication methods that can be used (for both hand held and Local Area Network (LAN) communications).</li> <li>3. Identify the date when an half hourly meter has been removed.</li> </ol>	
<p><b>Proposed Solution(s)</b> <i>(mandatory by originator)</i></p> <p>Modify the BSC SVA Data Catalogue as outlined in the attachment to be consistent with the MRA.</p> <p>In addition, there are a number of optional requirements which are included in the attachment for consideration. The attachment outlines that changes may be required to BSCP502 'Half Hourly Data Collection for SVA Metering Systems Registered in SMRS' and PSL110 'Meter Operation' and that further changes may be required to the BSC SVA Data Catalogue. The proposed changes would:</p> <ol style="list-style-type: none"> <li>a) Require the provision of an 'information sheet' from the Meter Operator Agent (MOA) to the Half Hourly Data Collector (HHDC) via a manual mechanism, if the site was a 'complex site'. This would require the obligation to be included within both BSCP502 and PSL110 and the 'information sheet' to be included within BSCP502.</li> <li>b) Require the inclusion of the definition of a 'complex site' within BSCP502, via a new Appendix.</li> <li>c) Identify a different version number of the D0268 dataflow within the BSC SVA Data Catalogue.</li> </ol>	

<b>Change Proposal – F40/01 (Page 2 of 2)</b>	<b>CP No: 772</b> <i>(mandatory by BSCCo)</i>
<p><b>Justification for Change</b> <i>(mandatory by originator)</i></p> <p>This CP formalises the existing manual processes being operated in the half hourly market and therefore proposes replacement of these activities and ensures consistency with the MRA DTC.</p>	
<p>The following MRA DTC CPs have been raised to change the DTC:</p> <ul style="list-style-type: none"> <li>▪ MRA DTC CP3131 'Modify the D0268 to include a 'complex site indicator' (equates to item 1 above);</li> <li>▪ MRA DTC CP3132 'Amend the J0386 – Communications Method in the D0268 for Hand Held' (equates to item 2 above);</li> <li>▪ MRA DTC CP3133 'Amend the J0386 – Communications Method in the D0268 for LAN (equates to item 2 above); and</li> <li>▪ MRA DTC CP3134 'Add 'Date of Meter Removal' (J1269) to the D0268' (equates to item 3 above).</li> </ul>	
<p><b>Other Configurable Items Potentially Affected by Proposed Solution(s)</b> <i>(optional by BSCCo)</i></p> <p>BSCP502 and PSL110 may be impacted by this CP.</p>	
<p><b>Impact on Core Industry Documents</b> <i>(optional by originator)</i></p> <p>Data Transfer Catalogue (refer to Justification for Change).</p>	
<p><b>Related Changes and/or Projects</b> <i>(mandatory by BSCCo)</i></p> <p>None.</p>	
<p><b>Originator's Details:</b></p> <p><b>BCA Name:</b></p> <p><b>Organisation:</b></p> <p><b>Email Address:</b></p> <p><b>Date:</b>                    <b>5<sup>th</sup> April 2002</b></p> <p><b>Organisation:</b></p>	

**Change Proposal – F40/01 (Page 3 of 3)****CP No: 772**  
*(mandatory by BSCCo)***Attachments:**

- Extract of proposed changes to the BSC SVA Data Catalogue.
- MRA DTC CP3131
- MRA DTC CP3132
- MRA DTC CP3133
- MRA DTC CP3134