

Change Proposal – F40/01 (Page 1 of 2)	CP No: 640 <i>(mandatory by BSCCo)</i>
Title <i>(mandatory by originator)</i> Change to CDCA URS	
Description of Change <i>(mandatory by originator)</i> This Change Proposal has been raised to address inconsistencies initially identified by the NETA Programme and subsequently reviewed by ELEXON (IRP CP014). Inconsistency PWC 37 – BSCP03 v2.0 3.1.4 currently states that the CDCA shall send the raw Meter Data Report to the Registrant, DSO or TC and Non Owner Party. The CDCA URS currently has no requirement for the CDCA to send the report to these parties.	
Proposed Solution(s) <i>(mandatory by originator)</i> Inconsistency PWC 37 Amend the CDCA URS to include the issuing of the Meter Data Report to the Registrant, DSO or TC and Non Owner Party.	
Justification for Change <i>(mandatory by originator)</i> To remove inconsistencies between BSCP03 v.2 and CDCA URS v.2.4	
Other Configurable Items Potentially Affected by Proposed Solution(s) <i>(optional by BSCCo)</i>	
Impact on Core Industry Documents <i>(optional by originator)</i>	
Related Changes and/or Projects <i>(mandatory by BSCCo)</i>	
Originator's Details: BCA Name ... Inconsistency Review Project..... Organisation Email Address Date24 th May 2001..... Organisation	
Attachments: Y/N* (If Yes, No. of Pages attached:.....) <i>(delete as appropriate)</i>	