

<p align="center">Change Proposal – F40/02 (Page 1 of 2)</p>	<p>S21792 CP No: 558 <i>(mandatory by BSCCo)</i></p>
<p>Title: Removal of Support for D0269 & D0270 version 001 dataflows</p>	
<p>Description of Change</p> <p>The solution for SIR R1445," Inclusion of Meter Timeswitch Codes in Market Domain Data", proposed that after a period of 12 months after its implementation a further exercise would be undertaken to remove the original versions (Version 001) of the D0269 & D0270 dataflows from the DTC.</p> <p>The new versions (Version 002) of the D0269 and D0270 dataflows were first published in the DTC catalogue version 5.0 on 13th August 1999 (DTC CP3016). SIR R1445 was implemented in Oct 1999.</p> <p>The SVG/02 meeting of 8th May 2001 expressed the view that it was now appropriate to accelerate the withdrawal of support for Version 001 of the D0269 and D0270 dataflows.</p>	
<p>Proposed Solution(s)</p> <p>Amend the following Configuration Item:</p> <ul style="list-style-type: none"> • The MDDM system – to remove support for the production and distribution of D0269 and D270 version 001 dataflows in Q1 2002. The target "cut off" date is 1st Jan 2002. This will effect all market participants who currently use these versions of the dataflows. <p>As a consequence, the following additional Configuration Items will be amended:</p> <ul style="list-style-type: none"> • The NHHDA system – to add support for D0269 version 002 • The ISRA system - to add support for D0269 version 002 • Business Definition Documents (i.e. Data Interfaces and Data Catalogue) 	
<p>Justification for Change</p> <p>This completes the implementation of the solution to SIR R1445 and restores the situation of only having one active version of the MDD distribution dataflows, i.e. D0269 & D0270.</p> <p>Apart from improved business efficiency in the production and distribution process of the MDD, this change removes any confusion in the industry. The progressing of this change proposal was at the request of industry.</p>	
<p>Other Configurable Items Potentially Affected by Proposed Solution(s)</p>	
<p>Impact on Core Industry Documents New issue of DTC required</p>	
<p>Related Changes and/or Projects Any system that receives the D0269 & D0270 version 001 dataflows.</p>	

Change Proposal – F40/01 (Page 2 of 2)

CP No:
(mandatory by
BSCCo)

Originator's Details:

BCA Name

Organisation

Email Address

Date 26th May 2001

[BSC Panel Representative]

Organisation

Attachments: None