

## Change Proposal – F40/01 (Page 1 of 2)

CP No: 631  
(mandatory by BSCCo)

**Title** (mandatory by originator) **Amendment to BMRA URS**

**Description of Change** (mandatory by originator)

### **Inconsistency 264 BSC\_Q / URS\_BMRA, Inconsistency 265 BSC\_Q / URS\_BMRA & Inconsistency 266 BSC\_Q / URS\_BMRA**

The Code Section Q 6.1 Submission of data to the BMRA and BMRA URS BMRA-I003 version 2.3 use different terminology to reference the same data item:

- Code Section Q 6.1.2 (b) uses “national Generating Plant Demand Margin” compared with the BMRA URS BMRA-I003 that uses “National Demand Forecast Week”.
- Code Section Q 6.1.3 uses “peak National Demand forecast” compared with the BMRA URS BMRA-I003 that uses “National Demand Forecast Day”.
- Code Section Q 6.1.4 uses “peak National Indicated Margin” compared with the BMRA URS BMRA-I003 that uses “National Margin Forecast, 2-14”.

### **Inconsistency 268 BSC\_Q / URS\_BMRA**

The times when data is sent from the Transmission Company to BRMA are stated in the Code Section Q 6.1.7. These times should be replicated in Appendix C of the BMRA, however the BMRA URS makes no reference to the 1600 transmission.

**Proposed Solution(s)** (mandatory by originator)

### **Inconsistency 264 BSC\_Q / URS\_BMRA, Inconsistency 265 BSC\_Q / URS\_BMRA & Inconsistency 266 BSC\_Q / URS\_BMRA**

BMRA URS version 2.3 should be altered to reflect the terms used in Section Q of the Code. To cover any possible confusion over the appearance of new terminology, both terms should be included in the URS.

- Amend BMRA-I003 so it reads “national Generating Plant Demand Margin (previously known as ‘National Demand Forecast Week’)”
- Amend BMRA-I003 to read “peak National Demand Forecast (previously known as ‘National Demand Forecast Day’)”
- Amend BMRA-I003 to read “peak Indicated National Margin (previously known as ‘National Margin Forecast, 2-14’)”

### **Inconsistency 268 BSC\_Q / URS\_BMRA**

Update BMRA URS to reference the 1600 transmission of data from the Transmission Company to the BMRA.

**Justification for Change** (mandatory by originator)

To remove inconsistencies between the BMRA URS and section Q of the BSC Code.

<b>Other Configurable Items Potentially Affected by Proposed Solution(s)</b> <i>(optional by BSCCo)</i>
<b>Impact on Core Industry Documents</b> <i>(optional by originator)</i> BMRA Documentation
<b>Related Changes and/or Projects</b> <i>(mandatory by BSCCo)</i>
<p><b>Originator's Details:</b></p> <p><b>Name</b>.....<i>Inconsistency Review Project</i>.....</p> <p><b>Organisation</b>.....<i>ELEXON</i>.....</p> <p><b>Email Address</b>.....</p> <p><b>Date</b>.....<i>12<sup>th</sup> June 2001</i>.....</p> <p><b>Organisation</b>.....</p>
<p>Attachments: Y/N*      (If Yes, No. of Pages attached:.....)</p> <p><i>(delete as appropriate)</i></p>