

<p align="center">Change Proposal – F40/02 (Page 1 of 2)</p>	<p>CP No: 736 <i>(mandatory by BSCCo)</i></p>
<p>Title <i>(mandatory by originator)</i> Timing of BMRS Reporting of Indicative Imbalance Prices</p>	
<p>Description of Change <i>(mandatory by originator)</i></p> <p>The parameter that defines the maximum amount of time the Central Service Provider has to publish indicative imbalance prices on the BMRS will be increased from 15 to 45 minutes (when Modification P18A is implemented by the BSC Systems Release 2 Project in March 2002). This will be documented in the BMRA Service Description.</p> <p>This new value was calculated as the original 15 minutes plus an additional 30 minutes, which was the maximum value for the P18A CADL. Technically the optimal value for this limit would have been 15 + <CADL>, which for the current value of CADL would have given a service level of 30 minutes. However, the tight time-scales associated with the progression of an Urgent Modification as complicated as P18A, did not justify the additional risk of attempting to specify a tighter and more complicated limit.</p> <p>Modification Proposal P38 was raised to propose to change the underlying P18A CAD algorithm to remove this need for a delay in publishing imbalance prices. As part of the assessment of this modification, a representative of the Central Service Provider stated that actual implementation of BSC Systems Release 2 started the calculation of imbalance prices at 5 + <CADL> minutes, and typically publish prices a couple of minutes later.</p> <p>For a CADL of 15 (current indications suggest the chance of it increasing are small) this means prices will typically be published significantly before the 45 minute limit. This information was a major factor in the Modification Group's recommendation to reject the Modification Proposal P38.</p> <p>This change proposal has been raised to ensure that this new information is reflected in the significant documentation for BSC Systems Release 2, either within the original BMRS Service Descriptions or the BMRS User Requirement Specification.</p>	
<p>Proposed Solution(s) <i>(mandatory by originator)</i></p> <p>This is a documentation change to ensure the BMRS Service Description, the BMRS User Requirement Specification and the Reporting Catalogue (Section 2.3) reflect the final implementation, by changing the limit from 45 minutes to 15 + <CADL></p>	
<p>Justification for Change <i>(mandatory by originator)</i></p> <p>Parties wish to see indicative imbalance prices published as early as possible.</p> <p>This change is necessary to document what has become an unspecified requirement and to ensure that delivery of service to the revised standard is committed to by the Central Service Provider.</p>	

<p align="center">Change Proposal – F40/01 (Page 2 of 2)</p>	<p>CP No: ??? <i>(mandatory by BSCCo)</i></p>
<p>Other Configurable Items Potentially Affected by Proposed Solution(s) <i>(optional by BSCCo)</i></p> <p>None.</p>	
<p>Impact on Core Industry Documents <i>(optional by originator)</i></p> <p>None.</p>	
<p>Related Changes and/or Projects <i>(mandatory by BSCCo)</i></p>	
<p><i>Originator's Details:</i></p> <p><i>BCA Name</i>.....</p> <p><i>Organisation</i>.....</p> <p><i>Email Address</i>.....</p> <p><i>Date</i>.....</p> <p><i>[BSC Panel Representative]</i>.....</p> <p><i>Organisation</i>.....</p>	
<p>Attachments: N* (If Yes, No. of Pages attached:.....)</p> <p><i>(delete as appropriate)</i></p>	