



Date 3 April 2014
To CVA Change Circular List, SVA Change Circular List and EMR Circular List
From ELEXON EMR Programme
Purpose For Comment

Additional BM Units Registered for EMR

This EMR Circular informs you of the proposed new naming convention for Additional BM Units registered for EMR. It invites you to include any comments, including any impacts on you and the likely implementation timescales.

Please send comments to the ELEXON EMR Programme (emr@elexon.co.uk) by 17.00 on **Wednesday 30 April**.

Who will this impact?

- BSC Parties (and others) who receive the SAA-I014 settlement report need to be aware that it may contain data for EMR-related Additional BM Units, whose BM Unit Id will follow the new naming convention
- Suppliers and HHDA's receiving BM Unit-related DTC flows (i.e. D0294, D0295, D0296, D0297, D0298 and D0299)
- Suppliers should be aware that (subject to the outcome of DECC's recent consultation) the £100/month charge will be waived for these Additional BM Units
- Suppliers need to be aware that (subject to the outcome of DECC's recent consultation) registration of these Additional BM Units can be initiated by BSCCo i.e. Suppliers may find themselves the Lead Party of an Additional BM Unit that complies with the new naming convention, without having registered it themselves

Where can I find the naming convention?

You can find the proposed naming convention in Attachment 1 of this circular along with an explanation of the proposal.

The proposed changes to BSCP15, published as part of the amendments to [BSC Configurable Items for EMR](#) on Friday 28 March 2014, include provisions to adhere to this naming convention (see BSCP15/4.1 page 3 of 5).



EMR Circular 2

When are these changes due to become effective?

We do not anticipate any Additional BM Units using the new naming convention to become effective until March 2015 at the earliest.

We expect the BSC Code Subsidiary Documents to be directed by the Secretary of State around July/August this year, and we plan to publish the final naming convention at the same time. This will provide a minimum implementation of six months.

What do I need to do?

We would like to encourage you to provide comments, including any impacts on you and the likely implementation timescales to the ELEXON EMR Programme (emr@elexon.co.uk) by 17.00 on **Wednesday 30 April 2014**.

Will the naming convention be consulted on?

DECC will consult on the BSC Configurable Items for EMR, which include provisions to adhere to the naming convention, but not the convention itself.

What will we do with your comments?

We will review your comments, publish the responses and if necessary engage with respondents to agree the necessary changes.

Where can I get more information?

If you have any questions about this Circular, please email emr@elexon.co.uk.

Attachments:

Attachment 1 – EMR C2 – Proposed Additional BM Unit Naming Convention for EMR