CP1426 'Receipt of the D0296 data flow at II'

This CP Consultation was issued on 12 January 2015 as part of CPC00752, with responses invited by 6 February 2015.

Consultation Respondents

Respondent	No. of Parties/Non-Parties Represented	Role(s) Represented
E.ON Energy Solutions	1/0	Supplier
Economy Energy	1/0	Supplier
EDF Energy	10/4	Generator, Supplier, Non Physical Trader. ECVNAA, MVRNA, Supplier Agent, Consolidator
ScottishPower	1/0	Supplier
Spark Energy Supply Ltd	1/0	Supplier
SSE Energy Supply Ltd	1/0	Supplier
TMA Data Management Ltd	0/1	Supplier Agent

© ELEXON Limited 2015

Summary of Consultation Responses

Respondent	Agree?	Impacted?	Costs?	Impl. Date?
E.ON Energy Solutions	✓	✓	✓	✓
Economy Energy	✓	✓	✗	✓
EDF Energy	✓	✓	✓	✓
ScottishPower	✓	✗	✗	✓
Spark Energy Supply Ltd	✓	✓	✓	✓
SSE Energy Supply Ltd	✓	✓	✓	✓
TMA Data Management Ltd	✓	✗	✗	✓

© ELEXON Limited 2015

Question 1: Do you agree with the CP1426 proposed solution?

Summary

Yes	No	Neutral/No Comment	Other
7	0	0	0

Responses

Respondent	Response	Rationale
E.ON Energy Solutions	Yes	Yes. This is required to support new EMR requirements.
Economy Energy	Yes	–
EDF Energy	Yes	CP supports introduction of EMR arrangements.
ScottishPower	Yes	–
Spark Energy Supply Ltd	Yes	It appears to the most efficient way of getting the necessary information to suppliers to validate the LCCC daily invoices in the required timescale.
SSE Energy Supply Ltd	Yes	–
TMA Data Management Ltd	Yes	–

© ELEXON Limited 2015

Question 2: Do you agree that the draft redlining delivers the CP1426 proposed solution?

Summary

Yes	No	Neutral/No Comment	Other
7	0	0	0

Responses

A summary of the specific responses on the draft redlining can be found at the end of this document.

Respondent	Response	Rationale
E.ON Energy Solutions	Yes	–
Economy Energy	Yes	–
EDF Energy	Yes	–
ScottishPower	Yes	–
Spark Energy Supply Ltd	Yes	–
SSE Energy Supply Ltd	Yes	–
TMA Data Management Ltd	Yes	–

© ELEXON Limited 2015

Question 3: Will CP1426 impact your organisation?

Summary

Yes	No	Neutral/No Comment	Other
5	2	0	0

Responses

Respondent	Response	Rationale
E.ON Energy Solutions	Yes	Yes, some change will be required to accept the D0296.
Economy Energy	Yes	Receipt of the files will be sooner to allow for validation to be done in advance. But no system changes required.
EDF Energy	Yes	Ensuring new II version of flow is correctly processed in existing systems.
ScottishPower	No	–
Spark Energy Supply Ltd	Yes	The company systems that receive and process data flows will need to be amended to accommodate this change. The extent of this change is currently under review, but at this stage it is not envisaged that it will be substantial. Further changes will be required to other processes to enable analysis of the data to validate the LCCC invoices, although these changes are part of the wider business change involved in implementing the new CFD process.
SSE Energy Supply Ltd	Yes	Limited impact.
TMA Data Management Ltd	No	–

© ELEXON Limited 2015

Question 4: Will your organisation incur any costs in implementing CP1426?

Summary

Yes	No	Neutral/No Comment	Other
4	3	0	0

Responses

Respondent	Response	Rationale
E.ON Energy Solutions	Yes	Yes but not thought to be considerable in relation to this change.
Economy Energy	No	–
EDF Energy	Yes	We cannot split costs of this from total package of changes for EMR, however, this is thought to be a low cost change.
ScottishPower	No	–
Spark Energy Supply Ltd	Yes	At this stage it is difficult to assess the exact cost of implementing CP1426. The majority of the work is likely to be done by our in house IT support, which is a fixed costs so will not directly incur costs, although it is clearly utilising resource that could be used elsewhere. We may have to incur some third party costs to amend our systems that receive and process data flows although we don't envisage that to be significant.
SSE Energy Supply Ltd	Yes	Some necessary costs in making updates to system(s).
TMA Data Management Ltd	No	–

© ELEXON Limited 2015

Question 5: Do you agree with the proposed implementation approach for CP1426?

Summary

Yes	No	Neutral/No Comment	Other
7	0	0	0

Responses

Respondent	Response	Rationale
E.ON Energy Solutions	Yes	Ideally the change should be implemented sooner than June release date and we therefore welcome the option to "opt in" in early. However, it is not clear to us from the change proposals what we are required to do to ensure this happens. We therefore would appreciate some urgent guidance from ELEXON as to how an early "opt in" can be achieved.
Economy Energy	Yes	–
EDF Energy	Yes	It provides an opportunity for testing processes and systems to ensure these complex changes are fully embedded prior to go-live.
ScottishPower	Yes	–
Spark Energy Supply Ltd	Yes	The approach seems a sensible one for getting the change implemented in the required timescale.
SSE Energy Supply Ltd	Yes	As noted in this change proposal, we support the SVAA issuing the D0296 before 1 March 2015 in readiness of validating EMR invoices from 1 April 2015.
TMA Data Management Ltd	Yes	–

© ELEXON Limited 2015

Question 6: Would you require the D0296 data flow at II to validate EMR-related charges, and would you require any other data flows?

Summary

Yes	No	Neutral/No Comment	Other
5	0	1	1

Responses

Respondent	Response	Rationale
E.ON Energy Solutions	Yes	Yes. Not aware of any other flows that maybe required.
Economy Energy	Yes	I believe we use the D296 data at SF, so we would require it at II
EDF Energy	Yes	Yes for D0296 flow at II, we do not believe any other flows not already covered by other changes would be required.
ScottishPower	Yes	Yes, ScottishPower would welcome the D0296 data flow at II to assist in the validation of the EMR related charges and at this stage we believe we do not require any further data flows.
Spark Energy Supply Ltd	Not sure at this stage	–
SSE Energy Supply Ltd	Yes	We will require the D0296 to validate EMR-related charges. We do not require any other flows for this validation process.
TMA Data Management Ltd	N/A	–

© ELEXON Limited 2015

Question 7: Do you have any further comments on CP1426?

Summary

Yes	No
0	7

Responses

Respondent	Response	Comments
E.ON Energy Solutions	No	–
Economy Energy	No	–
EDF Energy	No	–
ScottishPower	No	–
Spark Energy Supply Ltd	No	–
SSE Energy Supply Ltd	No	–
TMA Data Management	No	–

© ELEXON Limited 2015

BSCP01

No comments were received.

BSCP508

No comments were received.

© ELEXON Limited 2015