

Redlined NETA IDD Part 2 text for CP1435 'Amendments to the SAA-I042 flow'

This CP proposes changes to Section 11.1 of the NETA IDD Part 2 document. We have redlined these changes against Version 32.0.

There is no impact on any other part of this document for this CP.

Amend Section 11.1 as follows:

11.1 SAA-I042: (output) BM Unit Gross Demand Report

Interface ID: SAA-I042	User: CFD Settlement Services Provider	Title: BM Unit Gross Demand Report	BSC Reference: EMR
Mechanism: Electronic data file transfer, XML	Frequency: Daily	Volumes: One per Settlement Run	
<p>Interface Requirement:</p> <p>The SAA shall issue the BM Unit Gross Demand data to a CFD Settlement Services Provider for all Settlement Runs, The report shall include:</p> <p>Settlement Date Settlement Run Type BSC Party ID BM Unit ID Settlement Period TLM-Adjusted BM Unit Gross Demand</p> <p>For each Settlement Period, the report will contain data for the following BM Units:</p> <ul style="list-style-type: none"> Supplier BM Units, for which the TLM-Adjusted BM Unit Gross Demand is defined as: $\text{TLM-Adjusted BM Unit Gross Demand} = - \text{TLM}_{ij} * \text{BM Unit SVA Gross Demand}$ <p>where BM Unit SVA Gross Demand is calculated by SVAA, <u>and will be deemed to be zero if a value has not been received from SVAA</u>; and</p> BM Units (other than Supplier BM Units and Interconnector BM Units) which have a BM Unit Metered Volume less than zero, for which the TLM-Adjusted BM Unit Gross Demand is defined as: $\text{TLM-Adjusted BM Unit Gross Demand} = \text{TLM}_{ij} * \text{min}(\text{BM Unit Metered Volume}, 0)$ 			
<p>Physical Interface Details:</p> <p>This file will be sent in a format defined by an XML Schema established and maintained by the SAA.</p>			