

Final CP Report

CP1470 'Housekeeping Change to CoPs 1, 2, 3 and 5 following P266'

ELEXON



Contact

Jemma Williams

020 7380 4359

Jemma.Williams@elexon.co.uk



Contents

1	Why Change?	2
2	Solution	3
3	Impacts and Costs	3
4	Implementation Approach	4
5	Final Committee Views and Decision	4
	Appendix 1: Glossary & References	5

About This Document

This document is the CP1470 Final Change Proposal (CP) Report which ELEXON has published following the final decision from the Imbalance Settlement Group (ISG) and Supplier Volume Allocation Group (SVG) to approve CP1470.

There are five parts to this document:

- This is the main document. It provides details of the solution, impacts, costs, and proposed implementation approach. It also summarises the ISG's and SVG's final decision on whether to approve this change.
- Attachments A to D contain the approved redlined changes to deliver the CP1470 solution.

CP1470
Final CP Report

05 October 2016

Version 1.0

Page 1 of 5

© ELEXON Limited 2016

1 Why Change?

Background

[P266 'Improving the allocation of Reactive Power flows between Import and Export Metering Systems'](#) was implemented on 23 February 2012 as part of the February 2012 BSC Release. This introduced additional paragraphs to the following Codes of Practice (CoPs):

- [CoP 1 – Code of Practice for the Metering of Circuits with a Rated Capacity Exceeding 100MVA for Settlement;](#)
- [CoP 2 – Code of Practice for the Metering of Circuits with a Rated Capacity Not Exceeding 100MVA for Settlement Purposes;](#)
- [CoP 3 – Code of Practice for the Metering of Circuits with a Rated Capacity Not Exceeding 10MVA for Settlement Purposes;](#) and
- [CoP 5 – Code of Practice for the Metering of Energy Transfers with a Maximum Demand of up to \(and Including\) 1MW for Settlement Purposes.](#)

This had the effect of incrementing the numbering of the 'Overall Accuracy' section in each of these CoPs from 4.2.1 to 4.3.1.

What is the issue?

As a result of the implementation of P266, the 'Overall Accuracy' requirements in CoPs 1, 2, 3 and 5 are in section 4.3.1. However, currently other sections in these CoPs incorrectly reference the 'Overall Accuracy' sections as 4.2.1 and not 4.3.1.

2 Solution

Approved solution

CP1470 'Housekeeping Change to CoPs 1, 2, 3 and 5 following P266' was raised by ELEXON on 11 August 2016. It will make a Housekeeping Change¹ to correct the manifest error in CoPs 1, 2, 3 and 5. This will amend the sections which incorrectly reference section 4.3.1 'Overall Accuracy' section as 4.2.1.

Proposer's rationale

This change will correct this manifest error, to prevent the risk of confusion and inconsistencies.

Approved redlining

Attachments A to D contain the approved changes to CoPs 1, 2, 3 and 5 to deliver CP1470.

The ISG and SVG jointly own CoP 3, while the ISG owns CoPs 1 and 2, and the SVG owns CoP 5. As such, both committees were required to approve CP1470.

3 Impacts and Costs

Central impacts and costs

CP1470 will require an update to CoPs 1, 2, 3 and 5. No central system changes are required and there will be no impact on BSC Agents.

Central Impacts	
Document Impacts	System Impacts
<ul style="list-style-type: none">• CoP 1• CoP 2• CoP 3• CoP 5	<ul style="list-style-type: none">• None

The central implementation costs for CP1470 will be approximately £240 (one ELEXON man day) to implement the document changes.

¹ BSCP40 'Change Management' defines a Housekeeping CP as "a Change Proposal which, if approved, would result in a Housekeeping Change to one or more Configurable Items in the Baseline Statement". It defines a Housekeeping Change as "the correction of manifest errors, minor errors and inconsistencies, including typographical errors (e.g. punctuation errors, spelling mistakes, incorrect font, incorrect capitalisation) incorrect cross-referencing, and the removal of redundant text".

BSC Party & Party Agent impacts and costs

Participant impacts

CP1470 will not impact any BSC Parties or Party Agents as it is a Housekeeping Change.

As CP1470 is a Housekeeping CP, it did not require a CP Consultation as there are no impacts or costs on participants to implement the changes.

4 Implementation Approach

Recommended Implementation Date

CP1470 will be implemented on **23 February 2017** as part of the February 2017 BSC Systems Release.

5 Final Committee Views and Decision

ISG's final views

The ISG considered CP1470 at its meeting on 20 September 2016 ([ISG185/02](#)). The ISG did not make any comments.

SVG's final views

The SVG considered CP1470 at its meeting on 4 October 2016 ([SVG188/04](#)). The SVG did not make any comments.

Final decision

The ISG and SVG **APPROVED** CP1470 for implementation on 23 February 2017 as part of the February 2017 BSC Systems Release.

Appendix 1: Glossary & References

Acronyms

Acronyms used in this document are listed in the table below.

Acronyms	
Acronym	Definition
BSC	Balancing and Settlement Code (<i>Industry Code</i>)
BSCP	BSC Procedure (<i>Industry Code Subsidiary Document</i>)
CP	Change Proposal
CoP	Code of Practice (<i>Industry Code Subsidiary Document</i>)
ISG	Imbalance Settlement Group (<i>Industry Panel sub-committee</i>)
SVG	Supplier Volume Allocation Group (<i>Industry Panel sub-committee</i>)

External links

A summary of all hyperlinks used in this document are listed in the table below.

All external documents and URL links listed are correct as of the date of this document.

External Links		
Page(s)	Description	URL
2	P266 page on the ELEXON website	https://www.elexon.co.uk/mod-proposal/p266/
2	CoP page on the ELEXON website	https://www.elexon.co.uk/bsc-related-documents/related-documents/codes-of-practice/
3	CP1470 page on the ELEXON website	https://www.elexon.co.uk/change-proposal/cp1470/
5	ISG185 page on the ELEXON website	https://www.elexon.co.uk/meeting/isg-185/?from_url=https://www.elexon.co.uk/events-calendar-item/isg-185/
5	SVG188 page on the ELEXON website	https://www.elexon.co.uk/meeting/svg-188/?from_url=https://www.elexon.co.uk/events-calendar-item/svg-188/