Change Proposal – BSCP40/02	CP No: *Version No:* *(mandatory by BSCCo)*

Title (mandatory by originator)

Alignment of the CRA URS to the NETA IDD

Description of Problem/Issue (mandatory by originator)

This Change Proposal proposes housekeeping changes to amend discrepancies between the Central Registration Agent (CRA) User Requirements Specification (URS) and the content of the New Electricity Trading Arrangements (NETA) Interface Definition and Design (IDD), to ensure the CRA URS correctly outlines what the BSC central systems and BSC Agents deliver.

Proposed Solution (mandatory by originator)

This Change Proposal has been raised to address inconsistencies within the CRA URA, to ensure that it is correctly aligned with the NETA IDD.

Discrepancies have been identified in four sections of the CRA URS; Section 5.13, 5.14, 5. 5.21, and 5.23. An overview of the required amends to these sections are outlined below:

<u>Section 5.13 CRA-F013: BM Unit Registration</u>

Currently the functional requirement under Section 5.13, states that where registration is accepted, the system shall calculate the BM Unit Credit Assessment Export Capacity (BMCAEC) and Production/Consumption status, and trigger the sending of the of a Credit assessment Export Capability Report. (CRA-I017). However, this does not reflect operational practice.

First, it is current operation practice for the system to calculate the BMCAEC, BM Unit Credit Assessment Import Capability (BMCAIC) and Production / Consumption status, and trigger the sending of an Issue BM Unit Registration Data Report (CRA-I015) and an Issue Registration Report (CRA-I014). As such, the proposed change will make reference to the calculation of the BMCAIC, and the trigger of CRA-I015 and CRA-I014 data flows.

Secondly, it is current operational practice is that the CRA does not send a CRA-I017 Report. This this requirement is satisfied by sending a CRA-I015 data flow to ECVAA, and a CRA-I014 dataflow to BSC Parties.

However, as there is still a requirement in the NETA IDD Part 2 that the CRA may from time to time issue the Credit Assessment Export Capability Report (CRA-I017) to the SAA and ECVAA Services, a reference to this has been included.

Finally, there is no mention in the 'Output Interfaces' of the CRA-I014 data flow, so this will be included to the list of output interfaces under the 'Interfaces' section.

<u>Section 5.14 CRA-F014: View / Maintain BM Unit Registration</u>

Currently the functional requirement under Section 5.14, states that where registration is

©ELEXON Limited 2015

accepted, the system shall calculate the BMCAEC and Production/Consumption status, and trigger the sending of the Credit assessment Export Capability Report. (CRA-I017). However, this does not reflect operational practice.

First, the proposed change will make reference to the calculation of the BMCAIC, and the triggering of the CRA-I015 and CRA-I014 data flows.

Secondly, a reference will be included to indicate that the CRA may from time to time issue the CRA-I017 dataflow.

Finally, there is also no mention in the 'Output Interfaces' of the CRA-I017 data flow, so this will be included to the list of output interfaces under the 'Interfaces' section.

Section 5.21 CRA-F020: Maintain Credit Assessment Load Factor

Currently the functional requirement under Section 5.21, states the new BMCAEC and BMCAIC for all BM Units shall subsequently be distributed as per the requirements of CRA-I017. However, as CRA-I017 is an interface and not a requirement, the reference will be amended to correctly refer to the requirements of CRA-F013 and CRA-F014.

Secondly, a reference will be included to indicate that the CRA may from time to time issue the CRA-I017 dataflow.

Finally, there is no mention in the 'Output Interfaces' of the CRA-I014 and CRA-I015 data flows, so this will be included to the list of output interfaces under the 'Interfaces' section.

Section 5.23 CRA-F022: Issue Credit Assessment Capability

Currently the functional requirement under Section 5.23, reflect those outlined in Section 5.23. As such, the same amendments will be made.

Justification for Change (mandatory by originator)

This change will address the misalignment between CRA URS and the NETA IDD. It will ensure the two documents are consistent and that there is no risk of errors arising due to discrepancies.

To which section of the Code does the CP relate, and does the CP facilitate the current provisions of the Code? (mandatory by originator)

BSC Section M 'Credit Cover and Credit Default'

Estimated Implementation Costs (mandatory by BSCCo)

£240 (one ELEXON working day to implement the necessary document changes).

Configurable Items Affected by Proposed Solution(s) (mandatory by originator)

Central Registration Agent User Requirements Specification

©ELEXON Limited 2015

Impact on Core Industry Documents or System Operator-Transmission Owner Code (mandatory by originator) None anticipated.
Related Changes and/or Projects (mandatory by BSCCo) n/a
Requested Implementation Date (mandatory by originator) 23 February 2017 as part of the February 2017 BSC Release **Reason:** This is the next available release that this CP can be included in.
Version History (mandatory by BSCCo) Version 1.0 of CP1470 was issued on 10 August 2016.
Originator's Details: ***BCA Name:*** Jemma Williams ***Organisation:*** ELEXON ***Email Address:*** jemma.williams@elexon.co.uk ***Telephone Number:*** 020 7380 5349 ***Date:*** 10 August 2016
Attachments: **Yes** (Attachment 1: 109 pages)

©ELEXON Limited 2015