

## **Redlined text for CP1484 'Introduction of Additional SVAA Validation at SVA Run time'**

This CP proposes changes to Balancing and Settlement Code Procedure (BSCP) 503 'Half Hourly Data Aggregation for SVA<sup>1</sup> Metering Systems Registered in SMRS<sup>2</sup>' section 3.4.2. We have redlined these changes against Version 17.0.

**There is no impact on any other part of this document for this CP.**

---

<sup>1</sup> Supplier Volume Allocation

<sup>2</sup> Supplier Meter Registration Service

Amend section 3.4.2 as follows:

### 3.4.2 Perform Data Aggregation Run<sup>3</sup>.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.4.2.1	As late as possible (to ensure most recent data from SMRS) to meet SVAA's Calendar.	Perform checks in accordance with Appendix 4.3 and send Exception Reports, if any.	HHDA.	HHDC, Supplier.	D0235 Half Hourly Aggregation Exception Report.	Electronic or other method, as agreed.
3.4.2.2	After 3.4.2.1.	Aggregate data in line with Appendix 4.4.  If invalid BM Unit data exclude the consumption of the MS(s) associated with the BM Unit from the aggregation process.	HHDA.			Internal Process.
3.4.2.3	Aggregated data to reach SVAA by the date specified in SVAA's Calendar.	Send aggregated data in MWh & in clocktime. (Failure of the HHDC to provide consumption data must not result in failure of aggregated data being sent to the SVAA)	HHDA.	SVAA and Supplier.	D0040 Aggregated Half Hour Data File (BM Unit(s) not supported)  or D0298 BM Unit Aggregated Half Hour Data File (BM Unit(s) supported).	Electronic or other method, as agreed.
3.4.2.3A	At the same time as 3.4.2.3	Where instructed by the Supplier, send EMR data in kWh and clocktime.	HHDA.	EMRSSP.	D0357 Half Hourly Metered Data for EMR	Electronic or other method, as agreed
3.4.2.4	Within 1 WD of aggregation run.	If invalid BM Unit data send notification.	HHDA.	BSC Service Desk and Supplier.	P0035 Invalid Data.	Electronic or other method, as agreed.

<sup>3</sup> The HHDA is not obliged to issue reports to Suppliers or Supplier Agents for the Interim Information Volume Allocation Run i.e. only reporting to SVAA, and where applicable the CMSSP is required

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
<u>3.4.2.5</u>	<u>Before invoking run</u>	<u>Load and validate incoming HHDA files.</u>  <u>If file fails any validation check for reasons other than standing data mismatch, ask HHDA to assess if file is valid.</u>	<u>SVAA.</u>	<u>HHDA.</u>	<u>P0035 Invalid Data.</u>	<u>Electronic or other method, as agreed.</u>
<u>3.4.2.6</u>	<u>Within 2 working hours of notification received from SVAA.</u>	<u>If file is valid, notify the SVAA or if the file is not valid send corrected file to SVAA.</u>	<u>HHDA.</u>	<u>SVAA.</u>	<u>D0040 Aggregated Half Hour Data File (BM Unit(s) not supported)</u>  <u>or</u> <u>D0298 BM Unit Aggregated Half Hour Data File (BM Unit(s) supported).</u>	<u>Electronic or other method, as agreed.</u>