

Generic SECALF values

5.29 As with WDCALF and NWDCALF, there are instances where a SECALF value cannot be calculated for a BSC Season.

A list of generic SECALF values is displayed in Table 2.

Table 2

BSC Season	Generic SECALF
Spring	0.2500
Summer	0.2700
Autumn	0.2500 <u>0.2200</u>
Winter	0.2800 <u>0.2500</u>

5.30 Where a Supplier BM Unit would receive a SECALF per Section 5.11, it will be assigned a generic SECALF instead if one or more of the following are true:

- The Supplier BM Unit had an average metered volume of less than or equal to zero, over the equivalent BSC Season of the previous year
- Non-zero metered volumes were not first submitted in respect of the Supplier BM Unit until after the start of that Season
- The Supplier BM Unit was not SECALF qualifying in that Season

5.31 Suppliers have the option to appeal a generic SECALF value under the process detailed in Section 12.

5.32 Generic SECALF values are reviewed annually at the start of May. ELEXON will recalculate the four generic SECALF values using data for the previous two full years (e.g. Spring, Summer, Autumn and Winter). Where a recalculated generic SECALF has a difference from the current generic SECALF of greater than or equal to 0.02, ELEXON will present this to ISG. ISG will consider the new generic SECALF value for approval and if granted, ELEXON will use the new set of generic SECALF values from the next publication onwards.

Due to the calendar timings, the next BSC Season to use the generic SECALFs after approval will be Autumn of that year. If a Summer value changes, both the existing and new Summer values will be published in Table 2 for completeness (BSC Season and year). If in the following year the Summer value does not change, the old value will be removed and the new value renamed (BSC Season only).