

Balancing and Settlement Code

BSC PROCEDURE

Corrections to Bid-Offer Acceptance Related Data

BSCP18

~~Version 9.0~~

Date: ~~5 November 2015~~

BSCP18**relating to****Corrections to Bid-Offer Acceptance Related Data**

1. Reference is made to the Balancing and Settlement Code dated Code Effective Date and, in particular, to the definition of “BSC Procedure” in Section X, Annex X-1 thereof.
2. This is BSC Procedure 18, ~~Version 9.0~~ relating to Corrections to Bid-Offer Acceptance Related Data.
3. This BSC Procedure is effective from ~~5 November 2015~~
4. This BSC Procedure has been approved by the BSC Panel.

DRAFT

Intellectual Property Rights, Copyright and Disclaimer

The copyright and other intellectual property rights in this document are vested in ELEXON or appear with the consent of the copyright owner. These materials are made available for you for the purposes of your participation in the electricity industry. If you have an interest in the electricity industry, you may view, download, copy, distribute, modify, transmit, publish, sell or create derivative works (in whatever format) from this document or in other cases use for personal academic or other non-commercial purposes. All copyright and other proprietary notices contained in the document must be retained on any copy you make.

All other rights of the copyright owner not expressly dealt with above are reserved.

No representation, warranty or guarantee is made that the information in this document is accurate or complete. While care is taken in the collection and provision of this information, ELEXON Limited shall not be liable for any errors, omissions, misstatements or mistakes in any information or damages resulting from the use of this information or action taken in reliance on it.

CONTENTS

1	Introduction	5
1.1	Scope and Purpose of the Procedure	5
1.2	Main Users of the Procedure and their Responsibilities	5
1.3	Use of the Procedure	6
1.4	Balancing and Settlement Code Provision	6
1.5	Associated BSC Procedures	6
1.6	Acronyms and Definitions	7
[P369]1.6.1	List of Acronyms	7
[P369]1.6.2	Definitions	7
2.	Not Used	8
3.	Interface and Timetable Information	9
[P369]3.1	Identification and Agreement of Changes to Data (excluding changes arising from Emergency Instructions and SBR Actions)	9
[P369]3.2 (a)	Corrections of SAA databases for FPN, QPN and BOD)	10
[P369]3.2 (b)	Corrections of BMRA and SAA databases (for BOA Changes excluding Emergency Instructions)	11
3.3.	No longer used	11
[P369]3.4.	Corrections to SAA Databases arising from Emergency Instructions	12
[P369]3.5.	Corrections to SAA Databases arising from SBR Actions	15
1	Introduction	5
1.1	Scope and Purpose of the Procedure	5
1.2	Main Users of the Procedure and their Responsibilities	5
1.3	Use of the Procedure	6
1.4	Balancing and Settlement Code Provision	6
1.5	Associated BSC Procedures	6
1.6	Acronyms and Definitions	7
1.6.1	List of Acronyms	7
1.6.2	Definitions	7
2.	Not Used	8
3.	Interface and Timetable Information	9
3.1	Identification and Agreement of Changes to Data (excluding changes arising from Emergency Instructions and SBR Actions)	9
3.2 (a)	Corrections of SAA databases for FPN, QPN and BOD)	10
3.2 (b)	Corrections of BMRA and SAA databases (for BOA Changes excluding Emergency Instructions)	11
3.3.	No longer used	11
3.4.	Corrections to SAA Databases arising from Emergency Instructions	12
3.5.	Corrections to SAA Databases arising from SBR Actions	15

AMENDMENT RECORD

Version	Date	Description of Changes	Changes Included	Mods/ Panel/ Committee Refs
1.0	30/06/04	Designated version	CP995	
2.0	BETTA Effective Date	BETTA 6.3 rebadging changes for the CVA Feb 05 Release		BETTA 6.3
3.0	02/11/05	CVA Programme November 05 Release	P172	Panel
4.0	05/11/09	November 09 Release	CP1176 (Part) CP1283 P217 P231	ISG68/02 SVG67/02 ISG100/01 Panel 142/06 Panel 155/04
5.0	04/11/10	November 10 Release	P257	Panel
6.0	31/03/14	Modification P276	P276	ISG154/03
7.0	26/06/14	June 2014 Release	CP1400	ISG151/04
8.0	26/02/15	February 2015 Release	CP1392	ISG149/06
9.0	05/11/15	November 2015 Release	P323	P245/06
<u>9.2</u>	<u>29/03/19</u>	<u>29 March 2019 Standalone Release</u>	<u>P369</u>	<u>TBC</u>

1 Introduction

1.1 Scope and Purpose of the Procedure

[P369] This BSC Procedure (BSCP) defines the processes that BSCCo, the Settlement Administration Agent (SAA), the ~~Transmission Company~~ National Electricity Transmission System Operator (NETSO) and BSC Parties will use. This is specifically to input corrections to erroneous Final Physical Notification (FPN), Bid-Offer Data (BOD), Quiescent Physical Notification (QPN), Bid-Offer Acceptance Level (BOAL)¹ and Bid-Offer Acceptance Level Flagged (BOALF)² data (collectively referred to as the 'Bid-Offer Acceptance Related Data') within the Settlement Administration Agent (SAA) systems or Balancing Mechanism Reporting Agent (BMRA) systems. For the avoidance of doubt, the correction of erroneous Bid-Offer Acceptance Data means correcting incorrect data, or removing non-applicable data or inserting missing data. All changes relating to volume (MW, Time and Duration) are submitted by the NETSO with agreement of the affected BSC Parties and are authorised by BSCCo.

This procedure also defines the process that BSCCo, the Settlement Administration Agent and the ~~Transmission Company~~ NETSO will use to input manual corrections to erroneous SO-Flagged data fields within the BOALF data. All SO-Flag changes are submitted by the NETSO and are authorised by BSCCo, agreement is not required from BSC Parties because they are not directly impacted by a flag change.

This BSCP describes the key interfaces and timetables for inputting changes to the affected BMRA and SAA systems. All corrections to the Bid-Offer Acceptance related data must have the consent of the associated BSC Parties (aside from SO-Flag changes) and corrections must be applied before the Initial Settlement Run (SF). If consent, or in the case of SO-Flag correction notification from the NETSO, is not received prior to SF then the data corrections must be raised as a Trading Dispute and progressed through the Trading Disputes process in accordance with BSCP11.

This BSCP also describes the processes used by BSCCo, ~~the~~ NETSO and SAA to ensure that imbalance prices properly reflect the value of SBR. These processes are in accordance with BSC Sections Q and T.

1.2 Main Users of the Procedure and their Responsibilities

The main users of this BSCP are:

- *BSCCo* – witness and authorise the correction process for each change made (including SO-Flag changes) and confirm that any corrections made are in accordance with the changes agreed (excluding SO-Flag changes) between the affected BSC Parties and the NETSO.
- *BSC Parties* – confirm that settlement error has occurred and agree to the proposed corrections (excluding SO-Flag changes).

¹ For Settlement Days before the implementation of Approved Modification P217.

² For Settlement Days on or after the implementation of Approved Modification P217.

- ~~TC~~NETSO – submit corrections directly to the SAA for manual update prior to the Initial Settlement Run. After this point, all corrections must be submitted using the Trading Disputes process detailed in BSCP11.
- *BMRA* – receives corrections via electronic transfer (FTP) directly from ~~TC~~the NETSO Energy Balancing System (EBS). EBS will replace BM System.
- *SAA* – receives corrections from ~~TC~~NETSO or *BMRA* and determines the most appropriate changes to be made to the database in order to ensure that the data concerning the Bid-Offer Acceptance accurately reflects the steps taken by the affected BSC Parties and / or the SO-Flag field is correctly reflected in the database.

1.3 Use of the Procedure

The remaining sections in this document are:

Section 2 – Not Used.

Section 3 - Interface and Timetable Information: this section defines in more detail the requirements of each business process.

1.4 Balancing and Settlement Code Provision

This BSCP should be read in conjunction with the BSC and in particular Sections Q, T, U and W. This BSCP has been produced in accordance with the provisions of the BSC. In the event of an inconsistency between the provisions of this BSCP and the BSC, the provisions of the BSC shall prevail.

1.5 Associated BSC Procedures

BSCP01 Overview of Trading Arrangements

BSCP11 Trading Disputes

1.6 Acronyms and Definitions

[P369] 1.6.1 List of Acronyms

The terms used in this BSCP are defined as follows;

BOA	Bid-Offer Acceptance
BOAL	Bid-Offer Acceptance Level
BOALF	Bid-Offer Acceptance Level Flagged
BOD	Bid-Offer Data
BPA ^{rev}	Buy Price Adjuster
BPA ^{TC}	Buy Price Adjuster sent to BMRA or BSCCo by TC <u>TCNETSO</u>
BSAD	Balancing Services Adjustment Data
BSC	Balancing and Settlement Code
BSCCo	Balancing and Settlement Code Company
BSCP	Balancing and Settlement Code Procedure
FPN	Final Physical Notification
II	Interim Information Settlement Run completed 5 Working Days after the Settlement Day
<u>NETSO</u>	<u>National Electricity Transmission System Operator as the holder of the Transmission Licence and any reference to "NETSO", "NGESO", "National Grid Company" or "NGC" in the Code or any Subsidiary Document shall have the same meaning.</u>
P ^{norm}	Energy Imbalance Price (P ^{norm}) calculated using no SBR Notice had been received using BPA ^{TC}
P ^{SBR}	Energy Imbalance Price (P ^{SBR}) taking account of SBR Notice and using BPA ^{TC}
QPN	Quiescent Physical Notification
SAA	Settlement Administration Agent
SBR	Supplemental Balancing Reserve
SD	Settlement Day
SF	Initial Settlement Run completed 16 Working Days after the Settlement Day
TC	Transmission Company
WD	Working Day

Full definitions of the above acronyms are, where appropriate, included in the BSC.

[P369] 1.6.2 Definitions

Full definitions of the above acronyms are, where appropriate, included in the Balancing and Settlement Code.

‘SBR Impacted Settlement Period’ is any Settlement Period in which an SBR Action was taken.

'SBR Notice' is a communication from the ~~TC~~NETSO to BSCCo of any BOA that are subject of an SBR Notice and includes the following data items: Settlement Date(s), SBR Impacted Settlement Period(s), Bid-Offer Acceptance Number(s) and BM Unit ID(s).

'Revised Buy Price Adjuster(s) Notice' is a communication from BSCCo to the ~~TC~~NETSO to provide it with the revised Buy Price Adjuster(s) for each Settlement Date and SBR Impacted Settlement Period(s) covered by an SBR Notice. It includes the following data items: Settlement Date(s), SBR Impacted Settlement Period(s), Original BPA (value) and Revised BPA (value).

2. Not Used

DRAFT

3. Interface and Timetable Information

[P369]3.1 Identification and Agreement of Changes to Data (excluding changes arising from Emergency Instructions and SBR Actions)

REF	WHEN ³	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.1.1	No less than 8 WD before SF Run.	Identify that a data correction is required to data submitted to SAA.	BSC Party or TC NETSO ⁴	TC NETSO	Details of data correction.	E-mail or fax, TC NETSO Internal reporting.
3.1.2	Within 1 WD of 3.1.1.	Review proposed data correction and determine if data correction request is valid.	TC NETSO		Proposed data correction.	Internal Process.
3.1.3	Within 2 WD of 3.1.2.	Provide details of proposed data correction and agree action to be taken.	TC NETSO	BSC Party	Proposed data correction.	Telephone contact with authorised personnel at BSC Party followed by e-mail.
3.1.3a	Within 5 WD of 3.1.2	Provide details of SO-Flag correction data	TC NETSO	SAA BSCCo	Proposed data correction	E-mail.
3.1.4	By 15:00 hrs within 2 WD of 3.1.3.	Agreed Data Correction received by TC the TC NETSO. Proceed to Section 3.2.1.	BSC Party	TC NETSO	Refer to Section 3.2.1.	E-mail.
3.1.5	15:00 hrs within 2 WD of 3.1.3.	No agreement reached on proposed corrections Proceed to BSCP11.	TC NETSO or BSC Party	BSCCo, TC NETSO or BSC Party as appropriate.	Refer to BSCP11.	E-mail.

³ The relevant BSC Party and ~~TC~~NETSO are required to adhere to the timeframes set out above. However, in exceptional circumstances, which shall be determined by the ~~TC~~NETSO e.g. where a number of data corrections are issued in close succession, these timeframes may not be practical. Where the ~~TC~~NETSO has deemed that exceptional circumstances exist, the ~~TC~~NETSO and the SAA shall determine and notify the BSC Party of the alternative process to be used. For the avoidance of doubt, BSC Parties are expected to contact the ~~TC~~NETSO as soon as they become aware of any potential issues.

⁴ The SAA may also notify ~~TC~~NETSO of any such errors.

[P369]3.2 (a) Corrections of SAA databases for FPN, QPN and BOD)

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.2.1	Following 3.1.4 and 2 WD before SF Run.	Provide SAA with FPN, QPN and/or BOD data correction.	TC NETSO	SAA BSCCo	Receive Request for Data Change (SAA-I033).	E-mail.
3.2.2	Up to 1 WD before SF Run.	Update SAA database and confirm database updates have been implemented.	SAA	BSCCo TC NETSO	Report Confirmation of Data Change (SAA-I036).	E-mail.
3.2.3	Following 3.1.3a and up to 1WD before SF Run	Update SAA database and confirm database updates have been implemented	SAA	BSCCo TC NETSO	Report Confirmation of Data Change	E-Mail.

[P369]3.2 (b) Corrections of BMRA and SAA databases (for BOA Changes excluding Emergency Instructions)

Changes to BOALF data (excluding those arising from Emergency Instructions) are applied to the BMRA and SAA databases using an automated process as follows:

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.2.3	Following 3.1.4 and 2 WD before SF Run.	Provide BMRA BOA data correction	TC NETSO	BMRA	Balancing Mechanism Data (BMRA-I002)	Electronic.
3.2.4	Following 3.2.3.	Provide SAA with BOA data correction	BMRA	SAA	SAA Balancing Mechanism Data (SAA-I003)	Electronic.

3.3. No longer used

[P369]3.4. Corrections to SAA Databases arising from Emergency Instructions

The process is triggered by the issue of an Emergency Instruction by the ~~Transmission Company~~ NETSO.

In accordance with the Grid Code and Section Q5.1.3(b) of the BSC, Emergency Instructions issued in respect of a BM Unit shall be treated as Bid-Offer Acceptances, except certain Black Start processes, Maximum Generation Service and Emergency De-energisation Instructions⁵.

The ~~Transmission Company~~ NETSO identifies Emergency Instructions as being either:

- ‘Emergency Acceptances’; or
- ‘Emergency Flagged’ Acceptances.

BSC Annex T-1 details how Emergency Instructions are treated in the Energy Imbalance Price calculations.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.4.1	As soon as possible after issuing Emergency Instruction	Send details of Emergency Acceptance to BMRA and BSCCo.	TC <u>NETSO</u>	BMRA BSCCo	Receive System Related Data (BMRA-I003) Time of Emergency Instruction Affected BM Unit (s)	Electronic. Phone/Fax/E-mail.
3.4.2	Upon receipt of information following 3.4.1	Publish notice on BMRS ⁶	BMRA	BMRS Users	Publish System Related Data (BMRA-I005) Time of Emergency Instruction Affected BM Unit (s)	Electronic.

⁵ For Settlement Periods falling within both a Black Start Period and a Market Suspension Period, no Emergency Instructions shall be treated as Bid-Offer Acceptances. For Settlement Periods falling within a Black Start Period but not within a Market Suspension Period, any Emergency Instructions issued under BC2.9.1.2(e) of the Grid Code shall not be treated as a Bid-Offer Acceptances. See BSC Section G3, BSCP201 and Grid Code BC2 for further details.

⁶ Notice to be published using the BMRS ‘System Warning’ function.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.4.3	Upon receipt of information following 3.4.1	Log details of Emergency Acceptance and allocate reference number.	BSCCo		Details of Emergency Acceptance. BSC Service Desk reference number.	Internal Process.
3.4.4	As soon as possible after 3.4.3	Provide reference number for Emergency Acceptance.	BSCCo	TCNETSO	BSC Service Desk reference number.	Phone/Fax/E-mail.
3.4.5	After 3.4.1 and where possible, at least 1 WD prior to II Run ⁷	Identify and agree Emergency Instruction related Acceptance with BSCCo and Party.	TCNETSO	BSCCo Party	Acceptance Data arising from Emergency Instruction	Phone/Fax/E-mail.
		Decide whether it is to be treated as 'Emergency Flagged'.	TCNETSO		Decision on whether the Emergency Acceptance is to be treated as 'Emergency Flagged'.	Internal Process.
3.4.6	After 3.4.5 and where possible at least 1 WD prior to II Run	Send Acceptance Data and details of approach for settling Emergency Instruction to the BMRA, SAA and BSCCo.	TCNETSO	BMRA SAA BSCCo	Receive System Related Data (BMRA-I003) Receive Request for Data Change (SAA-I033) Acceptance Data arising from Emergency Instruction Specify whether the Emergency Acceptance is to be treated as 'Emergency Flagged'.	Electronic. Phone/Fax/E-mail.

⁷ In exceptional circumstances, e.g. where a number of Emergency Instructions have been issued in close succession, the II run target may not be met. In such cases, the data shall be entered into Settlement in time for the Initial Settlement Run (SF Run). A Trading Dispute will need to be raised to enter such data into Settlement after the SF Run.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.4.7	Upon receipt of information after 3.4.6	Publish details of Acceptance Data to be entered into Settlement and whether it is to be treated as 'Emergency Flagged' ⁶⁶	BMRA	BMRS Users	Publish System Related Data (BMRA-I005) Acceptance Data arising from Emergency Instruction	Electronic.
3.4.8	Upon receipt of information after 3.4.6	Acknowledge receipt of Acceptance Data and approach for settling Emergency Instruction.	BSCCo	TC NETSO	Acknowledgement of receipt	Phone/Fax/E-mail.
3.4.9	Upon receipt of information after 3.4.6	Request authorisation to input post event Acceptance Data in SAA Database.	SAA	BSCCo	Report Recommended Data Change (SAA-I034)	Phone/Fax/E-mail.
3.4.10	As soon as possible after 3.4.9	Authorise input of post event Acceptance Data in SAA Database.	BSCCo	SAA	Receive Instruction for Data Change (SAA-I035) Acceptance Data arising from Emergency Instruction.	Phone/Fax/E-mail.
3.4.11	As soon as possible after 3.4.10 and where possible, prior to II run	Enter post event Acceptance Data into SAA Database and provide confirmation Database has been updated.	SAA	BSCCo TC NETSO	Acceptance Data arising from Emergency Instruction Report Confirmation of Data Change (SAA-I036).	Internal Process. Phone/Fax/E-mail.

[P369]3.5. Corrections to SAA Databases arising from SBR Actions

The process is triggered by an SBR Notice by the ~~Transmission Company~~ NETSO⁸.

In accordance with Section Q6.5 and T4.4 of the BSC, the ~~TC~~ NETSO will notify BSCCo of any BOA that are subject of an SBR Notice. BSCCo, in respect of each SBR Impacted Settlement Period shall ensure that corresponding Energy Imbalance Prices reflect the SBR Action Price.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
Process followed in time for II Run, i.e. following the BMRA's indicative Settlement calculations						
3.5.1	By noon 1 WD following an accepted Offer for SBR purposes	Send SBR Notice.	TC <u>NETSO</u>	BSCCo	SBR Notice	Electronic or other method, as agreed.
3.5.2	As soon as possible and no later than 3 Business Hours following receipt of SBR Notice following 3.5.1	Publish details of SBR Notice. Inform the SAA that BSCCo has received an SBR Notice.	BSCCo	BSC Parties SAA	Publish SBR Notice.	Email and BSC Website. Electronic or other method, as agreed.

⁸ An SBR Action is derived from an accepted Offer by the ~~TC~~ NETSO for the provision of capacity that will result in a BM Unit's output exceeding its Stable Export Limit for SBR purposes. Pursuant to Section Q and T of the BSC, this Offer will be subject to an SBR Notice.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.5.3	Immediately following 3.5.1 and no less than 3 WDs ahead of the II Run for such SBR Impacted Settlement Date	<p>Determine revised Buy Price Adjuster for SBR Impacted Settlement Period(s).</p> <ol style="list-style-type: none"> 1. Calculate Energy Imbalance Price (P^{norm}) as though no SBR Notice had been received using BPA^{TC}. 2. Calculate Energy Imbalance Price (P^{SBR}) by determining SBR Actions in accordance with SBR Notice and using BPA^{TC}. 3. Determine the difference between the imbalance prices calculated including and excluding SBR Action(s): $D = P^{\text{SBR}} - P^{\text{norm}}$. 4. Determine the revised BPA (BPA^{rev}): $BPA^{\text{rev}} = BPA^{\text{TC}} + D$. 	BSCCo			Internal.
3.5.4	As soon as possible after 3.5.3 and no less than 3 WD prior to the II Run for such SBR Impacted Settlement Date	<p>Send revised Buy Price Adjuster(s) (BPA^{rev})</p> <p>Send P^{SBR}.</p>	BSCCo	<p>TCNETSO</p> <p>SAA</p>	<p>Revised Buy Price Adjuster Notice</p> <p>BSCCo Calculated SBR Imbalance Price (SAA-I047).</p>	Electronic or other method, as agreed.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.5.5	Following 3.5.4 at least 2 WD prior to the II Run for such SBR Impacted Settlement Date	Include BPA ^{rev} in resubmission of BSAD.	TCNETSO	BMRA	Price Adjustment Data (BMRA-I014).	Electronic or other method, as agreed.
3.5.6	Within 3 Business Hours of 3.5.3	Publish details of revised BPA Adjuster(s) and P ^{SBR} .	BSCCo	BSC Parties	Publish details of revised BPA Adjuster(s) and P ^{SBR} .	BSC Website, ELEXON Circular.
For all Settlement Runs after the II Run - Process following amendments by the TCNETSO to Bid Offer Data, Acceptance data or BSAD						
3.5.7	By noon 5 WD preceding the next Settlement Run for such SBR Impacted Settlement Date	Provide details of any revisions to Bid-Offer Data, Acceptance Data and Balancing Services Adjustment Data.	TCNETSO	BSCCo	Revisions to Bid-Offer Data, Acceptance Data and Balancing Services Adjustment Data (as applicable).	Electronic or other method, as agreed.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.5.8	As soon as possible following 3.5.7 and no less than 3 WD prior to the next Settlement Run for such SBR Impacted Settlement Date	<p>Determine revised Buy Price Adjuster(s) for SBR Impacted Settlement Period(s).</p> <ol style="list-style-type: none"> 1. Calculate Energy Imbalance Price (P^{norm}) as though no SBR Notice had been received using BPA^{TC}. 2. Calculate Energy Imbalance Price (P^{SBR}) by determining SBR Actions in accordance with SBR Notice and using BPA^{TC}. 3. Determine the difference between the imbalance prices calculated including and excluding SBR Action(s): $D = P^{SBR} - P^{norm}$. 4. Determine the revised BPA (BPA^{rev}): $BPA^{rev} = BPA^{TC} + D$. 	BSCCo			Internal.
3.5.9	As soon as possible following 3.5.8 and no less than 3 WD prior to the next Settlement Run for such SBR Impacted Settlement Date	<p>Send revised Buy Price Adjuster(s) (BPA^{rev})</p> <p>Send P^{SBR}.</p>	BSCCo	<p>TCNETSO</p> <p>SAA</p>	<p>Revised Buy Price Adjuster Notice.</p> <p>BSCCo Calculated SBR Imbalance Price (SAA-I047).</p>	Electronic or other method, as agreed.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.5.10	Following 3.5.9 and no less than 2 WD prior to the next relevant Settlement Run, for such SBR Impacted Settlement Date	Include BPA ^{rev} in resubmission of BSAD.	TCNETSO	BMRA	Price Adjustment Data (BMRA-I014).	Electronic or other method, as agreed.
3.5.11	Within 3 Business Hours of 3.5.8	Publish details of revised BPA Adjuster(s) and P ^{SBR}	BSCCo	BSC Parties	Publish details of revised BPA Adjuster(s) and P ^{SBR} .	BSC Website, ELEXON Circular.
Process for price validation						
3.5.12	Following 3.5.4 or 3.5.9 and prior to publishing an SBP in accordance with Settlement Calendar	Compare P ^{SBR} (s) with System Buy Price(s) for SBR Impacted Settlement Period(s).	SAA			Internal.
3.5.13	Immediately following 3.5.12	Confirm whether or not P ^{SBR} = SBP (within 2d.p.)	SAA	BSCCo	Imbalance Price Discrepancy Notice (SAA-I048).	Electronic or other method, as agreed.
3.5.14	As soon as possible following and no later than 3 Business Hours of 3.5.13	If SAA reports that P ^{SBR} ≠ SBP, BSCCo will publish details of discrepancy and (proposed) solution (if known).	BSCCo	BSC Parties	Publish details of discrepancy and any action(s) taken.	BSC Website, ELEXON Circular.
3.5.15	As soon as possible following and within 3 WD of 3.5.13	If SAA reports that P ^{SBR} ≠ SBP, BSCCo will investigate, determine action to take to resolve discrepancy and publish details of discrepancy and (proposed) solution.	BSCCo		Determine mitigating action(s).	Internal.
				BSC Parties	Publish updated details of discrepancy and any action(s) taken.	BSC Website, ELEXON Circular.