

<b>Change Proposal – BSCP40/02</b>	<p>CP No: 1195</p> <p><i>Version No: 1.0</i> <i>(mandatory by BSCCo)</i></p>
<p><b>Title</b> <i>(mandatory by originator)</i> Amendments to BSCP27 ‘Technical Assurance of Half Hourly Metering Systems for Settlement Purposes’ and BSCP38 ‘Authorisations’ with regard to Category I Authorised Signatories</p>	
<p><b>Description of Problem/Issue</b> <i>(mandatory by originator)</i> There is a requirement for the Central Volume Allocation (CVA) Registrant's Authorised Signatory (Category I) to sign the notification form to the Technical Assurance Agent (TAA) &amp; Meter Operating Agent (MOA) confirming acceptance of an impending inspection visit (BSCP27/3.5.3). There is no step within BSCP38 for the Central Registration Agent (CRA) or ELEXON to provide this data to the TAA, so the TAA is unaware of whom the Authorised Signatories are and therefore is unable to check. However, as a representative of the MOA would always accompany the TAA on site there is no risk to Settlement with regard to trading and registration activities.</p>	
<p><b>Proposed Solution</b> <i>(mandatory by originator)</i> As there is no risk to Settlement, the proposal is to remove Category I from BSCP38 (as it is used solely for notification of TAA site visits); and references to an Authorised Signatory from BSCP27. The removal of references to an Authorised Signatory from BSCP27 would not preclude the CVA Registrant from their responsibility to send electronic acceptance to the TAA and MOA.</p> <p>It is proposed that Category I will be removed from BSCP38/ 5.3. However, if the changes arising from TAI2252 are approved, then this change will need to be made to the reformed BSCP38/ 5.1</p>	
<p><b>Justification for Change</b> <i>(mandatory by originator)</i> There is no risk to Settlement that this check is not performed, so removing the requirement from BSCP27 and the category from BSCP38 will remove unnecessary bureaucracy from the procedures. The alternative to this solution would be to add a requirement to BSCP38 for the CRA to inform the TAA of the Category I Authorised Person. This procedure would potentially need to be carried out on a daily basis (in line with the frequency of the site visits), and would be a more costly option than the removal of Category I from BSCP38 and the removal of the requirement of a signatory for an impending inspection visit from BSCP27.</p>	
<p><b>To which section of the Code does the CP relate, and does the CP facilitate the current provisions of the Code?</b> <i>(mandatory by originator)</i> This CP relates to Section H ‘General’, and does facilitate the current provisions of the Code.</p>	
<p><b>Estimated Implementation Costs</b> <i>(mandatory by BSCCo)</i> Estimated ELEXON Implementation costs for CP1195 are 1 Man Day (£220) and the estimated Service Provider costs are £1,301</p>	

**Configurable Items Affected by Proposed Solution(s)** *(mandatory by originator)*

BSCP27 'Technical Assurance of Half Hourly Metering Systems for Settlement Purposes' and BSCP38 'Authorisations'.

**Impact on Core Industry Documents or System Operator-Transmission Owner Code** *(mandatory by originator)*

None.

**Related Changes and/or Projects** *(mandatory by BSCCo)*

CP1193 'Recommended changes following an operational review of BSCP38 (Authorisations)', CP1194 'Publication of Authorised Person's Data on BSC website' and TAI2258 'Improvements to BSCP27 identified during operational use'

**Requested Implementation Date** *(mandatory by originator)*

November 2007 BSC Systems Release.

**Reason:** This is the next available release.

**Version History** *(mandatory by BSCCo)*

Version 1.0 issued for industry Impact Assessment.

**Originator's Details:**

**BCA Name**.....

**Organisation**...*ELEXON*

**Email Address**...*ccc@elexon.co.uk*

**Date**...*4 May 2007*

Attachments: Y

**Attachment\_A\_BSCP27\_redlined\_v0.3 (4 pages)**

**Attachment\_B\_BSCP38\_redlined\_v0.3 (11 pages)**

**Attachment\_C\_redlined\_Interface\_Specification\_Part\_1\_DCR**

**Attachment\_D\_redlined\_IDD\_Part\_1\_DCR**