



CP1272 - REDLINE CHANGES TO BSCP501 V11.0 SECTION 1.7 – SEE BELOW:

SECTION 1.1 to 1.6 WILL NOT BE IMPACTED BY CP1272

1.7 Use of the Procedure

This procedure should be referred to by the users to understand the responsibilities and role of the SMRA and the relationships between the SMRA, Licensed Distribution System Operator (LDSO), Suppliers, SVAA, UMSO and Data Aggregation agents.

Throughout this procedure, timetables reflect the number of Working Days (WD) within which an activity should be completed.

Although not shown in each ~~Workflow diagram box~~interface timetable, there is an assumption that each communication successfully received at the SMRS gateway will be acknowledged by the Data Transfer Network. The acknowledgements sent will indicate the number of transactions received in each communication. In addition, SMRA will report to the originator, the number of files accepted and the number of files rejected (with reason codes) in accordance with the ~~Workflow diagrams~~interface timetable.

The interface timetables in this BSCP show that any changes to registration data in SMRS shall be notified to the LDSO. Although not shown in each interface timetable, there is an assumption that where changes relate to an Unmetered Supply, the details of these changes shall also be notified to the UMSO by the LDSO.

In the case of non half hourly Supplier Agents, the SMRA will be informed via BSCP513 of any Supplier's intention to initiate a change of agent where the number of Metering Systems affected exceeds the threshold set by the Panel. The SMRA will be required to confirm whether it can implement the proposed changes without adversely impacting other SMRS activities. Any bulk change of agent must therefore be initiated via BSCP513 before triggering the processes in this BSC Procedure.

The remaining sections in this document are:

~~Section 2 - Workflow Diagrams: this section shows the sequence of the business process of this BSC Procedure at a high level. Each box within the business process has a cross reference to Section 3. Note dotted lines in the Workflow Diagrams refer to processes that may only Not Used be required in certain circumstances.~~

Section 3 - Interface and Timetable Information: this section defines each business process in detail. In addition, there, may be references to 'D' and 'P' dataflows in the 'Information Required' column.

Section 4 - Appendices: this section contains supporting information

The SVAA will be managing the Market Domain Data in addition to performing the Supplier Volume Allocation role, and therefore SVAA is the Market Domain Data Manager (MDDM).

CP1272 - REDLINE CHANGES TO BSCP501 V11.0 SECTION 1.11 – SEE BELOW:

SECTION 1.8 – 1.10 WILL NOT BE IMPACTED BY CP1272

1.11 Acronyms and Definitions

In addition the following meanings and acronyms are used in this BSC Procedure.

BSCCo	Balancing and Settlement Code Company
CD	Calendar Days being all Working Days & Non-Working Days
CMRS	Central Meter Registration Service
DA	Data Aggregator (either Half Hourly or Non-Half Hourly)
Data	Those items denoted as used by the SMRS in the SVA Data Catalogue
DC	means Data Collector (either Half Hourly or Non-Half Hourly)
DUoS	Distribution Use of System
EFSD {REGI}	Effective From Settlement Date {Registration}
HHDA	Half Hourly Data Aggregator
Invalid data	Data which falls outside pre-defined parameters, or is incomplete or is corrupt
LDSO	Licensed Distribution System Operator
MDDM	Market Domain Data Manager
Metering System Registration Data	All BSCCo Required Data associated with Data Collector appointment; Data Aggregator appointment and Registration plus SVA Metering System Standing Data
Metering System Standing Data	All Code Required Data associated with SVA Metering Systems, Energisation Status, GSP Group, Line Loss Factor Class, Measurement Class, Profile Class, Standard Settlement Configuration and Measurement Quantity
MRA	Master Registration Agreement
MSID	Metering System Identifier (has the same meaning as Supply Number core data as defined in the MRA)
NHHDA	Non-Half Hourly Data Aggregator
SMRA	Supplier Meter Registration Agent
SMRS	Supplier Meter Registration Service

SSD	Supply Start Date (also known as Effective from Settlement Date {REGI})
SVA	Supplier Volume Allocation
SVAA	Supplier Volume Allocation Agent
<u>UMSO</u>	<u>Unmetered Supplies Operator</u>
Valid data	Data which falls within pre-defined parameters, and is complete and is not corrupt
Validation	The process by which data is tested in order to establish whether it is 'valid data' or 'invalid data'
WD	Working day

| All other terms are defined in the Balancing and Settlement Code

SECTION 1.11 – (END OF DOCUMENT) WILL NOT BE IMPACTED BY CP1272