

Red Lined Changes for BSCP501 ‘Supplier Market Registration Service’

Housekeeping amendment of Section 1.9 of BSCP501: change in title for BSCP533 into paragraph 1.5 ‘Associated BSC Procedures’

1.9 Associated BSC Procedures

The following BSC Procedures interface with this BSC Procedure and should be read in conjunction with BSCP501.

| | |
|---------|--|
| BSCP68 | Transfer of Registration of Metering Systems between CMRS and SMRS |
| BSCP503 | Half Hourly Data Aggregation for Metering Systems Registered in SMRS |
| BSCP505 | Non-Half Hourly Data Aggregation for Metering Systems Registered in SMRS |
| BSCP508 | Supplier Volume Allocation Agent |
| BSCP513 | Bulk Change of Non Half Hourly Supplier Agent |
| BSCP515 | Licensed Distribution |
| BSCP533 | PARMS Data Provision <u>PARMS Data Provision, Reporting and Publication of Peer Comparison Data</u> |
| BSCP537 | Qualification Process for SVA Parties, SVA Party Agents and CVA MOAs |
| BSCP550 | Shared SVA Meter Arrangements of Half Hourly Import and Export Active Energy |

Amendment to Section 1.11 of BSCP501: Acronyms and Definitions

1.11 Acronyms and Definitions

In addition the following meanings and acronyms are used in this BSC Procedure.

| | |
|-------|---|
| BSCCo | Balancing and Settlement Code Company |
| CD | Calendar Days being all Working Days & Non-Working Days |
| CMRS | Central Meter Registration Service |
| DA | Data Aggregator (either Half Hourly or Non-Half Hourly) |

| | |
|-----------------------------------|---|
| Data | Those items denoted as used by the SMRS in the SVA Data Catalogue |
| DC | means Data Collector (either Half Hourly or Non-Half Hourly) |
| DUoS | Distribution Use of System |
| EFSD {REGI} | Effective From Settlement Date {Registration} |
| HHDA | Half Hourly Data Aggregator |
| Invalid data | Data which falls outside pre-defined parameters, or is incomplete or is corrupt |
| LDSO | Licensed Distribution System Operator |
| MDDM | Market Domain Data Manager |
| <u>MOA</u> | <u>Meter Operator Agent</u> |
| Metering System Registration Data | All BSCCo Required Data associated with Data Collector appointment; Data Aggregator appointment and Registration plus SVA Metering System Standing Data |
| Metering System Standing Data | All Code Required Data associated with SVA Metering Systems, Energisation Status, GSP Group, Line Loss Factor Class, Measurement Class, Profile Class, Standard Settlement Configuration and Measurement Quantity |
| MRA | Master Registration Agreement |
| MSID | Metering System Identifier (has the same meaning as Supply Number core data as defined in the MRA) |
| NHHDA | Non-Half Hourly Data Aggregator |
| SMRA | Supplier Meter Registration Agent |
| SMRS | Supplier Meter Registration Service |
| SSD | Supply Start Date (also known as Effective from Settlement Date {REGI}) |
| SVA | Supplier Volume Allocation |
| SVAA | Supplier Volume Allocation Agent |
| Valid data | Data which falls within pre-defined parameters, and is complete and is not corrupt |
| Validation | The process by which data is tested in order to establish whether it is 'valid data' or 'invalid data' |
| WD | Working day |

All other terms are defined in the Balancing and Settlement Code.

Amendment to Section 4.3 of BSCP501: Addition of validation rules

4.3 Data Validation

The SMRS must validate all BSCCo Required Data submitted before accepting or rejecting the data.

Upon rejection of data, the SMRA shall set out all the reasons for rejection to the sending market participant.

The SMRA shall ensure that all data for SVA Metering Systems conform with the rules outlined in the following table.

| Property | Non Half Hourly | Half Hourly |
|--|--|--|
| Profile Class | Valid Profile Class (as specified in MDD) required | Profile Class not required |
| Standard Settlement Configuration | Valid Standard Settlement Configuration (as specified in MDD) required | Standard Settlement Configuration not required |
| Data Aggregator Appointment | Data Aggregator required to be specified as non half hourly in MDD | Data Aggregator required to be specified as half hourly in MDD |
| Data Collector Appointment | Data Collector required to be specified as non half hourly in MDD | Data Collector required to be specified as half hourly in MDD |
| LLF Class Id | Valid LLF Class Id (as specified in MDD) required. | Valid LLF Class Id (as specified in MDD) required. |
| <u>MOA Appointments for Unmetered Supplies</u> | <u>MOA required to be specified as Unmetered Supply Operator in MDD to ensure a valid Unmetered Supply Operator is appointed as the MOA.</u> | <u>MOA required to be specified as Meter Administrator in MDD to ensure a valid Meter Administrator is appointed as the MOA.</u> |

No further changes have been made to this BSCP