

Change Proposal – F40/01	CP No: 997 Version No: 1.0
Title <i>(mandatory by originator)</i> Inconsistencies between the Central Registration Agent (CRA) User Requirements Specification (URS) and the Balancing and Settlement Code Procedures (BSCPs)	
Description of Problem/Issue <i>(mandatory by originator)</i>	
<p>1) BM Unit, Trading Party and Metering System de-registration processes</p> <p>a) BSCP15 v.5 section 3.5 and form BSCP15/4.2 'De-Registration of BM Unit Excluding Base BM Unit'. The CRA URS, CRA-F014 'View/Maintain BM Unit Registration' mentions de-registration but does not fully set out the process.</p> <p>b) BSCP20 v.7 section 3.2 and form BSCP20/4.7, 'De-Register Metering System'. The CRA URS does not contain any details about Metering System de-registration.</p> <p>c) BSCP31 v.4 section 3.3 and form BSCP31/4.6 'De-register Trading Unit'. The CRA URS does not contain any details about Metering System de-registration.</p> <p>2) Registrants and Meter Operator Agent (MOA) can object to change in MOA BSCP20 v.7 section 3.3 'Change of Registrant of Metering System'. Sections 3.3.3, 3.3.4, 3.3.5 describe the process whereby an existing registrant can object to a change in registrant of a Metering System (BSCP20/4.5). Sections 3.4.7 and 3.4.8 describe the process whereby a new MOA may object to the registration of a Metering System on the grounds that they will not be the MOA for the Metering System. The CRA URS does not describe these objection procedures.</p> <p>3) Notification to Licensed Distribution System Operator (LDSO) when deregistering embedded Balancing Mechanism (BM) Unit BSCP15 v.5 sections 3.1.7 and 3.5.6. These state that when a BM Unit is embedded within a Distribution System the CRA should inform the Contracted LDSO of the registration and de-registration. This does not match the CRA URS although operationally the LDSO is notified on registration but not de-registration.</p>	
Proposed Solution(s) <i>(mandatory by originator)</i>	
<p>1) a)b)c) New function and flow should be added to support de-registration activity. <i>[Although the CRA URS (v.5) does not explicitly mention de-registration of BM Unit, Trading Unit or Metering System, one of their attributes is an Effective To Date which when entered will trigger de-registration. De-registration is effected by setting this and the CRA view it as an attribute of the BM Unit that can bring about de-registration but do not detail it as a separate process]</i></p> <p>2) Two new flows are required. One by which registrants can object to a change in registrant and one by which MOAs can object to being made the MOA for a Metering System.</p> <p>3) New function and flow required to inform LDSO of embedded BM Unit registration alterations.</p>	

Change Proposal – F40/01	CP No: 997 Version No: 1.0
Justification for Change <i>(mandatory by originator)</i> There are several processes in different BSCPs that are not mentioned or do not match the CRA URS. Thus changes are suggested to the CRA URS to resolve this and eliminate inconsistencies and hence reduce confusion amongst participants.	
Configurable Items Potentially Affected by Proposed Solution(s) <i>(optional by originator)</i> 1) Central Data Collection Agent (CDCA) Manual System Specification, Operator Service Manual and Local Working Instruction changes may be needed as CDCA needs to validate that the BM Unit de-registration does not invalidate current aggregation rules 2) CRA Service Description	
Impact on Core Industry Documents <i>(optional by originator)</i> None	
Related Changes and/or Projects <i>(mandatory by BSCCo)</i> This CP supersedes CP612 'Changes to the CRA URS' and CP635 'Changes to CRA URS'	
Requested Implementation Date <i>(mandatory by originator)</i> opportune Reason:	
Agreed Release/Implementation Date <i>(mandatory by BSCCo)</i>	
Originator's Details: BCA Name Organisation ELEXON Email Address Date04/08/03.....	
Attachments: N (No. of Pages attached:)	