

CP1245 BSCP03 v10.0 Redline Text v0.3

Sections 1.1-1.6 – no changes

1.7 Data Estimation Guidance

1.7.1 Where there is missing or suspect metered data the following are a set of guidance rules for estimating the Active Energy metered data.

Scenario No.	Scenario	Data Used
1	The nominated Main Metered Data from the Primary Outstation validates satisfactorily (i.e. is 'A' flagged)	Validated Primary Outstation Main Metered Data is used for settlement, irrespective of data which may be missing or incorrect in the Secondary Outstation. This also covers sites that have only one Outstation under a dispensation.
2	The Main Metered Data from the Primary Outstation is either missing or fails validation but three out of four possible metered values (Main and Check meters in each Outstation) validate satisfactorily and agree with the other value from the precedent Outstation.	Data will be copied from the Main Meter from the Secondary Outstation and used in Settlement. This will be carried out automatically. The relevant BSC Party will be notified but their agreement will not be sought.
3	The Primary Outstation Data is either missing or incorrect, but the Secondary Main and Check validates satisfactorily.	Data will be copied from the Main Meter from the Secondary Outstation and used in Settlement. This will be carried out automatically. The relevant BSC Party will be notified but their agreement will not be sought.
4	The Main Metered Data is missing or incorrect in both Outstations, but the Check Metered Data in each Outstation validates against each other.	A Data Substitution will be performed using the Check Metered Data. Agreement to use this data will be sought from the relevant BSC Party and the data will be flagged as 'estimated'.

Scenario No.	Scenario	Data Used
5	The Main Metered Data is missing or incorrect in both Outstations, and the Check Metered Data in each Outstation does not validate satisfactorily.	A data estimation will be carried out using the Check Metered Data. Agreement to use this data will be sought from the relevant BSC Party and the data will be flagged as 'estimated'.

1.7.2 Any other scenario not covered in the table above will be treated as requiring a data estimation and agreement will be sought from the relevant BSC Party.

1.7.1 Where there is missing or suspect metered data the following are a set of guidance rules for estimating the Active Energy metered data.

1.7.4 To ensure the Registrant is provided with data estimations and substitutions that are valid at the time of issue, CDCA will issue the CDCA-I014 (Estimated Data Report) after that day's estimation activity has been completed.

1.7.5 To ensure the Registrant is provided with data estimations and substitutions that are valid at the time of issue, CDCA will only carry out estimation activity after the daily issue of the CDCA-I012 (Report Raw Meter Data).

Section 2 – no changes

3 Interface and Timetable Information

3.1 Data Estimation for SF Run

REF	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.1.1	SD+1WD	Send Raw Metered Data Report.	CDCA	Registrant and LDSO and/or TC and/or Non Owner Party	Raw Metered Data Report (CDCA-I012)	Electronic
3.1.2	By II Run	Send a Metering Status Exception Report and Meter Status Report.	CDCA	Registrant/ MOA and/or Non Owner Party (Distributors)	Metering Status Exception Report (CDCA-I010), Meter Status Report (CDCA-I054) and Reporting Metering System Reports (CDCA-I038), where appropriate, as defined in Section 1.6	Electronic (for CDCA-I010 & CDCA-I054) Fax / Email (for CDCA-I038)
3.1.3	By II Run or when required	Provide all information as may be required by the CDCA to assist in the retrieval of data where possible or in the preparation of a data estimate.	Registrant or MOA	CDCA	Reason for missing data, whether data is available etc.	Fax / Email
3.1.4	By SD+5WDBy II Run or when necessary	Provide an estimation of the metered data with reference to section 1.7, including the reason code.	CDCA	Registrant, MOA	BSCP03/4.1, Authorisation Form for Estimation and Data Substitution (Part A) BSCP03/4.2, Data Estimation /Substitution Sheet (CDCA-I037)	Fax / Email
3.1.5	By II+3WD or prior to Settlement Run	Agree or disagree the estimated or substituted values.	Registrant	CDCA	BSCP03/4.1 (Part B), Authorisation form for Estimation and Data Substitution Signed by an authorised person, registered via BSCP38	Fax / Email

REF	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.1.6	By SD+13WD	Where a Registrant disagrees with the estimated or substituted values he may submit his own data for consideration.	Registrant	CDCA	BSCP03/4.2, Data Estimation/Substitution Sheet.	Fax / Email.
3.1.7	Immediately upon detection	In the event of any occurrence likely to result in missing or suspect data the CDCA shall be informed as soon as possible.	Registrant or MOA	CDCA	Identifier of affected equipment such as site name, circuit name, MSID, metering subsystem ID, register ID and MSN(s), the nature of the fault and Settlement Days affected, all via a Reporting Metering System Faults flow (CDCA-I015).	Fax / Email.
3.1.8	Immediately upon being informed of 3.1.7	The CDCA will investigate and resolve any issues reported.	CDCA	Relevant Parties	Details of issues and methods of resolution.	Fax / Email.
3.1.9	By SD+13WD	Where the CDCA agrees with the Registrant's own data, the CDCA shall submit data to Settlement and send confirmation to the Registrant.	CDCA	Registrant		Fax / Email.
3.1.10	By SD+13WD	Where the CDCA disagrees with the Registrant's own data, the CDCA shall use original estimated data in the Initial Settlement Run and refer to the Registrant for discussion and attempt to reach agreement in time for the next Reconciliation Run. Where the CDCA and the Registrant cannot agree an estimate, the Registrant can invoke the disputes procedure.	CDCA	Registrant		Phone / Fax / Email.

REF	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.1.11	By SD+13WD	Notify the Non-Owner Party that the estimate has been agreed by the Registrant and input into Settlements for the Initial Settlement Run or, if appropriate, that the Registrant has rejected the estimated data and that the disputes procedure has been invoked.	CDCA	Non-Owner Party	BSCP03/4.1 (Part A), Authorisation Form for Estimation and Data Substitution BSCP03/4.2, Data Estimation/Substitution Sheet	Fax / Email
3.1.12	Monthly-Daily as required <u>and after all estimation has been completed for that day (for BSCCo)</u>	Send Estimated Data Report.	CDCA	Relevant Parties, BSCCo (upon request)	Estimated Data Report (CDCA- I0-14), giving details of all data estimations for the relevant Metering Systems over the past month <u>processed by CDCA on that calendar day</u>	Electronic

Sections 3.2 to 4.3 – no changes