


Attachment A – CP1245

This attachment provides an illustration of the impact that the proposed solution will have on submission of I014 and I012 files.



In this example, the I014 generated at 17.00 on Day 2 will contain all estimates that were processed by CDCA during Day 2.

The I012 generated on Day 3 will contain all actual data collected and processed by CDCA since the previous I012 was generated on Day 2.

Example 1 – Dial failure

In the event that CDCA have failed to collect data from a metering system before the I012 is generated on Day 2, any estimates that are processed on Day 2 for Day 1 will be sent to the Registrant at the end of Day 2.

Should CDCA then fail to collect again on Day 3, the Registrant will be in receipt of the estimated data for Day 1 that will be used in Settlement should they choose to accept it. This data will also be provided to the Registrant in the manual I037 flow.

If CDCA are able to collect data for Days 1 and 2 on Day 3 prior to the submission of the I012, the Registrant will be sent this information in the I012 generated on Day 3. This will supersede the data submitted in the earlier I014 (sent at the end of Day 2) and provide the Registrant with the latest data that will be used in Settlement.

Example 2 – Data substitution

In this example, CDCA have successfully collected data from the metering system for Day 1 and this has been submitted to the Registrant in the I012 generated on Day 2. However, the Registrant has advised CDCA on Day 2 of a requirement to replace Main meter data with Check meter values following a meter replacement on Day 1.

These substitutions are processed by CDCA on Day 2 and will be provided to the Registrant in the I014 generated at the end of Day 2. This will supersede the I012 sent on Day 2.