

ATTACHMENT A – CP1039 Use of D0052 flow on change of Supplier and change of NHHDC

Changes to BSCP504

BSCP504 Reference	Description of Change
3.2.3.8 footnote 24	If required, the NHHDC may request SVA MS data from the Supplier via the D0170 Request for SVA Metering System Related Details. The Supplier will provide this data to the NHHDC via the D0052 Affirmation of SVA MS Settlement Details. The Supplier should not send a D0052 on change of NHHDC unless requested to do so by the NHHDC or there has been a concurrent change of Metering System settlement details (e.g. change of Standard Settlement Configuration). See also Appendix 4.10 – Usage and Validation of Affirmation of Metering System Settlement Details (D0052) flow.
3.2.6.2 footnote 30	The Supplier, where requested by the new NHHDC, will send this data via the D0052 Affirmation of Metering System Settlement Details. The Supplier should not send a D0052 on change of Supplier unless requested to do so by the NHHDC or there has been a concurrent change of Metering System settlement details (e.g. change of Standard Settlement Configuration). See also Appendix 4.10 – Usage and Validation of Affirmation of Metering System Settlement Details (D0052) flow.
New Appendix 4.10	Usage and Validation of Affirmation of Metering System Settlement Details (D0052) flow Where the NHHDC already holds a calculated EAC (i.e. associated with an AA), this should be used in preference to any EAC provided on the D0052, except where there has been a concurrent change of Profile Class and or SSC. Where the NHHDC only holds an initial EAC, then the value provided by the Supplier on the D0052 should replace it. Where a D0052 is received and the SSC Id, Profile Class Id, GSP Group Id and Measurement Class Id are identical to those already held by the NHHDC, but the Effective From Settlement Dates of one or more of these items are different to those already held by the NHHDC, the NHHDC may retain the original Effective From Settlement Dates in preference to those notified on the D0052. Where the Effective From Settlement Dates on the D0052 have been aligned with the Supply Start Date and the NHHDC holds Metering System details within Supplier Registrations, the Effective From Settlement Dates can be amended to those on the D0052.