

Change Proposal – F40/01	CP No: 1121 Version No: 1.0
Title <i>(mandatory by originator)</i> Defect in NHH Aggregation Rules in NHHDA Logical Design	
Description of Problem/Issue <i>(mandatory by originator)</i>	
<p>There appears to be an error in the NHH aggregation rules specified in the NHHDA Logical Design (function reference N0008).</p> <p>Both the BSC (Annex S-2 4.4.3) and the NHHDA URS are clear that consumption data should not enter settlement if it was provided by Non Half Hourly Data Collector whose appointment (as recorded on SMRS) has not started at the time the run takes place. Relevant quotes are as follows:</p> <ul style="list-style-type: none"> • BSC Annex S-2 4.4.3: “[the NHHDA should use values] received from any Non Half Hourly Data Collector <u>currently or previously</u> appointed by such Supplier to be responsible for such Metering System” • BSC Annex S-2 4.4.3: “If there is more than one such value of [AA or EAC], only the value provided by such Non Half Hourly Data Collector with the latest appointment date <u>on or prior to the date on the day on which the determinations in respect of such Settlement Day are being undertaken</u> shall be employed” • NHHDA URS section 6.3.13 (process 3.2): “For each such Metering System, it will determine: the Metering System’s Registration (according to PRS) on the settlement date and all of this Registration’s Data Collector appointments <u>which begin on or before the current date.</u>” <p>However, function N0008 in the NHHDA Logical Design (which describes the aggregation process in detail) doesn’t appear to describe this restriction on data from NHHDC whose appointments have not yet started.</p> <p>The SVASS Provider has investigated this issue, and concluded that the software is consistent with the BSC and the URS. The problem lies in the N0008 function description i.e. there is a documentation error in the Logical Design</p>	

Change Proposal – F40/01	CP No: 1121 Version No: 1.0
<p>Proposed Solution(s) <i>(mandatory by originator)</i></p> <p>The wording of function N0008 in the NHHDA Logical Design should be clarified to resolve this documentation error on an opportune basis.</p>	
<p>Justification for Change <i>(mandatory by originator)</i></p> <p>Maintaining accurate design documentation is important to ensure that it remains possible to maintain and update the NHHDA system (and hence protect BSC Parties' investment in that software). This change will bring the design documentation for the NHHDA system in line with the way the software actually works (and the BSC requirements, as documented in the Code and the URS).</p>	
<p>Configurable Items Potentially Affected by Proposed Solution(s) <i>(optional by Originator)</i></p> <p>The NHHDA Logical Design will need changing to bring it in line with the URS (and BSC).</p>	
<p>Impact on Core Industry Documents <i>(optional by originato)</i></p> <p>None.</p>	
<p>Related Changes and/or Projects <i>(mandatory by BSCCo)</i></p>	

Change Proposal – F40/01	CP No: 1121 Version No: 1.0
<p>Requested Implementation Date <i>(mandatory by originator)</i></p> <p>On an opportune basis (i.e. next scheduled release in which the NHHDA Logical Design is amended).</p> <p>Reason:</p>	
<p>Agreed Release/Implementation Date <i>(mandatory by BSCCo)</i></p>	
<p>Originator's Details:</p> <p>BCA Name.....</p> <p>Organisation.....ELEXON</p> <p>Email Address.....</p> <p>Date.....6th April 2005</p>	
<p>Attachments: Y/N* (If Yes, No. of Pages attached:.....)</p> <p><i>(delete as appropriate)</i></p>	