

Change Proposal – F40/01 (Page 1 of 2)	CP No: 856 <i>(mandatory by BSCCo)</i>
Title <i>(mandatory by originator)</i> Resolution of internal BMRA discrepancies – forecast National Demand Surplus	
Description of Change <i>(mandatory by originator)</i> This CP proposes to resolve internal discrepancies within the BMRA by updating all references to forecast National Demand Surplus (“Surplus”), to be consistent with the BSC Annex X-2. The BMRA software, IDD Parts 1 and 2 and NGC BMRA SAA Interface Specification incorrectly use the acronyms OCNMFW and OCNMFD to describe weekly and daily Surplus. This CP proposes the BMRA is updated to use the correct acronyms SPLW and SPLD, since OCNMFW and OCNMFD are BSC terms in their own right referring to data displayed on the BSC website.	
Proposed Solution(s) <i>(mandatory by originator)</i> The BMRA software, NGC BMRA & SAA Interface Specification and IDD Parts 1 and 2 will be revised to use the acronyms SPLD and SPLW for Surplus, consistent with the BSC. This change will impact the content of the interface from the System Operator to BMRA so that Surplus is defined using SPLD and SPLW instead of OCNMFD2 and OCNMFW2. In the IDD Part 1 the Tibco message subject names “OCNMFD” and “OCNMFW” would be revised to be “SPLD” and “SPLW”.	
Justification for Change <i>(mandatory by originator)</i> Annex X-2 Table 3 of the Balancing and Settlement Code defines the following acronyms (effective 30/09/02): <ul style="list-style-type: none"> • OCNMFW, OCNMFD – Generating Plant Demand Margin (weekly/daily) • SPLW, SPLD - Surplus (daily/weekly). <p><i>The NGC BMRA SAA Interface Specification and IDD Part 1(BMRA-I005) use OCNMFW and OCNMFD to describe Surplus, not to describe Generating Plant Demand Margin (which is displayed on the BSC website). This is inconsistent with the BSC.</i></p> <p>Note. The BMRA website correctly displays Surplus data, using the acronyms SPLD and SPLW for daily and weekly Surplus data.</p>	

<p>Change Proposal – F40/01 (Page 2 of 2)</p>	<p>MP No: <i>(mandatory by BSCCo)</i></p>
<p>Other Configurable Items Potentially Affected by Proposed Solution(s) <i>(optional by BSCCo)</i></p> <p><i>BMRA URS</i> <i>IDD Parts 1 and 2</i> <i>Neta Data File Catalogue</i> <i>BMRA software</i> <i>NGC BMRA & SAA Interface Specification</i></p>	
<p>Impact on Core Industry Documents <i>(optional by originator)</i></p> <p><i>None</i></p>	
<p>Related Changes and/or Projects <i>(mandatory by BSCCo)</i></p> <p><i>This CP assumes Modifications P33, P86 already implemented.</i></p>	
<p>Originator's Details:</p> <p><i>BCA Name...Mike Sherrad.....</i></p> <p><i>Organisation...ELEXON.....</i></p> <p><i>Email Address.....mike.sherrad@elexon.co.uk.....</i></p> <p><i>Date.....12/9/2.....</i></p> <p><i>Organisation.....ELEXON.....</i></p>	
<p>Attachments: Y/N* No (If Yes, No. of Pages attached:.....) <i>(delete as appropriate)</i></p>	