

Change Proposal – F40/01 (Page 1 of 2)

CP No:906
(mandatory by BSCCo)

Title (mandatory by originator)

Revision to the minimum registration period on Change of Supplier **only** within the Central Registration Agent (CRA) / Central Meter Registration Service (CMRS) systems and procedures.

Description of Change (mandatory by originator)

To more closely align the registration periods for those customers with sites trading in both Central Volume Allocation (CVA) and Supplier Volume Allocation (SVA) trading arrangements.

Proposed Solution(s) (mandatory by originator)

Reduce the 20WD minimum period for Change of Supplier only for sites registered and traded in CVA to 5WD.

This will impact process 1.3 and 3.3.1 of BSCP20 'Registration, Commissioning and Proving of Metering Systems for Central Volume Allocation'. It is believed that there is no impact on the Balancing and Settlement Code Section K or the CRA Service Description (CRA SD v3.0).

Justification for Change (mandatory by originator)

A request has been received from Corus (formerly British Steel) to reduce the minimum registration period for CVA sites so that supply contract negotiations can be concluded for both CVA and SVA sites at the same time.

Customers with directly connected site believe that they suffer unfairly in the competitive supply market by having to sign CVA contracts a month earlier than SVA customers.

Change Proposal – F40/01 (Page 2 of 2)

CP No:906
(mandatory by BSCCo)

Other Configurable Items Potentially Affected by Proposed Solution(s) *(optional by BSCCo)*

Logica CVA systems.

Impact on Core Industry Documents *(optional by originator)*

Related Changes and/or Projects *(mandatory by BSCCo)*

None.

Originator's Details:

BCA Name:

Organisation: ELEXON

Email Address:

Date:

Organisation:

Attachments: No