

## Change Proposal – F40/01 (Page 1 of 2)

CP No: 798  
(mandatory by BSCCo)

### Title (mandatory by originator)

Changes to the SVA Data Catalogue

### Description of Change (mandatory by originator)

SIR R2928 and CR R3070 require minor documentation changes to the SVA Data Catalogue to clarify or correct the use of certain data items.

### Proposed Solution(s) (mandatory by originator)

#### SIR R2928

Remove the data item 'Profile Coefficients Requested' from flow P0040 in Part 1 of the SVAA Data Catalogue.

#### CR R3070

The description for the data item 'Date Action Required By' in Part 2 of the SVAA Data Catalogue should be altered to read as follows:

“The date shall be set to:

- (i) The New Supplier's Start Date (Effective From Settlement Date {REGI} when used in the D0170 data flow sent from the new agents to the old agents on a change of NHH agent coincident with change of Supplier; or
- (ii) The Effective From Date (DCA) or Effective From Date (MOA) for the new agent, as appropriate, when used on the D0170 data flow sent from the Supplier to old agents on a change of NHH agent; or
- (iii) In all other uses, the date on which the requested action or instruction is to be completed.”

### Justification for Change (mandatory by originator)

#### SIR R2928

The 'Profile Coefficients Requested' data item is not referenced in Part 2 of the SVA Data Catalogue, so it is unclear how this field is populated. Further investigation has shown that the field is not necessary and therefore it can be removed from the flow.

#### CR R3070

The usage of the 'Date Action Required By' data item differs depending on the circumstances and needs to be explained clearly. The change has been successfully implemented in the MRA DTA and so the SVA Data Catalogue should be altered to ensure consistency.

### Other Configurable Items Potentially Affected by Proposed Solution(s) (optional by BSCCo)

**Impact on Core Industry Documents** *(optional by originator)*

**Related Changes and/or Projects** *(mandatory by BSCCo)*

CR R3070 was implemented in v7.0 of the MRA DTC via MRA CP3104.

***Originator's Details:***

***BCA Name:***

***Organisation:***

***Email Address:***

***Date:***        **24/04/2002**

Attachments: N        (If Yes, No. of Pages attached:.....)  
*(delete as appropriate)*