

Change Proposal – F40/01 (Page 1 of 1)	CP No: 760 <i>(mandatory by BSCCo)</i>
<p>Title <i>(mandatory by originator)</i> Identification of Prepayment Meters within the D0150 'Non Half Hourly Meter Technical Details' dataflow.</p>	
<p>Description of Change <i>(mandatory by originator)</i></p> <p>To provide Suppliers with the ability to identify Prepayment type metering from the data contained in the Meter Technical Details dataflow (D0150 'Non Half Hourly Meter Technical Details'). This will be achieved by using one of four values from a list of valid values for the data item "Meter Type" (J0483). The four values for use in the Non-Half Hourly market will be:</p> <ul style="list-style-type: none"> ▪ K for a Key meter; ▪ S for a Smart meter; ▪ T for a Token meter; and ▪ N for a standard credit Non-Half Hourly meter. 	
<p>Proposed Solution(s) <i>(mandatory by originator)</i></p> <p>Modify the BSC SVA Data Catalogue so that the data item "Meter Type" (J0483) is added with the values proposed and included within the D0150 'Non Half Hourly Meter Technical Details' dataflow:</p> <ul style="list-style-type: none"> ▪ K for a Key meter; ▪ S for a Smart meter; ▪ T for a Token meter; and ▪ N for a standard credit Non-Half Hourly meter. <p>This dataflow within the BSC SVA Data Catalogue does not include the data item "Number of Channels", which is referred to in MRA DTC CP3128. There is no impact on any BSCP or PSL as a result of this CP.</p>	
<p>Justification for Change <i>(mandatory by originator)</i></p> <p>At present the D0150 dataflow does not contain any information relating to the Meter Type, and Suppliers are therefore unable to determine whether the meter is a prepayment meter or not. Provision of this information within the D0150 dataflow would improve the Change of Supplier process and ensure appropriate Agents are appointed to interface with a particular meter type. This will therefore improve the overall service to the customer.</p> <p>This CP enables the requirements proposed via MRA DTC CP3128 'Amend the D0150 Dataflow (Non Half Hourly Meter Technical Details) to include the Data Item "Meter Type" (J0483) in order to enable Suppliers to accurately identify Prepayment Meters.' to be applied consistently within the MRA and the BSC related documentation.</p>	

Change Proposal – F40/01 (Page 2 of 1)	CP No: 760 <i>(mandatory by BSCCo)</i>
Other Configurable Items Potentially Affected by Proposed Solution(s) <i>(optional by BSCCo)</i>	
Impact on Core Industry Documents <i>(optional by originator)</i> Data Transfer Catalogue – changes to D0150 via MRA DTC CP3128.	
Related Changes and/or Projects <i>(mandatory by BSCCo)</i>	
Originator's Details: BCA Name: Organisation: Email Address: Date: 21 February 2002 Organisation:	
Attachments: Yes, extract of proposed changes to the BSC SVA Data Catalogue	