

Change Proposal – F40/02 (Page 1 of 2)	CP No: 751 <i>(mandatory by BSCCo)</i>
Title Amendments and Clarifications to BSCP03 for the CDCA Improvement Project	
<p>Description of Change</p> <p>This CP seeks to align BSCP03 with the changing and improved processes enabled by the CDCA Improvement Project. The CDCA Improvement Project is a LOGICA project to rectify shortcomings in the existing CDCA service. This CP is intended to complement the improvements agreed to the CDCA service and reflect agreed custom and practice of the BSC Agent in BSCP03.</p>	
<p>Proposed Solution(s)</p> <p>Amend BSCP03 with the following changes for inclusion in the CDCA Improvement Project:</p> <ul style="list-style-type: none"> ❑ Amend Section 1.1.1 a) to explain that only Active Energy metered data is covered by BSCP03. ❑ Add a paragraph to Section 1.1.2 to explain that Data Estimations for Reactive Meters are not covered by BSCP03. Data estimations for reactive meters are not a BSC process and therefore are not covered by BSCP03. ❑ Add a paragraph to Section 1.3 to include unapproved estimations being used for II runs at SD+4WD. ❑ Include the number of the Exception Report (CDCA-IO10) in Section 1.3 b). ❑ Update Section 1.3 d) to display the relevant report name and title (i.e. Estimated Data Notification Report CDCA- IO37). ❑ Amend Section 1.6.1 to explain that accuracy classes for meters are as defined in the relevant Code of Practice. ❑ Amend Section 1.6.2 to explain that errors outside 1.0% will be reported. ❑ Amend Section 1.6.3 to replace the phrase “time drift” with the phrase “time error”. ❑ Amend Section 1.6.4 to ensure that the Maximum/Minimum limits will be defined by the Registrant, in conjunction with the BSSCo. ❑ Amend Section 1.6.7 to change ram/rom to RAM/ROM. ❑ Amend Section 1.7 to be consistent with ELEXON circular EL00267 and current working practices (EL0027 is included as attachment 1). ❑ Amend Section 2 (Acronyms and Definitions): to change the acronym DSO to PDSO and the description to Public Distribution System Operator. The acronym CoP will be added with a description of “Codes of Practice”. The acronym CDCS will be deleted along with its description. ❑ Amend Section 2.2 to replace the word “Code” with “Balancing and Settlement Code ❑ Amend Section 3.1 to give greater clarity (Red-lined changes are included as attachment 2). ❑ Amend the Authorisation Form for Estimation and Data Substitution to provide confirmation of data input to settlement (this is included as attachment 3). ❑ Amend the Data Estimation/Substitution form to reflect the ability of impacted Parties to present their own estimated data (this is included as attachment 4). ❑ Add a list of data estimations/substitutions reason codes as an appendix to BSCP03 (this is included as attachment 5). 	

<p>Justification for Change These amendments to BSCP03 ensure consistency with the CDCA systems and processes to be implemented by the CDCA Improvement Project. These changes would enable a clearer, more efficient service that would benefit all Parties.</p>
<p>Other Configurable Items Potentially Affected by Proposed Solution(s) <i>(optional by BSCCo)</i></p> <p>The BSC Agent will update the CDCA URS, CDCA Service Description, etc to reflect the change to the services.</p>
<p>Impact on Core Industry Documents <i>(optional by originator)</i></p>
<p>Related Changes and/or Projects <i>(mandatory by BSCCo)</i></p> <p>There will be a suite of changes to CDCA BSCPs (03, 15, 20, 75) covered by the CDCA Improvement Project. These changes are all aimed at improving the effectiveness and usability of the BSCPs.</p>
<p>Originator's Details:</p> <p>BCA Name <i>Nigel Williams</i></p> <p>Organisation <i>ELEXON</i></p> <p>Email Address <i>nigel.williams@elexon.co.uk</i></p> <p>Date <i>04/02/02</i></p>
<p>Attachments: Y No. of Pages attached:...7.</p>