

<b>Change Proposal – F40/01 (Page 1 of 3)</b>	CP No: 721 <i>(mandatory by BSCCo)</i>
<p><b>Title</b> <i>(mandatory by originator)</i></p> <p>Enhancements to BSCP509 "Changes to Market Domain Data".</p>	
<p><b>Description of Change</b> <i>(mandatory by originator)</i></p> <p>As a result of a walkthrough held on 23<sup>rd</sup> February 2001 for "Supplier Stops Trading" (Logica document reference 30-030312, version 1_3) organised by Logica, a number of changes are proposed to BSCP509 "Changes to Market Domain Data".</p> <p>These changes are opportune and should therefore be implemented when other higher priority changes are being incorporated within BSCP509.</p>	
<p><b>Proposed Solution(s)</b> <i>(mandatory by originator)</i></p> <p>1) <u>1.3 "Use of the Procedure"</u>.</p> <p>a) The second paragraph states that the SVAA will be notified of a change to MDD no later than 7 Working Days before the Effective Date. This timescale may not always be applicable and ELEXON and SVAA may need to agree alternative timescales, providing these do not compromise the timescale required by Market Participants to load and validate the MDD into their systems and notify ELEXON of errors / suspected errors.</p> <p>Modify this paragraph so that it is clear that for the majority of instances the 7 days is appropriate but less time may apply, where agreed between ELEXON and the SVAA.</p> <p>b) This proposal also impacts paragraph four. Therefore modify the first sentence so that the Market Participant has "... 2 Working Days from receipt of the MDD" to contact ELEXON if they believe the changes to be invalid or different to those which were agreed.</p> <p>2) <u>4.11 "Registration of Balancing Mechanism Unit"</u>. Add reference "F509/01, Part B in Appendix 5.2" to step 4.11.4, Information Required box.</p> <p>3) <u>Appendix 5.2 "MDD Change Request Form"</u>. Add "CRA" as an optional recipient of the form to "Part B" for the purposes of Balancing Mechanism Unit registrations.</p>	

<p><b>Change Proposal – F40/01 (Page 2 of 3)</b></p>	<p><b>CP No:</b> <i>(mandatory by BSCCo)</i></p>
<p><b>Justification for Change</b> <i>(mandatory by originator)</i></p> <p>Ensures that the BSCP is operationally workable.</p>	
<p><b>Other Configurable Items Potentially Affected by Proposed Solution(s)</b> <i>(optional by BSCCo)</i></p> <p>There will be an impact on the CRA Service Description (SD) on the basis that the interface currently described in BSCP509 is not documented in the SD and should be.</p>	
<p><b>Impact on Core Industry Documents</b> <i>(optional by originator)</i></p>	
<p><b>Related Changes and/or Projects</b> <i>(mandatory by BSCCo)</i></p>	
<p><b>Originator's Details:</b></p> <p><b>BCA Name:</b> .....</p> <p><b>Organisation:</b> ELEXON</p> <p><b>Email Address:</b> .....</p> <p><b>Date:</b> .....</p> <p><b>Organisation:</b> .....</p>	
<p>Attachments: N</p>	