

<p align="center">Modification Proposal – BSCP40/03</p>	<p>MP No: <i>(mandatory by BSCCo)</i></p>
<p>Title of Modification Proposal</p> <p>Improvements to the Profile Administrator Service</p>	
<p>Submission Date: TBA</p>	
<p>Description of Proposed Modification:</p> <ul style="list-style-type: none"> • ELEXON/PrA specify the sample and recruitment targets by Supplier for inclusion in the PrA samples; • Suppliers will provide PrA which customers (and Metering System Identifiers (MSIDs)) are suitable and appoint the PrA's nominated Meter Operator Agent (MOA), Non Half-Hourly Data Collector and Aggregator (NHHDC and NHHDA) to those customers¹; • The customer's Settlement Meter will be replaced with a meter with Half-Hourly capability; • The PrA's nominated agents will submit normal non Half-Hourly data for that customer/MSID into Settlement; and • The PrA's NHHDC will collect the Half-Hourly data which will be used by the PrA for Profile production purposes. 	
<p>Description of Issue or Defect that Modification Proposal Seeks to Address</p> <p>To address dwindling sample size and associated accuracy (due to recruitment and data collection issues) in order to maintain the integrity and accuracy of the profiling element of the Non Half-Hourly Settlement processes.</p>	
<p>Impact on Code</p> <p>Revisions required to strengthen the obligations within Section S 2.7.5 and revise the details in Section 4.2 regarding Profile Administrator activities.</p>	
<p>Impact on Core Industry Documents or System Operator-Transmission Owner Code</p> <p>N/A</p>	

¹ The Supplier has the option to appoint its own agents, however will be obligated to install a HH capable meter and provide both NHH data as per the normal Settlement process and HH data to the PrA.

<p align="center">Modification Proposal – BSCP40/03</p>	<p>MP No: <i>(mandatory by BSCCo)</i></p>
<p></p>	
<p>Impact on BSC Systems and Other Relevant Systems and Processes Used by Parties</p> <p>Profile Administrator Service</p>	
<p>Impact on other Configurable Items</p> <p>BSCP 510 'The Provision Of Sampling Data To The Profile Administrator'</p>	
<p>Justification for Proposed Modification with Reference to Applicable BSC Objectives</p> <p>There are current issues with the Profile Administrator service with regards to sample size, recruitment and data collection. These issues need addressing in order to maintain the integrity and accuracy of the profiling element of the Non Half-Hourly settlement processes. If these issues are not addressed there could be inaccurate settlement of Non Half-Hourly energy across all Profile Classes resulting in impacts on:</p> <p>Applicable BSC objective (c) 'Promoting effective competition in the generation and supply of electricity, and (so far as consistent therewith) promoting such competition in the sale and purchase of electricity'. Therefore, this modification would improve the Settlement of Non Half-Hourly data especially for niche/small suppliers who have customers/demand focussed in particular areas.</p> <p>Applicable BSC objective (d) 'Promoting efficiency in the implementation and administration of the balancing and settlement arrangements'. This modification would improve the process for obtaining customers in the profiling sample and collecting and maintaining the associated Half-Hourly data for the construction of the profiles used in Settlement.</p>	
<p>Urgency Recommended:</p> <p>No</p>	
<p>Justification for Urgency Recommendation</p> <p>N/A</p>	

Modification Proposal – BSCP40/03	MP No: <i>(mandatory by BSCCo)</i>
Details of Proposer:	
<i>Name</i>	
<i>Organisation</i>	
<i>Telephone Number</i>	
<i>Email Address</i>	
Details of Proposer’s Representative:	
<i>Name</i>	
<i>Organisation</i>	
<i>Telephone Number</i>	
<i>Email address</i>	
Details of Representative’s Alternate:	
<i>Name</i>	
<i>Organisation</i>	
<i>Telephone Number</i>	
<i>Email address</i>	
Attachments: Yes	
Panel Paper 135/01(e) ‘Issue 29 - The Recommendations of the VASMG’	