

**Redlined BSCP504 Non-Half Hourly Data Collection for SVA Metering Systems  
Registered in SMRS changes for CP1376 'Issues with Reporting of Failed Instructions  
(D0023) Flows'**

The CP proposes changes to BSCP504 sections: 1.2.5

We have redlined these changes against version 29.0 of the BSCP.

### 1.2.5 On expiry or termination of NHHDC's appointment.

On expiry or termination of the NHHDC's appointment, and upon request, the old NHHDC shall transfer sufficient data and other information to the new NHHDC to carry out its functions. The requirements for this are set out in Appendix 4.8 - Historical Data Requirements.

Following de-appointment by the Associated Supplier, the old NHHDC shall only retain ~~the~~ responsibility for failed instruction files sent to the Associated NHHDA where a Supplier requires them to do so because they cannot be resolved by the new NHHDC or through other means. Responsibility for these files shall be held until all outstanding instructions have been processed correctly. instruction files sent to the Associated NHHDA until all outstanding instructions have been processed correctly. Additionally the old NHHDCs obligations under PSL100 Section 10.2 -10.3 shall survive.

On expiry of or termination of the NHHDC's appointment as a result of a Half Hourly Data Collector (HHDC) being appointed, the NHHDC shall not transfer historical data to the new HHDC.