

Change Proposal – BSCP40/02	CP No: CP1398 Version No: v0.1 (mandatory by BSCCo)
Title (mandatory by originator) Clarifications to BSCP520 ‘Unmetered Supplies registered in SMRS’	
Description of Problem/Issue (mandatory by originator) The defined changes for Unmetered Supplies (UMS) Code Subsidiary Documents (CSDs) are batched up once a year following identification, and a review of the proposed redlining is undertaken by the UMS expert group, the Unmetered Supplies User Group (UMSUG¹) who provide advice on specific UMS related matters. . At the UMSUG meeting in April 2013 (UMSUG109/04), ELEXON identified its intended changes to Balancing and Settlement Code Procedure (BSCP)520 ‘Unmetered Supplies registered in SMRS’ as follows: • PECU Arrays: ±20 second definitions – clarity required on this issue following auditor issues; • BSCP520 Market Domain Data (MDD) update - revise and clarify Meter Administrator (MA) responsibilities in responding to MDD changes; • Duplication of Appendices 4.3; and • Numbering reference issues in Section 4.5.1(2). ELEXON received a number of UMSUG member review comments² on BSCP520 and as such, collated and acted upon the comments where the required changes were clearly defined; for example where the comment identified a typographical error, omission or duplication.	
Proposed Solution (mandatory by originator) At its July 2013 meeting, the UMSUG (UMSUG110/02) agreed the final changes to BSCP520 noting that ELEXON will raise a Change Proposal for the Supplier Volume Allocation Group’s (SVG’s) approval with a view to implementing the changes in the November 2013 BSC Systems Release.	

¹ <http://www.elexon.co.uk/group/unmetered-supplies-user-group-umsug/>

² http://www.elexon.co.uk/wp-content/uploads/2013/05/UMSUG110_02A_BSCP520_OID1.pdf

Justification for Change *(mandatory by originator)*

The clarifications to BSCP520 are required to prevent non-material audit issues due to inconsistencies in the documents. The operational information also needs to be accurate for Unmetered Supplies Operators (UMSOs) and for the ELEXON UMS Operations team.

To which section of the Code does the CP relate, and does the CP facilitate the current provisions of the Code? *(mandatory by originator)*

BSC Section S 'Supplier Volume Allocation' section 8 'Unmetered Supplies'

Estimated Implementation Costs *(mandatory by BSCCo)*

One ELEXON man day of effort to implement the redlined changes. One ELEXON man day equates to £240.

Configurable Items Affected by Proposed Solution(s) *(mandatory by originator)*

BSCP520 'Unmetered Supplies registered in SMRS'

Impact on Core Industry Documents or System Operator-Transmission Owner Code *(mandatory by originator)*

None identified.

Related Changes and/or Projects *(mandatory by BSCCo)*

None identified.

Requested Implementation Date *(mandatory by originator)*

Requested implementation for 27 February 2014 as part of the February 2014 BSC Systems Release

Reason: Next available Release.

Version History *(mandatory by BSCCo)*

v1.0 of CP1398 was issued on 30 August 2013.

Originator's Details:

BCA Name.....***Claire Anthony***.....

Organisation..... ***ELEXON Ltd***.....

Email Address..... [***claire.anthony@elexon.co.uk***](mailto:claire.anthony@elexon.co.uk)

Telephone Number.....***020 7380 4293***.....

Date.....***22 August 2013***.....

Attachments: Y/~~N~~

CP1398_BSCP520_redlined_v0.1 (63 pages)