

Redlined BSCP503 for CP1427 'Housekeeping change to BSCP503 for EMR'.

The CP proposes changes to BSCP503 section 3.4.2.

We have redlined these changes against Version 15.0.

3.4.2 Perform Data Aggregation Run¹.

REF.	WHEN	ACTION	FROM	TO	INFORMATION REQUIRED	METHOD
3.4.2.1	As late as possible (to ensure most recent data from SMRS) to meet SVAA's Calendar.	Perform checks in accordance with Appendix 4.3 and send Exception Reports, if any.	HHDA.	HHDC, Supplier.	D0235 Half Hourly Aggregation Exception Report.	Electronic or other method, as agreed.
3.4.2.2	After 3.4.2.1.	Aggregate data in line with Appendix 4.4. If invalid BM Unit data exclude the consumption of the MS(s) associated with the BM Unit from the aggregation process.	HHDA.			Internal Process.
3.4.2.3	Aggregated data to reach SVAA by the date specified in SVAA's Calendar.	Send aggregated data in MWh & in clocktime. (Failure of the HHDC to provide consumption data must not result in failure of aggregated data being sent to the SVAA)	HHDA.	SVAA and Supplier.	D0040 Aggregated Half Hour Data File (BM Unit(s) not supported) or D0298 BM Unit Aggregated Half Hour Data File (BM Unit(s) supported).	Electronic or other method, as agreed.
<u>3.4.2.3A</u>	<u>At the same time as 3.4.2.3</u>	<u>Where instructed by the Supplier, send Capacity Market data in MWh and clocktime.</u>	<u>HHDA</u>	<u>CMSSP</u>	<u>D0357 Half Hourly Metered Data for the Capacity Market</u>	<u>Electronic or other method, as agreed</u>
3.4.2.4	Within 1 WD of aggregation run.	If invalid BM Unit data send notification.	HHDA.	BSC Service Desk and Supplier.	P0035 Invalid Data.	Electronic or other method, as agreed.

¹ The HHDA is not obliged to issue reports to Suppliers or Supplier Agents for the Interim Information Volume Allocation Run i.e. only reporting to SVAA, and where applicable the CMSSP is required