

## Redlined NETA IDD Part 2 text for CP1435 'Amendments to the SAA-I042 flow'

This CP proposes changes to Section 11.1 of the NETA IDD Part 2 document. We have redlined these changes against Version 32.0.

**There is no impact on any other part of this document for this CP.**

*Amend Section 11.1 as follows:*

### 11.1 SAA-I042: (output) BM Unit Gross Demand Report

<b>Interface ID:</b>  SAA-I042	<b>User:</b>  CFD Settlement Services Provider	<b>Title:</b>  BM Unit Gross Demand Report	<b>BSC Reference:</b>  EMR
<b>Mechanism:</b>  Electronic data file transfer, XML	<b>Frequency:</b>  Daily	<b>Volumes:</b>  One per Settlement Run	
<b>Interface Requirement:</b>  The SAA shall issue the BM Unit Gross Demand data to a CFD Settlement Services Provider for all Settlement Runs, The report shall include:  Settlement Date Settlement Run Type BSC Party ID BM Unit ID Settlement Period TLM-Adjusted BM Unit Gross Demand  For each Settlement Period, the report will contain data for the following BM Units: <ul style="list-style-type: none"><li>Supplier BM Units, for which the TLM-Adjusted BM Unit Gross Demand is defined as:  TLM-Adjusted BM Unit Gross Demand = – TLM<sub>ij</sub> * BM Unit SVA Gross Demand  where BM Unit SVA Gross Demand is calculated by SVAA, <u>and will be deemed to be zero if a value has not been received from SVAA</u>; and</li><li>BM Units <del>(other than Supplier BM Units and Interconnector BM Units) which have a BM Unit Metered Volume less than zero</del>, for which the TLM-Adjusted BM Unit Gross Demand is defined as:  TLM-Adjusted BM Unit Gross Demand = TLM<sub>ij</sub> * <u>min (BM Unit Metered Volume, 0)</u></li></ul>			
<b>Physical Interface Details:</b>  This file will be sent in a format defined by an XML Schema established and maintained by the SAA.			