

Change Proposal – BSCP40/02	CP No: 1445 <i>Version No: 1.0</i> <i>(mandatory by BSCCo)</i>
Title (mandatory by originator) BSCP516 alignment with revised P272 Implementation Date	
Description of Problem/Issue (mandatory by originator) Balancing and Settlement Code Procedure (BSCP) 516 ‘Allocation of Profile Classes and SSCs’ clarifies the registration requirements for non-domestic Import Customers without an Advanced Meter and those that remain in Profile Classes 5-8. This addressed a lack of clarity around the implementation of P272 ‘Mandatory Half Hourly Settlement for Profile Classes 5-8’ . This clarification was added under CP1433 ‘Clarification of which Metering Systems are captured by the P272 requirements’ and implemented as part of the June 2015 BSC Release. However, the BSCP makes reference to the original P272 Implementation Date of 1 April 2016. As the Authority has since amended this date to 1 April 2017, BSCP516 needs to be amended accordingly to reflect the revised date.	
Proposed Solution (mandatory by originator) We propose to amend all references to the P272 Implementation Date from “1 April 2016” to “1 April 2017” within BSCP516.	
Justification for Change (mandatory by originator) This Housekeeping CP provides clarity to ensure that there is no confusion with the registration requirements in BSCP516.	
To which section of the Code does the CP relate, and does the CP facilitate the current provisions of the Code? (mandatory by originator) Section S ‘Supplier Volume Allocation’ Section S Annex S-2 ‘Supplier Volume Allocation Rules’	
Estimated Implementation Costs (mandatory by BSCCo) One ELEXON man day of effort to implement the redlined BSCP changes, equating to £240.	
Configurable Items Affected by Proposed Solution(s) (mandatory by originator) BSCP516 ‘Allocation of Profile Classes and SSCs’	
Impact on Core Industry Documents or System Operator-Transmission Owner Code (mandatory by originator) None identified	

Related Changes and/or Projects (mandatory by BSCTCo)

This directly relates CP1433 'Clarification of which Metering Systems are captured by the P272 requirements

P272 'Mandatory Half Hourly Settlement for Profile Classes 5-8'

P300 'Introduction of new Measurement Classes to support Half Hourly DCUSA Tariff Changes (DCP179)'

P322 'Revised Implementation Arrangements for Mandatory Half Hourly Settlement for Profile Classes 5-8'

Requested Implementation Date (mandatory by originator)

11 August 2015 (Standalone Release)

Reason: 5 Working Days following relevant committee decision

Version History (mandatory by BSCTCo)

Version 1.0 of CP1445 was raised on 24 July 2015

Originator's Details:

BCA Name *Simon Fox-Mella*

Organisation *ELEXON Ltd*

Email Address bsc.change@elxon.co.uk

Telephone Number *020 7380 4299*

Date *24 July 2015*

Attachments: N