

Redlined SVA Data Catalogue Volume 1 text for CP1449 'Updates to BSCP520 and the SVA Data Catalogue following a review'

This CP proposes changes to the SVA Data Catalogue Volume 1. We have redlined these changes against Version 39.0.

There is no impact on any other part of this document for this CP.

APPENDIX A – Data Interface Index

Remove the following lines from Appendix A as follows:

Flow Ref.	Data Flow Name	Source	From	To	Version
P0064	Summary Inventory (for HH Trading)	BSCP520	LDSO	Meter Administrator	001
			Meter Administrator	LDSO	001
			Meter Administrator	Not stated	001
			Meter Administrator		
P0068	UMS-EM Technical Details	BSCP520	UMSO	Supplier	001
			UMSO	Meter Administrator	001
			Supplier	Meter Administrator	001
		P0068001	Meter Administrator	HHDC	001
P0173	Confirmation of End Readings Date	BSCP520	Meter Administrator	HHDC	001
			HHDC	Meter Administrator	001
P0174	Confirmation of Start Readings Date	BSCP520	Meter Administrator	HHDC	001
P0176	Request for EM Details	BSCP520	Meter Administrator	UMSO	001

APPENDIX B – Data Interface Definition

Delete the entry for the P0064 Flow as follows:

Summary Inventory (for HH Trading)			P0064	001
Source Document	Known as	From	To	Comment
BSCP520	Summary Inventory (for HH Trading)	LDSO	Meter Administrator	from-UMSO
	Summary Inventory (for HH Trading)	Meter Administrator	LDSO	to-UMSO
	Summary Inventory (for HH Trading)	Meter Administrator	Not Stated	to-Customer
<u>Data Requirement from BSC Procedures:</u>				
Data Group	Data Item Name	Comment		
MPAN Cores	Metering System Id	MPAN Core		
	Effective From Settlement Date {UMS}			
Summary Inventories	National Equipment Code			
	Time Switch Regime			
	Number of Items			
<u>Notes:</u>				
This flow is specific to Unmetered Supplies.				
<u>Version History:</u>				

Catalogue release change takes effect	Mod/CP-No.	Brief description of the change and its reason
3-3	CP690	UMS (Unmetered Supplier) Clarifications and Improvements
22	CP1127	Feb-06 Release Changes

Delete the entry for the P0068 Flow as follows:

UMS-EM Technical Details				P0068	001
Source Document	Known-as	From	To	Comment	
BSCP520	UMS-EM-Technical-Details	Supplier	Meter-Administrator		
	UMS-EM-Technical-Details	UMSQ	Meter-Administrator		
	UMS-EM-Technical-Details	UMSQ	Supplier		
P0068001	UMS-EM-Technical-Details	Meter-Administrator	HHDC		
<u>Data Requirement from BSC Procedures:</u>					
Data-Group	Data-Item-Name	Comment			
MPAN-Cores	Metering-System-Id	MPAN-Core			
	Effective-From-Settlement-Date-{MSMTD}				
	Measurement-Class-Id				
	Effective-From-Settlement-Date-{MSMC}				
	Metered/Unmetered-Indicator				
	Energisation-Status				

Equivalent Meter Type
Longitude
Latitude

Notes:

This flow is specific to Unmetered Supplies.

Version History:

Catalogue release change takes effect	Mod/CP No.	Brief description of the change and its reason
3.3	CP690	UMS (Unmetered Supplier) Clarifications and Improvements
22	CP1127	Feb-06 Release Changes
24.0	CP1155	Changes to UMS related P-flows

Delete the entry for the P0173 Flow as follows:

Confirmation of End Readings Date				P0173	001
Source Document	Known as	From	To	Comment	
BSCP520	Confirmation of End Readings Date	HHDC	Meter Administrator		
	Confirmation of End Readings Date	Meter Administrator	HHDC		

Data Requirement from BSC Procedures:

Data-Group	Data-Item-Name	Comment
End	Metering-System-Id	
	Meter-Administrator-Id	
	Data-Collector-Id	HH-only
	Agreed-Collection-End-Date	

Notes:

~~This flow is specific to Unmetered Supplies.~~

Version History:

Catalogue-release change-takes-effect	Mod/CP-No.	Brief description of the change and its reason
3.3	CP690	UMS (Unmetered-Supplier)-Clarifications and Improvements
22	CP1127	Feb-06-Release-Changes

Delete the entry for the P0174 Flow as follows:

Confirmation of Start Readings Date	P0174	001
--	--------------	------------

Source-Document	Known-as	From	To	Comment
BSCP520	Confirmation-of-Start-Readings-Date	Meter-Administrator	HHDC	

Data Requirement from BSC Procedures:

Data Group	Data Item Name	Comment
Start	Metering System Id	
	MA Id	
	Data Collector Id	HH only
	Agreed Collection Start Date	

Notes:

This flow is specific to Unmetered Supplies.

Version History:

Catalogue release change takes effect	Mod/CP No.	Brief description of the change and its reason
3.3	CP690	UMS (Unmetered Supplier) Clarifications and Improvements
22	CP1127	Feb 06 Release Changes
24.0	CP1155	Changes to UMS related P-flows

Delete the entry for the P0176 Flow as follows:

Request for EM Details				P0176	001
Source Document	Known as	From	To	Comment	
BSCP520	Request for EM Details	Meter Administrator	UMSO	to UMSO	
<u>Data Requirement from BSC Procedures:</u>					

Data Group	Data Item Name	Comment												
EM-Request	Metering-System-Id Inventory Name and Reference													
Notes: This flow is specific to Unmetered Supplies.														
Version History: <table> <tr> <th>Catalogue release change takes effect</th><th>Mod/CP No.</th><th>Brief description of the change and its reason</th></tr> <tr> <td>3.3</td><td>CP690</td><td>UMS (Unmetered Supplier) Clarifications and Improvements</td></tr> <tr> <td>22</td><td>CP1127</td><td>Feb 06 Release Changes</td></tr> <tr> <td>24.0</td><td>CP1155</td><td>Changes to UMS related P-flows</td></tr> </table>			Catalogue release change takes effect	Mod/CP No.	Brief description of the change and its reason	3.3	CP690	UMS (Unmetered Supplier) Clarifications and Improvements	22	CP1127	Feb 06 Release Changes	24.0	CP1155	Changes to UMS related P-flows
Catalogue release change takes effect	Mod/CP No.	Brief description of the change and its reason												
3.3	CP690	UMS (Unmetered Supplier) Clarifications and Improvements												
22	CP1127	Feb 06 Release Changes												
24.0	CP1155	Changes to UMS related P-flows												