

LEGAL TEXT FOR PROPOSED MODIFICATION P347

ANNEX S-1: PERFORMANCE LEVELS AND SUPPLIER CHARGES (V9.0 + P272 and P338)

2. PERFORMANCE LEVELS

2.2 Energy and Metering Systems on Annual Advances and Actual Readings at Each Volume Allocation Run - Serial SP08

Amend paragraph 2.2.8 to read as follows. This amendment reflects the baseline following the implementation of Approved Modification P272:

2.2.8 In relation to each GSP Group and in respect of Half Hourly Metering Systems for which a Supplier is responsible which are identified as not being 100kW Metering Systems, the Supplier shall ensure, ~~subject to paragraph 2.2.8A,~~ that (in accordance with the relevant BSC Procedure) in respect of each month actual (rather than estimated) values in respect of:

(a) ~~except to the extent set out in paragraph 2.2.8(b),~~ not less than 99 per cent; or

(b) ~~subject always to paragraph 2.2.8A, in respect of Metering Systems that are comprised in Measurement Class "F" and "G", not less than 90 per cent,~~

~~of the total energy attributable to that Supplier relating to such Metering Systems for the aggregate of the Applicable Settlement Periods are provided by its Half Hourly Data Aggregator to the SVAA in time for the relevant First Reconciliation Volume Allocation Run and any subsequent Reconciliation Volume Allocation Runs.~~

Insert new paragraph 2.2.8A directly after paragraph 2.2.8. This amendment reflects the baseline following the implementation of Approved Modification P338 (i.e. Approved Modification P272 introduced a paragraph 2.2.8A which was removed by Approved Modification P338):

2.2.8A Paragraph 2.2.8(b) shall cease to have effect from and including the Settlement Day that falls on 1st January 2020.

ANNEX X-2: TECHNICAL GLOSSARY (Version 37.0)

Table X-8

Amend Table X-8 to read as follows. P347 is a consequential modification to P339 and these are the amendments in P339. If P339 is approved by the Panel this section will be amended accordingly.

Consumption Component Class Id	Measurement Quantity Id	Data Aggregation Type	Metered / Unmetered Indicator	Consumption Component Indicator	Actual / Estimated Indicator	AA / EAC Indicator	Consumption Level Indicator	Measurement Class
1	AI	H	M	C	A		B	C
2	AI	H	U	C	A		-	D
3	AI	H	M	M	A		B	C
4	AI	H	M	L	A		B	C
5	AI	H	U	L	A		-	D
6	AE	H	M	C	A		-	C
7	AE	H	M	M	A		-	C
8	AE	H	M	L	A		-	C
9	AI	H	M	C	E		B	C
10	AI	H	U	C	E		-	D

Consumption Component Class Id	Measurement Quantity Id	Data Aggregation Type	Metered / Unmetered Indicator	Consumption Component Indicator	Actual / Estimated Indicator	AA / EAC Indicator	Consumption Level Indicator	Measurement Class
11	AI	H	M	M	E		B	<u>C</u>
12	AI	H	M	L	E		B	<u>C</u>
13	AI	H	U	L	E		-	<u>D</u>
14	AE	H	M	C	E		-	<u>C</u>
15	AE	H	M	M	E		-	<u>C</u>
16	AE	H	M	L	E		-	<u>C</u>
17	AI	N	M	C		E	-	<u>A</u>
18	AI	N	M	C		A	-	<u>A</u>
19	AI	N	U	C		E	-	<u>B</u>
20	AI	N	M	L		E	-	<u>A</u>
21	AI	N	M	L		A	-	<u>A</u>
22	AI	N	U	L		E	-	<u>B</u>
23	AI	H	M	C	A		A	<u>E</u>
25	AI	H	M	M	A		A	<u>E</u>
26	AI	H	M	L	A		A	<u>E</u>
28	AI	H	M	C	E		A	<u>E</u>
30	AI	H	M	M	E		A	<u>E</u>
31	AI	H	M	L	E		A	<u>E</u>
32	AE	N	M	C		E	-	<u>A</u>
33	AE	N	M	C		A	-	<u>A</u>
34	AE	N	M	L		E	-	<u>A</u>
35	AE	N	M	L		A	-	<u>A</u>
<u>36</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>A</u>		<u>-</u>	<u>E</u>
<u>37</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>A</u>		<u>-</u>	<u>E</u>
<u>38</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>A</u>		<u>-</u>	<u>E</u>
<u>39</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>E</u>		<u>-</u>	<u>E</u>
<u>40</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>E</u>		<u>-</u>	<u>E</u>
<u>41</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>E</u>		<u>-</u>	<u>E</u>
<u>42</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>A</u>		<u>A</u>	<u>F</u>
<u>43</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>A</u>		<u>A</u>	<u>F</u>
<u>44</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>A</u>		<u>A</u>	<u>F</u>
<u>45</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>E</u>		<u>A</u>	<u>F</u>
<u>46</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>E</u>		<u>A</u>	<u>F</u>
<u>47</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>E</u>		<u>A</u>	<u>F</u>
<u>48</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>A</u>		<u>-</u>	<u>F</u>
<u>49</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>A</u>		<u>-</u>	<u>F</u>
<u>50</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>A</u>		<u>-</u>	<u>F</u>
<u>51</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>E</u>		<u>-</u>	<u>F</u>
<u>52</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>E</u>		<u>-</u>	<u>F</u>
<u>53</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>E</u>		<u>-</u>	<u>F</u>
<u>54</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>A</u>		<u>A</u>	<u>G</u>
<u>55</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>A</u>		<u>A</u>	<u>G</u>
<u>56</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>A</u>		<u>A</u>	<u>G</u>
<u>57</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>E</u>		<u>A</u>	<u>G</u>
<u>58</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>E</u>		<u>A</u>	<u>G</u>
<u>59</u>	<u>AI</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>E</u>		<u>A</u>	<u>G</u>
<u>60</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>A</u>		<u>-</u>	<u>G</u>
<u>61</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>A</u>		<u>-</u>	<u>G</u>
<u>62</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>A</u>		<u>-</u>	<u>G</u>
<u>63</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>C</u>	<u>E</u>		<u>-</u>	<u>G</u>
<u>64</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>M</u>	<u>E</u>		<u>-</u>	<u>G</u>
<u>65</u>	<u>AE</u>	<u>H</u>	<u>M</u>	<u>L</u>	<u>E</u>		<u>-</u>	<u>G</u>

The attributes of such Consumption Component Classes are for the time being and from time to time valid:

- (i) measurement quantity id, which shall have values:
 - AI active import (consumption); or
 - AE active export (generation);
- (ii) data aggregation type, which shall have values:
 - H half hourly; or
 - N non-half hourly;
- (iii) metered/ unmetered indicator shall have values:
 - M metered; or
 - U unmetered;
- (iv) consumption component indicator shall have values:
 - C basic consumption (or generation);
 - M metering system specific line losses; or
 - L metering system non-specific line losses;
- (v) actual/ estimated indicator shall have values:
 - A actual;
 - E estimated; or
 - Null;
- (vi) AA/EAC indicator shall have values:
 - A Annualised Advance;
 - E Estimated Annual Consumption; or
 - Null; and
- (vii) Consumption Level Indicators shall have the following values:
 - A Metering Systems which are not 100kW Metering Systems (equivalent to Measurement Class "E", "F" and "G");
 - B Metering Systems which are 100kW Metering Systems (equivalent to Measurement Class "C"); or
 - Null Not applicable, shown as a hyphen (-), including export, NHH and unmetered MSIDs.

(viii) Measurement Class as defined in Table X-6.

Table X-9

Amend Table X-9 to read as follows:

Supplier Volume Reporting Group	Consumption Component Classes	Profile Classes (where used and/or applicable)
1	17, 18, 20, 21	1, 2
2	17, 18, 20, 21	3, 4
3	17, 18, 20, 21	5, 6, 7, 8
4	19, 22	Not used
5	32, 33, 34, 35	Not used
6	1, 3, 4, 9, 11, 12, 23, 25, 26, 28, 30, 31, <u>42, 43, 44, 45, 46, 47, 54, 55, 56, 57, 58, 59</u>	Not applicable
7	2, 5, 10, 13	Not applicable
8	6, 7, 8, 14, 15, 16, <u>36, 37, 38, 39, 40, 41, 48, 49, 50, 51, 52, 53, 60, 61, 62, 63, 64, 65</u>	Not applicable