

PUBLIC

# P354 'Use of ABSVD for non-BM Balancing Services at the metered (MPAN) level'

## Business Requirements



8 February 2018

## Document history

Date	Version	Author	Reviewers	Description
03/03/2017	0.1	Giulia Barranu	N/A	Initial Draft
03/03/2017	0.2	Giulia Barranu	Elliott Harper	Initial Draft
09/03/2017	0.3	Giulia Barranu	Colin Berry	Initial Draft
10/03/2017	0.4	Giulia Barranu	Lawrence Jones	Initial Draft
15/03/2017	0.5	Giulia Barranu	John Lucas	Initial Draft
05/05/17	0.6	Giulia Barranu / Colin Berry	John Lucas	Amended following Workgroup 2
15/05/2017	0.7	Giulia Barranu / Colin Berry	John Lucas	Updated Draft
15/05/2017	0.8	Giulia Barranu / Colin Berry	John Lucas	Updated Draft
16/05/2017	0.9	Giulia Barranu / Colin Berry	John Lucas	Updated Draft
24/05/2017	0.10	Giulia Barranu / Colin Berry	Workgroup	Final Draft
15/09/2017	1.1	Colin Berry	N/A	Updated with minor clarifications
05/10/2017	1.2	Colin Berry	N/A	Updated following C16 ABSVD work group #2
16/10/2017	1.3	Colin Berry	N/A	Updated following joint P354 / C16 ABSVD work group
19/10/2017	1.4	Colin Berry	N/A	Updated following P354 work group
20/10/2017	1.5	Colin Berry	N/A	Updated following Legal Text drafting
24/10/2017	1.6	Colin Berry	N/A	Updated following Legal Text drafting
03/11/2017	1.7	Colin Berry	Claire Kerr	Updated following changes of terminology resulting from Legal Text review

03/11/2017	1.8	Claire Kerr	John Lucas	Updated following quality review
06/11/2017	1.9	Colin Berry	P354 Workgroup	Updated following review by John Lucas
10/01/2018	2.1, 2.2	Colin Berry	Claire Kerr	Updated following industry consultation and P354 work group #7
11/01/2018	2.3	Colin Berry	John Lucas	Updated following review comments from Claire Kerr
12/01/2018	2.4	Colin Berry	P354 Workgroup	Updated following review comments from John Lucas
15/01/2018	2.5	Claire Kerr	P354 Workgroup	Updated following review by John Lucas
02/02/2018	2.6	Colin Berry	ELEXON / Industry	Updated following work group #8
06/02/2018	2.7	Colin Berry	John Lucas, Justin Andrews	Updated following review
08/02/2018	2.8	Colin Berry		Updated following review

## Approvals

Date	Version	Name	Role	Status
07/06/2017	1.0	Justin Andrews	ELEXON Head of Design Authority	Finalised document for publication
13/11/2017	2.0	Justin Andrews	ELEXON Head of Design Authority	Finalised document for Consultation
08/02/2018	3.0	Justin Andrews	ELEXON Head of Design Authority	Finalised document for P354

# CONTENTS

Document history .....	2
Approvals .....	3
<b>1. Introduction .....</b>	<b>5</b>
1.1 Purpose of document.....	5
1.2 Background.....	5
1.3 Scope of the P354 solution.....	6
1.3.1 Final Scope of the P354 Proposed solution .....	6
1.3.2 Scope of the P354 Alternative solution .....	8
<b>2. P354 Business Process Model.....</b>	<b>9</b>
<b>3. Business Requirements .....</b>	<b>10</b>
<b>4. Appendix A - Glossary of terms .....</b>	<b>18</b>
<b>5. Appendix B – Examples of How Metered Data will be used to allocate MSID Pair Delivered Volumes to the constituent MSIDs.....</b>	<b>21</b>
<b>6. Appendix C – Details of original and revised scope of P354 .....</b>	<b>24</b>
Original Scope .....	24
Revised Scope .....	24
Scope of the P354 solution at 15/11/2017 .....	25

## 1. INTRODUCTION

### 1.1 Purpose of document

This document contains the Business Requirements (BR) for Balancing and Settlement Code (BSC) Modification P354<sup>1</sup>.

This document specifies the BRs for P354, and will form the basis on which ELEXON:

- i) procures high-level Impact Assessments, with approximate costs and timescales, from its Service Providers;
- ii) identifies the impact on its processes;
- iii) initiates the industry Consultation;
- iv) captures any changes to the BRs; and
- v) develops more detailed Solution Requirements, which will be used to procure a Detailed Level Impact Assessment from its Service Providers. This will have firm costs and timescales, and will be the basis for the design of the P354 solution.

A Glossary of Terms is included as an Appendix A to this document.

### 1.2 Background

P354 seeks to correct a defect identified in the current BSC arrangements for notifying Applicable Balancing Services Volume Data (ABSVD). The BSC currently provides a mechanism that the Transmission Company (TC) can use to provide ABSVD values (calculated in accordance with an Ofgem-approved [ABSVD Methodology](#)) to the Settlement Administration Agent (SAA) for a Balancing Mechanism (BM) Unit. The SAA will then include these values in the Settlement calculation as an adjustment to the imbalance position for the BM Unit's Lead Party, in order to ensure that the affected BSC Parties' imbalance positions are calculated correctly.

The requirement for the TC to allocate any ABSVD value to a BM Unit (before providing it to SAA) is not an issue, where the Balancing Services Provider (BSP) is also a BSC Party, and has registered a BM Unit for the unit(s) providing the service (a "**BM BSP**"). However, it is potentially more problematic where the BSP is providing the service using unit(s) that do not have their own BM Unit, and for which the metering has been registered in the Supplier Meter Registration Service (SMRS) by an electricity Supplier who is not the BSP (a "**non-BM BSP**").

The TC's ABSVD Methodology does allow ABSVD to be calculated for non-BM [Fast Reserve](#); but not for other non-BM services, such as non-BM Short Term Operating Reserve ([STOR](#)). For these services it is not practical for the TC to allocate ABSVD volumes to a BM Unit (because doing so would require information about the metered volumes at the site and who is supplying them which the TC does not have). In these cases it is not currently possible to reflect the balancing services delivered in ABSVD, which results in the Suppliers, whose customers provide the balancing service, receiving an additional imbalance payment that is not available to BM BSPs. The Proposer of P354 believes that this is distorting competition in the STOR market, and potentially increasing the balancing costs faced by consumers.

P354 seeks to address this defect by:

- i) identifying and implementing a mechanism to identify the Suppliers responsible for the Metering Systems that contribute to the Applicable Balancing Services; and
- ii) allocating the appropriate energy volumes to their accounts which will then be included in the Settlement calculation, resulting in the affected BSC Parties' imbalance positions being calculated correctly.

---

<sup>1</sup> 'Use of ABSVD for non-BM Balancing Services at the metered (MSID) level'.

### 1.3 Scope of the P354 solution

As a result of discussions at the second P354 Workgroup, the BRs specified in Section 2 of this document are significantly different to the BRs discussed at the first Workgroup in February, and which are captured in version 1.0 of this document.

The P354 solution proposed in the P354 Modification Proposal ("Original Scope") was modified as a result of discussions at the P354 Workgroups ("Revised Scope") and then simplified as a result of discussions at the TC's C16 ABSVD Workgroups ("Scope of the P354 solution at 15/11/2017").

The P354 solution issued as part of the P354 Consultation ("Scope of the P354 solution at 15/11/2017") was subsequently amended as a result of comments received in the consultation.

High level requirements for all previous solutions are set out in Appendix C to this document for reference.

#### 1.3.1 Final Scope of the P354 Proposed solution

At its eighth meeting on 1 February 2018, the P354 Workgroup directed that the P354 Alternative, as issued in P354 Consultation 2, should become the P354 Proposed, and vice versa. The text below relates to the 'new' Proposed solution.

In response to comments received in the industry consultation, the P354 Workgroup agreed that the P354 Proposed solution should be further revised to amend the solution agreed at Workgroup #7:

- aggregate MSID ABSVD to BM Unit Level, rather than to Supplier Account Level, to ensure that the 'Period BM Unit Balancing Services Volume' has been adjusted to remove all imbalance volumes, which would otherwise have resulted in incorrect volumes being included in any Metered Volume Reallocation Notification;
- clarify that the TC shall always provide a 'MSID Pair Effective To Date' for a MSID Pair, i.e. this is not optional;
- amend the obligation on the TC to include a 'Customer Consent Flag Effective From Date' and a 'Customer Consent Flag Effective To Date' in the MSID Pair Data. For the avoidance of doubt, the Customer Consent Flag could change as often as daily, provided [2] Working Days' notice was provided to the SVAA;
- the SVAA must store the 'Customer Consent Flag Effective From Date' and 'Customer Consent Flag Effective To Date' and must only send MSID ABSVD and MSID ABSVD (Losses) to the relevant Supplier for Settlement Days where the Customer Consent Flag is set to "True";
- amend the obligation on the TC such that it was no longer mandated to send MSID Delivered Volumes for all non BM Unit ABSVD by "D+45" from the P354 implementation date, instead being required to send it as soon as possible where available;
- SVAA should process MSID Pair Delivered Volumes in the first Volume Allocation Run (including II) following receipt from the TC, i.e. SVAA should not wait until the First Reconciliation Volume Allocation Run (R1);
- the SVAA shall require HHDAs to send the BM Unit Id relating to each Eligible Metering System to the SVAA and HHDAs shall send this data to the SVAA in the HH MSID Metered Volumes Data data flow;
- remove the BM Unit ABSVD "opt-out" clause in Section Q6.4.5; and
- ELEXON to report aggregated delivered volumes by anonymised Supplier.

For the resultant "Final Scope of the P354 Proposed solution", the high level requirements are:

- TC to provide a list of all MSIDs for Metering Systems that are eligible to provide non-BM Balancing Services ("**Eligible Metering Systems**"), specified in "**MSID Pairs**", and specifying whether the non-BM Balancing Services Provider has consented to the Supplier receiving **MSID ABSVD**, to the SVAA [10] WDs before the P354 Implementation Date;
- TC to provide any new Eligible Metering Systems specified in "MSID Pairs" to the SVAA within [5] WDs of receiving notification of such from non-BM Balancing Services providers;

- TC to send, when available and no later than 45 calendar days after the relevant Settlement Date, the net delivered volumes for Balancing Services provided for each MSID Pair in respect of all non-BM Balancing Services ("**MSID Pair Delivered Volumes**") for each Settlement Period to the SVAA.
  - SVAA to obtain details of Supplier, Half Hourly Data Aggregator (HHDA) and Grid Supply Point (GSP) Group for each Eligible Metering System from the Electricity Central Online Enquiry Service (ECOES)<sup>2</sup>, or other source agreed by the Panel, and to populate SVAA with this data before the P354 Implementation Date, for the purposes of establishing the "**SVA Metering System Balancing Services Register**";
  - SVAA operator to obtain details of Supplier, HHDA and GSP Group for each new Eligible Metering System notified by the TC (after the P354 implementation date) from ECOES, or other source approved by the Panel, for the purposes of maintaining the SVA Metering System Balancing Services Register.
  - SVAA to identify the HHDA responsible for each Eligible Metering System and to request data for each Settlement Period from each HHDA for the Eligible Metering Systems for which they are responsible, including, but not limited to:
    - BM Unit Id;
    - Line Loss Factor Class Id; and
    - Consumption Component Class Id;
  - Each HHDA to provide data to SVAA requested by the SVAA for each Eligible Metering System for each Settlement Period. HHDA to provide this data for each Volume Allocation Run<sup>3</sup>, and include (for each Metering System and Settlement Period) the metered data (not adjusted for line losses), the applicable Line Loss Factor Class (LLFC) Id, related BM Unit and the Supplier Id to which the Metering System is registered on that Settlement Date;
  - SVAA to allocate MSID Pair Delivered Volumes to the constituent MSID(s) in the MSID Pair using the metered data provided by HHDA, creating "**MSID ABSVD**"(see examples in Appendix B);
  - line losses for MSID ABSVD by applying the Line Loss Factor (LLF) associated with the relevant LLFC for a MSID to MSID ABSVD, creating "**MSID ABSVD (losses)**";
  - SVAA to calculate the "**LLF adjusted MSID ABSVD**" for an Eligible MSID by summing the "MSID ABSVD and the MSID ABSVD (losses);
  - SVAA to provide MSID ABSVD and MSID ABSVD (losses) to Suppliers for those Eligible Metering Systems for which they are responsible only where the Customer has consented to it (as specified in the MSID Pair data);
  - SVAA to aggregate LLF adjusted MSID ABSVD to BM Unit level, creating "**Supplier BM Unit Non BM ABSVD**";
- The P354 Workgroup agreed that SVAA is not required to apply GSP Group Correction to the ABSVD data. Doing so would introduce additional uncertainty into the ABSVD volumes entering settlement, and would require SVAA to receive consumption data broken down by Consumption Component Class (in order to apply the appropriate GSP Group Correction Scaling Weights).*
- SVAA to send Supplier BM Unit Non BM ABSVD for each Supplier BM Unit to SAA for each Settlement Period;
  - SAA to include Supplier BM Unit Non BM ABSVD in the Settlement calculation;
  - SAA to include Supplier BM Unit Non BM ABSVD in the SAA-I014 Settlement Reports 1 & 2; and
  - Balancing Mechanism Reporting Agent (BMRA) to publish Supplier BM Unit Non BM ABSVD;
  - The TC may resubmit revised MSID Pair Delivered Volumes for a Settlement Period up to RF;

<sup>2</sup> Subject to agreement by MEC.

<sup>3</sup> Not for II

- The SVAA and SAA to process any revised delivered volumes for a Settlement Period received from the TC in the next available Reconciliation Run;
- No ABSVD data (MSID level or BM Unit level) should be published on the BMRS; and
- HHDAs must not disclose details of the requested MSIDs to Suppliers.


### **1.3.2 Scope of the P354 Alternative solution**

At its seventh meeting on 9 January 2018, in response to comments received in the industry consultation, the P354 Workgroup identified a P354 Alternative solution, which differs from the P354 Proposed solution only in that:

- The MSID Pair data provided by the TC should not specify for each Eligible MSID whether the Customer has consented to the Supplier receiving MSID ABSVD;
- No Customer consent is required for SVAA to provide MSID ABSVD and LLF adjusted MSID ABSVD to Suppliers for the Eligible Metering Systems for which they are responsible;
- Suppliers should receive all relevant MSID ABSVD; and
- Supplier BM Unit Non BM ABSVD should be published on the BMRS.



## 2. P354 BUSINESS PROCESS MODEL



### 3. BUSINESS REQUIREMENTS

The following parties, documentation, processes and systems will be impacted by the P354 requirements:

- The Transmission Company (TC);
- Non-BM Balancing Services Providers;
- Suppliers;
- Half Hourly Data Aggregators (HHDA's);
- SVAA and SAA system and processes;
- Balancing Mechanism Reporting Service (BMRS);
- ABSVD Methodology; and
- Data Transfer Catalogue (DTC) changes.

The Workgroup agreed that the TC should provide details of all Eligible Metering Systems to the BSC Systems as and when they become available and should send MSID Pair Delivered Volumes to the BSC Systems for all Eligible Metering Systems. The Workgroup also agreed that it would be more appropriate for the SVAA to receive and process data relating to the Supplier-MSID relationships than the SAA, which was specified in the original Modification Proposal. This is because the new solution requires the BSC Agent holding the Supplier-MSID relationship to receive metered data from HHDA's, and SVAA (unlike SAA) already receives data from HHDA's over the Data Transfer Service (DTS). This approach is also consistent with the solutions proposed for Modification Proposals P344 '[Project TERRE Implementation into GB market arrangements](#)' and the Alternatives to [P348 'Provision of gross BM Unit data for TNUoS charging](#)' and [P349 'Facilitating Embedded Generation Triad Avoidance Standstill'](#).

#### **BR1 – The Transmission Company shall provide SVAA with a list of MSID Pairs containing Eligible Metering Systems before the P354 implementation date and update it as appropriate after the P354 implementation date**

A new process for the TC to provide SVAA with a list of MSID Pairs prior to the P354 Implementation Date. *Eligible Metering Systems are any Import or Export Metering System that may be included in a MSID Pair.*

1.1	<p>The TC shall send to SVAA a list of MSID Pairs [10] business days prior to the P354 Implementation Date. The information shall include:</p> <ul style="list-style-type: none"><li>• MSID of the Import Metering System</li><li>• MSID of the associated Export Metering System (where applicable)</li><li>• the date from which the TC may provide MSID Pair Delivered Volumes in relation to this MSID Pair (the "MSID Pair Effective From Date")</li><li>• the last date for which the TC may provide MSID Pair Delivered Volumes in relation to this MSID Pair (the "MSID Pair Effective To Date")<sup>4</sup></li><li>• Customer Consent Flag ('True' indicates that the TC has been notified by the Non BM Balancing Services Provider<sup>5</sup> that the SVAA MSID may provide MSID ABSVD and MSID ABSVD (losses) to the relevant Supplier)</li><li>• Customer Consent Flag Effective From Date</li><li>• Customer Consent Flag Effective To Date</li></ul>
-----	--

<sup>4</sup> The Effective To Date is mandatory.

<sup>5</sup> The Non BM Balancing Services Provider must ascertain whether the Customer consents and provide this information to the TC.

	<i>For the Alternative, the Customer Consent Flag and associated Effective From/To Dates are not required.</i>
1.2	The TC shall send to SVAA any new or amended MSID Pairs within [5] business days of becoming aware of them.

## BR2 – SVAA to receive, load and store MSID Pairs received from the TC

The SVAA System must receive, load and store the MSID Pairs received from the TC from time to time.	
2.1	Before the P354 Implementation Date, the SVAA must be able to: <ul style="list-style-type: none"> <li>• receive the full list of MSID Pairs set out in BR1.1; and</li> <li>• load the full list of MSID Pairs via a bulk upload<sup>6</sup> and store in time to allow BR3.1 to be completed in time for use from the P354 Implementation Date.</li> </ul>
2.2	After the P354 Implementation Date, , the SVAA must be able to: <ul style="list-style-type: none"> <li>• receive ad hoc updates to the list of MSID Pairs, as specified in Requirement 1.2; and</li> <li>• manually load updates to the list of MSID Pairs and store within [2] full business days of receipt.</li> </ul>
2.3	The SVAA operator must be able to create, view and edit data relating to MSID Pairs.

The Workgroup considered whether the TC, the BSC Central Systems or customers could allocate the delivered volume to the Import and Export MSIDs. The TC has access to Operational Metered data, but does not have access to the Settlement Data, so cannot specify delivered volumes for individual Import and Export MSIDs, only the delivered volumes for the MSID Pair at each Boundary Point. Customers (usually aggregators) are not BSC Parties and so cannot be mandated to provide such information to the BSC Central Systems.

Therefore, the Workgroup agreed that the SVAA should receive the delivered net volume for each MSID Pair from the TC and use HH Metered Data for the relevant MSIDs to calculate MSID ABSVD. HHDA's would be required to supply the Metered Data and Line Loss Factor Class (LLFC) for each MSID.

## BR3 – SVAA to obtain and store details of Supplier, HHDA and GSP Group for each Eligible Metering System notified by the Transmission Company in MSID Pairs

A new process will be required for SVAA to obtain and store details of the Supplier, HHDA and GSP Group for each Eligible Metering System notified via MSID Pairs in the <b>"SVA Metering System Balancing Services Register"</b>	
3.1	When the TC first notifies the SVAA of the list of MSID Pairs for P354 implementation, SVAA must consult ECOES, or other source approved by the Panel, to obtain details of the Supplier, HHDA and GSP Group for each Eligible Metering System included in those MSID Pairs and load these in time for use from the P354 Implementation Date.  <i>Note that implementation of this process will depend on ELEXON (who is party to the MRA in the role of BSC Agent) obtaining consent from MEC (in accordance with MAP15) for SVAA (ELEXON's BSC Agent) to access ECOES for the purpose of correctly allocating ABSVD to MSIDs.</i>

<sup>6</sup> The TC estimated that there are currently around 1250 MSID Pairs.

3.2	<p>The SVAA system must be able to store the standing data for each Eligible Metering System. The details to be stored include:</p> <ul style="list-style-type: none"> <li>• MSID number</li> <li>•</li> <li>• GSP Group Id</li> <li>• Supplier Id</li> <li>• Supplier_MSID Effective From Date</li> <li>• Supplier_MSID Effective to Date (optional)</li> <li>• HHDA Id</li> <li>• HHDA_Supplier Effective From Date</li> <li>• HHDA_Supplier Effective To Date (optional)</li> <li>• Customer Consent Flag ('True / False')</li> <li>• Customer Consent Flag Effective From Date</li> <li>• Customer Consent Flag Effective To Date</li> </ul> <p><i>For the Alternative, the Customer Consent Flag is not required</i></p>
3.3	<p>SVAA must refresh the MSID Standing Data (using data obtained from ECOES, or other source approved by the Panel), within [2] business days of being notified of new MSID Pairs, or when it becomes aware that the MSID Standing Data is (or may be) incorrect or incomplete. Specific events that would trigger this obligation include:</p> <ul style="list-style-type: none"> <li>• Mismatches between MSID Standing Data and the disaggregated metered data received from HHDA's (see requirement BR4.5); and</li> <li>• A Supplier raising a Trading Dispute about how ABSVD has been allocated (see requirement BR9.1).</li> </ul>

#### BR4 – SVAA to request and HHDA's to provide Metered Data for MSID's

A new process will be required for HHDA's to provide SVAA with HH disaggregated metered data, the LLFC, the CCC and the relevant BM Unit for each Eligible Metering System.

4.1	<p>Each time the MSID Standing Data is updated to include new Eligible Metering System(s) in new MSID Pair(s), or amend the MSID Standing Data for an existing Eligible Metering System, SVAA should immediately send an automated request to the HHDA for disaggregated metered data relating to that MSID for each Settlement Period. The request will be sent via a new Data Transfer Catalogue (DTC) dataflow, and will contain the following data items:</p> <ul style="list-style-type: none"> <li>• The MSID (known in the DTC as the MPAN Core, data item J003);</li> <li>• The MSID Pair Effective From Date from which data is required; and</li> <li>• The MSID Pair Effective To Date.</li> </ul>
4.2	<p>HHDA's must be able to accept or reject the request from SVAA in BR4.1 via a new DTC dataflow. <i>For the avoidance of doubt, a HHDA could only reject the request if they had been erroneously identified as responsible for a MSID, and so were unable to provide the data for that MSID.</i></p>

4.3	<p>As part of each Volume Allocation Run, HHDA's should send SVAA a report of disaggregated metered data for any MSIDs for which (on the Settlement Day in question<sup>7</sup>) the HHDA is registered in SMRS, and the SVAA has requested data.</p> <p>This data will be sent using a new data flow, which will contain the following data items (for each such MSID and each Settlement Period) starting on the Effective From Settlement Date from which data is required specified in BR4.1:</p> <ul style="list-style-type: none"> <li>• The HH metered data (without losses applied). For the avoidance of doubt, this must be the a sub-set of the energy values that was reported to SVAA for the related Supplier, i.e. it must represent that MSID's contribution to the Aggregated Supplier Consumption (J0185) reported on the D0040, or the Aggregated BM Unit Energy (J1629) reported on the D0298;</li> <li>• The Line Loss Factor Class (LLFC) applicable to that MSID and Settlement Date;</li> <li>• The Supplier Id to which the MSID is registered on that Settlement Date; and</li> <li>• The BM Unit Id to which the MSID is registered on that Settlement Date.</li> </ul> <p><i>For the avoidance of doubt, HHDA's should continue to send the HH metered data relating to all MSIDs included in this process to SVAA as part of the relevant D0040 or D0298 data flow. In other words, for the Metering Systems to which this Modification applies the HHDA must provide both aggregated data (in the D0040 or D0298) and disaggregated data (in the new data flow).</i></p>
4.4	<p>Where the SVAA does not receive a file of disaggregated metered data from an HHDA for a Volume Allocation Run for a requested MSID for a Settlement Day for which the MSID is effective, SVAA shall contact the HHDA to request the missing data within [1] working day.</p> <p>If data has still not been received by the time SVAA performs its Volume Allocation Run, SVAA shall escalate to ELEXON.</p> <p><i>For the avoidance of doubt, SVAA must not use default data to replace missing data for the initial calculation of ABSVD<sup>8</sup>; the process to calculate MSID ABSVD for an Eligible MSID should only be run where disaggregated metered data has been received from the HHDA for that MSID <u>and</u> MSID Pair Delivered Volume data has been received for the MSID Pair which includes that MSID from the TC for that Settlement Period.</i></p>
4.5	<p>SVAA must be able to load, validate and store the disaggregated metered data received from HHDA's. Validation checks shall include the following:</p> <ul style="list-style-type: none"> <li>• SVAA shall validate that the MSIDs included in the file are in a valid MSID Pair (according to the MSID Standing Data). Where no disaggregated Meter data has been received in respect of an MSID when expected, this may indicate that a Change of Supplier (CoS) and/or Change of HHDA has occurred, and SVAA must refresh the MSID Standing Data (see BR3.3); and</li> <li>• SVAA shall seek to validate that the Supplier Id reported by the Supplier for each MSID (in ECOES, or other source approved by the Panel) matches that in the MSID Standing Data. If they do not match this may indicate that a CoS has occurred, and SVAA must obtain the new Supplier and HHDA for the MSID from ECOES, or other source approved by the Panel, and refresh the MSID Standing Data.</li> </ul>
4.6	<p>HHDA's must not disclose to the Supplier which MSIDs they have been requested to provide disaggregated metered data for, except where the Customer has given their consent (but may disclose the number of such MSIDs).</p>

<sup>7</sup> Provided that the MSID Pair relating to the Eligible MSID is effective for that Settlement Date.

<sup>8</sup> If a HHDA has provided data for the initial calculation, but has not supplied data for a subsequent reconciliation run the SVAA may, with ELEXON's agreement, use such data as default data.

The Workgroup agreed a flexible solution where the TC will send the MSID Pair Delivered Volumes for each Settlement Period to SVAA at the earliest opportunity and no later than 45 calendar days after the Balancing Service was provided – i.e. in time for the First Reconciliation Volume Allocation Run.

The TC may resubmit MSID Pair Delivered Volumes for a Settlement Period up to the Final Reconciliation Run (RF).

The P354 Proposer suggested that ABSVD values should relate to the volume of Balancing Services that was successfully delivered (rather than the instructed volumes). The Workgroup noted that this question is one for an amended ABSVD Methodology (which will specify how the TC calculates ABSVD values), rather than the BSC.

#### BR5 – The TC shall send MSID Pair Delivered Volumes to the SVAA

TC shall send the MSID Pair Delivered Volumes to the SVAA for each Settlement Period at the earliest opportunity, and by no later than the 45<sup>th</sup> day after the Balancing Service was provided.

*Where possible, the TC shall develop bilateral contracts with Non BM Balancing Service Providers that will enable the TC to deliver data MSID Pair Delivered Volumes to the SVAA by no later than the 15<sup>th</sup> day after the Balancing Service was provided to facilitate the correction of imbalance positions in the Initial Volume allocation Run.*

5.1	<p>A new flow will be required in order for the TC to send MSID Pair Delivered Volumes to SVAA. The data must include:</p> <ul style="list-style-type: none"> <li>• Settlement Day</li> <li>• Settlement Period</li> <li>• Import MSID (mandatory)</li> <li>• Export MSID (optional)</li> <li>• MSID Pair Delivered Volume (MWh).</li> </ul> <p>MSID Pair Delivered Volumes represent an aggregate net volume of Active Energy for the whole Settlement Period for each MSID Pair and follow the sign conventions set out in paragraph 2.4 of Annex X-2.</p>
5.2	<p>The TC may send, or resend, MSID Pair Delivered Volumes to SVAA at any time until the Final Reconciliation Volume Allocation Run.</p>

The Workgroup agreed that the SVAA will allocate non-BM ABSVD to the Import MSID and/or Export MSID in each MSID Pair as appropriate and, ultimately, aggregate it to Supplier BM Unit level for each Supplier BM Unit. The reason that the allocation must be done by SVAA (rather than the TC as originally proposed) is that it requires access to Settlement metered data, which the TC does not have. Appendix B contains examples of this process.

Having allocated the MSID Pair Delivered Volumes to MSIDs to create MSID ABSVD and having applied the appropriate LLF to this to create the MSID ABSVD (losses) and the LLF adjusted MSID ABSVD, SVAA shall send MSID ABSVD and MSID ABSVD (losses) to Suppliers for each Eligible MSID for which the relevant non-BM Balancing Service provider has given their consent for that Settlement Date, this shall be subject to the consent of the Customer (For the Alternate, no Customer consent is required).

SVAA must aggregate the LLF adjusted MSID ABSVD to Supplier BM Unit level for each Supplier BM Unit (creating "Supplier BM Unit Non BM ABSVD") before sending it to the SAA.

#### BR6 – The SVAA must allocate the MSID Pair Delivered Volumes to the Eligible Metering Systems in the relevant MSID Pair

A new process will be required for SVAA (using the data from BR4 and BR5 above) to allocate MSID Pair Delivered Volumes to the Eligible Metering Systems in the relevant MSID Pair to create MSID ABSVD.

6.1	<p>The SVAA must be able to load and store the MSID Pair Delivered Volumes received from the TC, and any subsequent updates, for a Settlement Period. The data will include:</p>
-----	--

	<ul style="list-style-type: none"> <li>• MSID Pair Delivered Volume;</li> <li>• MSID of the Import Metering System; and</li> <li>• MSID of the associated Export Metering System (where applicable)</li> </ul>
6.2	<p>The SVAA must validate that the MSID Pair specified in a MSID Pair Delivered Volume is valid by checking that:</p> <ul style="list-style-type: none"> <li>• The MSID Pair has been notified by the TC;</li> <li>• The Eligible Metering System(s) in the MSID Pair is as has been notified by the TC; and</li> <li>• The MSID Pair is effective for the relevant Settlement Date.</li> </ul>
6.3	<p>The SVAA must validate each Eligible Metering System in a MSID Pair Delivered Volume against the Eligible Metering Systems in the SVA Metering System Balancing Services Register. Where a corresponding Eligible Metering System is not found, the SVAA system should raise a warning message to the SVAA Operator stating that the MSID is not an Eligible Metering System.</p>
6.4	<p>Where the SVAA Operator sees the warning message in 6.3, they should contact the TC to check whether the relevant MSID is an Eligible Metering System and request formal notification from the TC that the relevant MSID is an Eligible Metering System (and then SVAA should follow the process in R1.2).</p>
6.5	<p>SVAA must use the disaggregated metered data provided by HHDAs to allocate the MSID Pair Delivered Volume to the component MSIDs in that MSID Pair for each Settlement Period, creating MSID ABSVD</p> <p>The steps of this process are as follows:</p> <ol style="list-style-type: none"> <li>1. For each MSID Pair, start by allocating the MSID Pair Delivered Volume to the Export MSID for a positive value (or to the Import MSID for a negative value), subject to the constraint that the magnitude of the MSID Pair Delivered Volume that can be allocated is capped by the magnitude of the half hourly metered data.</li> </ol> <p>For example, if the MSID Pair Delivered Volume is -1.3 MWh, and the Import MSID has a HH metered consumption of 800 kWh, the volume allocated to the Import MSID will be -0.8 MWh.</p> <ol style="list-style-type: none"> <li>2. Allocate any remaining MSID Pair Delivered Volume to the other MSID in the MSID Pair (i.e. the Import MSID for a positive value, or the Export MSID for a negative value). In the example above, the remaining -0.5 MWh of MSID Pair Delivered Volume would be allocated to the Export MSID (recognising that the MSID Pair Delivered Volume must have reduced the site Export).</li> <li>3. As a result the MSID ABSVD will be -0.8MWh for the Import MSID and -0.5MWh for the Export MSID.</li> </ol> <p>In the special case of an MSID Pair that does not include an Export MSID this process, all of the MSID Pair Delivered Volume will be allocated to the Import MSID, where the value of the HH Metered Volume for that MSID is less than or equal to the MSID Pair Delivered Volume<sup>9</sup> otherwise the volume allocated to the Import MSID will be capped at the HH Metered Volume.</p> <p>If a MSID Pair Delivered Volume cannot be allocated in full to the component MSIDs using this process, the SVAA system will report an exception. The SVAA operator will then report this exception to ELEXON and the TC, as an exception indicates that the MSID Delivered Volume is</p>

<sup>9</sup> "Less than" because the Import volume is negative.



	<p>inconsistent with the Settlement metered data, suggesting that the MSID Delivered Volume has been reported incorrectly).</p> <p>If the TC review identifies that the exception was caused by the MSID Delivered Volume being incorrect, the TC will submit a corrected MSID Delivered Volume to the SVAA<sup>10</sup>.</p>
6.6	SVAA must store MSID ABSVD by MSID, GSP Group and Supplier ID.
6.7	SVAA must calculate Line Losses for MSID ABSVD based on the LLFC supplied by the HHDA and store the resultant <b>"MSID ABSVD (Losses)"</b> .
6.8	SVAA must calculate <b>"LLF adjusted MSID ABSVD"</b> by summing the MSID ABSVD and MSID ABSVD (losses).
6.9	<p>SVAA must provide MSID ABSVD and MSID ABSVD (Losses) to the Supplier responsible for an Eligible Metering System This would be a new Supplier Report from each SSR Run which will require a new DTC dataflow only where the Customer has given their consent for that Settlement Date.</p> <p><i>For the P354 Alternative, Customer consent is not required.</i></p>
6.10	SVAA must aggregate LLF adjusted MSID ABSVD to BM Unit level for each Supplier BM Unit, creating <b>"Supplier BM Unit Non BM ABSVD"</b> for each Supplier BM Unit.
6.11	SVAA must send Supplier BM Unit Non BM ABSVD for each Supplier BM Unit to SAA.

The SAA must include Supplier BM Unit Non BM ABSVD in the Settlement calculation.

BR7 – SAA stores and processes Supplier BM Unit ABSVD for each Supplier BM Unit	
The SAA shall store the Supplier BM Unit Non BM ABSVD.	
7.1	SAA shall store Supplier BM Unit Non BM ABSVD for each Supplier BM Unit received from SVAA.
7.2	SAA shall include Supplier BM Unit Non BM ABSVD in the calculation of Period BM Unit Balancing Services Volume (QBS <sub>ij</sub> ).
7.3	SAA must include Supplier BM Unit Non BM ABSVD in the Settlement reports (sub-flows 1 & 2 only).

**For P354 Alternative only** The BMRA will publish the Supplier BM Unit Non BM ABSVD received from the SAA

BR8 - BMRA publishes the Supplier BM Unit Non BM ABSVD	
<p>The Balancing Mechanism Reporting Agent (BMRA) should report the Supplier BM Unit Non BM ABSVD for each Supplier BM unit.</p> <p>Note that for P354 Proposed, the BMRS should not publish Supplier BM Unit Non BM ABSVD data.</p>	
8.1	The BMRA shall be required to receive and load the Supplier BM Unit Non BM ABSVD. This could be

<sup>10</sup> As this is a manual process the expectation is that this will be over a number of Working Days.



	achieved by sending the SAA-I014 sub-flow 2 (or otherwise as advised by the Service Provider).
8.2	The BMRA will publish the Supplier BM Unit Non BM ABSVD through the same channels as for current BMRS data.

The Trading Disputes process will be amended to include ABSVD.

<b>BR9 – Amend the Trading Disputes Process to include ABSVD</b>	
BSCP11 Trading Disputes should include ABSVD	
9.1	BSCP11 Trading Disputes shall be amended to add a section to allow BSC Parties to raise Trading Disputes relating to ABSVD.

<b>BR10 – Publication of Volume Data By Anonymised Supplier</b>	
ELEXON to collate and publish Volume Data at SF and R1 each month	
10.1	<p>ELEXON should collate Volume Data at SF and R1 by Supplier each month (all data anonymised):</p> <ul style="list-style-type: none"> <li>• LLF corrected MSID ABSVD for each SP for each supplier at SF</li> <li>• LLF corrected MSID ABSVD for each SP for each supplier at R1</li> <li>• Volume adjustment by supplier between SF and R1</li> <li>• % change between SF and R1 by supplier</li> <li>• Similar data at an Supplier BM Unit Non BM level</li> </ul>
10.2	<p>ELEXON should publish anonymised Volume Data each month:</p> <ul style="list-style-type: none"> <li>• In the ELEXON Settlement Report to the Panel; or</li> <li>• On the ELEXON Portal; or</li> <li>• Another medium?</li> </ul>

#### 4. APPENDIX A - GLOSSARY OF TERMS

Term	Description
BM Unit Applicable Balancing Services Volume Data (ABSVD)	<p>BSC Section Q: in relation to each Settlement Period in a Settlement Day and each BM Unit, the Transmission Company shall send the Applicable Balancing Services Volume Data to: (a) the SAA; and (b) the BMRA no later than the second Business Day after such Settlement Day.</p> <p>The ABSVD is used in the calculation of Period BM Unit Balancing Services Volume, which is the volume of all energy associated with Balancing Services used in the determination of imbalance. It consists of the volume of Bid Offer Acceptances plus the ABSVD.</p> <p>ABSVD is not provided for all Balancing Services, because not all of them are covered in the ABSVD methodology, and the BSC currently allows Parties to opt out.</p>
ABSVD methodology	National Grid Electricity Transmission plc (NGET) is required to establish the Applicable Balancing Services Volume Data Methodology in accordance with Standard Condition C16 of the Transmission Licence.
Balancing & Settlement Code (BSC)	An industry code that various types of company involved in the generation, distribution or consumption of electricity must be a signatory to and abide as required by their Licence, which specifically concerns the Balancing and Settlement activity in Great Britain.
Balancing Mechanism (BM)	One of the tools National Grid uses to balance electricity supply and demand close to real time. Where National Grid predicts that there will be a discrepancy between the amount of electricity produced and that which will be in demand during a certain time period, they may accept a 'bid' or 'offer' to either increase or decrease generation (or consumption). The balancing mechanism is used to balance supply and demand in each half hour trading period of every day.
Balancing Mechanism Reporting Agent (BMRA)	BSC Section X-1: means the BSC Agent for Balancing Mechanism Reporting in accordance with Section E.
Balancing Mechanism Reporting Service (BMRS)	BSC Section X-1: means the service provided by the BMRA for Balancing Mechanism Reporting as described in Section V.
Balancing Mechanism Unit (BM Unit)	BSC Section X-1: means a unit established and registered (or to be established and registered) by a Party in accordance with Section K3 or, where the context so requires, the Plant and/or Apparatus treated as comprised in or assigned to such unit for the purposes of the Code.
Base Trading Unit	BSC Section K, 4.7: a Trading Unit (a "Base Trading Unit") is established in respect of each GSP Group. Subject to paragraph 4.7.3: each Supplier BM Unit shall automatically belong to the Base Trading Unit for the relevant GSP Group and each Exempt Export BM Unit in a GSP Group shall automatically belong to the Base Trading Unit for that GSP Group.
BSC Agent	BSC Section X-1: means the person or persons for the time being appointed for

Term	Description
	the purposes of providing the services specified (or as may be specified) in a BSC Service Description and as otherwise described in Section E.
BSC Company (BSCCo)	BSC Section X-1: means ELEXON Limited (or any successor to that company acting in the capacity as BSCCo).
Consumption Energy Account	Consumption Energy Account means an Energy Account designated by the CRA as a 'Consumption' Energy Account.
Delivery Site	A 'delivery site' is the actual physical locations delivering Short Term Operating Reserve.
Electricity Central Online Enquiry Service (ECOES)	ECOES is a central online database that holds information about each MSID in the GB electricity market.
Grid Supply Point Group (GSP Group)	BSC Section X-1: means a distinct electrical system, consisting of: (i) the Distribution System(s) which are connected to the Transmission System at (and only at) Grid Supply Point(s) which fall within one Group of GSPs, and (ii) any Distribution System which: (1) is connected to a Distribution System in paragraph (i), or to any other Distribution System under this paragraph (ii), and (2) is not connected to the Transmission System at any Grid Supply Point and the total supply into which is determined by metering for each half hour.
Half Hourly (HH)	Relates to Half Hourly Metering Equipment, which is defined in BSC Section X-1 as Metering Equipment which provides measurements on a half hourly basis for Settlement purposes.
Half Hourly Data Aggregator (HHDA)	BSC Section X-1: means a Data Aggregator which carries out the aggregation of metering data received from Half Hourly Data Collectors.
Master Registration Agreement (MRA) Development Board (MDB)	The MDB is a sub-committee of MRA Executive Committee (MEC) established in accordance with clauses 6.53 and 6.54 of the MRA.
Metering System Identifier (MSID)	BSC Section X-1: means a unique number relating to a Metering Point and which consists of the following: (i) a 2 digit number determined by reference to the Licensed Distribution System Operator; (ii) a 10 digit reference number provided by the relevant Licensed Distribution System Operator; (iii) a 1 digit check number provided by the relevant Licensed Distribution System Operator.
Party	BSC Section X-1: means a person who is for the time being bound by the Code by virtue of being a party to the Framework Agreement.
SNBABSVD <sub>ij</sub>	Is the sum of all Line Loss Factor Adjusted MSID ABSVD for all MSIDs in a Supplier BM Unit.

Term	Description
Settlement Administration Agent (SAA)	BSC Section X-1: means the BSC Agent for Settlement Administration in accordance with Section E.
Settlement Period	BSC Section X-2: a period of 30 minutes beginning on the hour or the half-hour and in accordance with paragraph 4.3 of Annex X-2.
Settlement Run	BSC Section X-1: means a determination (in accordance with Section T), in relation to a Settlement Day, of amounts giving rise, on the part of Trading Parties and the Transmission Company, to a liability to pay to or a right to be paid by the BSC Clearer amounts in respect of Trading Charges in each Settlement Period in that Settlement Day, and of the net credit or debit in respect of such amounts; and where the context requires a reference to a Settlement Run includes the data and information produced by the SAA following such a determination and delivered to the FAA in accordance with Section N.
Short Term Operating Reserve (STOR)	Short Term Operating Reserve (STOR) is a service for the provision of additional active power from generation and/or demand reduction.
Supplier	BSC Section X-1: means a Party which holds a Supply Licence and is responsible for Exports and/or Imports for which such Party is required, by virtue of Section K, to register one or more SVA Metering Systems.
Supplier Volume Allocation Agent (SVAA)	BSC Section X-1: means the BSC Agent for Supplier Volume Allocation in accordance with Section E.
Supplier Volume Allocation (SVA) Metering System	Section K: means a Metering System which is or is to be registered in the Supplier Meter Registration Service.
Volume Allocation Run	Volume Allocation Run means a determination (for the purposes of Settlement), in relation to a Settlement Day, by way of Central Volume Allocation and/or Supplier Volume Allocation, of quantities of Active Energy Exported or Imported (or to be treated as Exported or Imported) by Parties in each Settlement Period in that Settlement Day; and where the context requires a reference to a Volume Allocation Run includes the data and information produced by the CDCA and/or SVAA following such a determination and delivered to the SAA in accordance with BSC Section R or S.

## 5. APPENDIX B – EXAMPLES OF HOW METERED DATA WILL BE USED TO ALLOCATE MSID PAIR DELIVERED VOLUMES TO THE CONSTITUENT MSIDS

This Appendix provides additional examples to illustrate the logic that will be used by SVAA to allocate ABSVD to the constituent MSIDs using MSID Pair Delivered Volumes and MSID-level HH metered data.

### 1) Signing convention for MSID delivered volumes:

#### A) Increased energy on the Transmission System

If the MSID Delivered Volume increased the energy on the **Transmission System**, the value submitted by the TC should be signed positive (“+ve”). This indicates that the delivery site increased generation or reduced demand, leading to an increase in Export and/or a reduction in Import at the Settlement Meter. BR6.2 requires that SVAA allocate this to the Export MSID in the first instance (in recognition that some of the Export recorded on the Export MSID was a Balancing Service instructed by the TC, for which the Export Supplier should not be held responsible). However, it does not make sense to allocate a MSID Delivered Volume that is larger (in magnitude) than the HH metered data, so any remaining ABSVD will be allocated to the Import MSID.

#### Example 1 – where all of the MSID Delivered Volume can be allocated to the “preferred” MSID

MSID Pair Delivered Volume = +4 MWh

Export MSID metered volume  $\geq$  4 MWh

Import MSID metered volume immaterial

As the Export MSID metered volume is at least as big as the MSID Delivered Volume, all of the MSID Delivered Volume should be allocated to the Export MSID in the MSID Pair

SVAA will allocate +4 MWh ABSVD to the Export MSID (i.e. increasing the magnitude)

SVAA will allocate 0 MWh ABSVD to the Import MSID

#### Example 2 – where only part of the MSID Delivered Volume can be allocated to the “preferred” MSID

MSID Pair Delivered Volume = +4 MWh

Export MSID metered volume = 3 MWh

Import MSID metered volume = immaterial

As the Export MSID metered volume is less than the MSID Delivered Volume, only the value of the metered volume can be allocated to the Export MSID in the MSID Pair and the remainder allocated to the Import MSID in the MSID Pair (noting that this will reduce Demand)

SVAA will allocate +3 MWh ABSVD to the Export MSID (i.e. increasing the magnitude)

SVAA will allocate +1 MWh ABSVD to the Import MSID (i.e. decreasing the magnitude)

#### Example 3 – where none of the MSID Delivered Volume can be allocated to the “preferred” MSID

MSID Pair Delivered Volume = +4 MWh

Export MSID metered volume = 0 MWh

Import MSID metered volume = immaterial

As the Export MSID metered volume is zero (and therefore less than the MSID Delivered Volume), none of the metered volume can be allocated to the Export MSID in the MSID Pair and so the total amount should be allocated to the Import MSID in the MSID Pair (noting that this will reduce Demand)

SVAA will allocate 0 MWh ABSVD to the Export MSID

SVAA will allocate -4 MWh ABSVD to the Import MSID (i.e. decreasing the magnitude)

## **B) Reduced energy on the Transmission System**

If the MSID Pair Delivered Volume reduced the energy on the **Transmission System**, the value submitted by the TC should be signed negative ("-ve"). This indicates that the Balancing Service provided had reduced generation or increased demand, leading to an increase in Import and/or a reduction in Export at the Settlement Meter. BR6.2 requires that SVAA allocate this to the Import MSID in the MSID Pair in the first instance (in recognition that some of the Import recorded on the Import MSID was a Balancing Service instructed by the TC, for which the Import Supplier should not be held responsible). However, it does not make sense to allocate a MSID Delivered Volume that is larger (in magnitude) than the HH metered data for the relevant component MSID, so any remaining volume will be allocated to the Export MSID.

*Please note that this example does not apply to STOR because STOR volumes are always positive. But other Balancing Services such as Demand Turn Up may have negative volumes.*

### Example 4 – where all of the MSID Delivered Volume can be allocated to the "preferred" MSID

MSID Pair Delivered Volume = -4 MWh

Import MSID metered volume  $\leq$  -4 MWh

Export MSID metered volume immaterial

As the magnitude of the Import MSID metered volume is at least as big as the magnitude of the MSID Delivered Volume, all of the MSID Delivered Volume should be allocated to the Import MSID in the MSID Pair

SVAA will allocate -4 MWh ABSVD to the Import MSID (i.e. increasing the magnitude)

SVAA will allocate 0 MWh ABSVD to the Export MSID

### Example 5 – where only part of the MSID Delivered Volume can be allocated to the "preferred" MSID

MSID Pair Delivered Volume = -4 MWh

Import MSID metered volume = -3 MWh (i.e. increasing the magnitude)

Export MSID metered volume = immaterial

As the magnitude of the Import MSID metered volume is less than the magnitude of the MSID Delivered Volume, only the value of the metered volume can be allocated to the Import MSID in the MSID Pair and the remainder allocated to the Export MSID in the MSID Pair (with a change of sign to indicate that Generation has been increased)

SVAA will allocate -3 MWh ABSVD to the Import MSID (i.e. increasing the magnitude)

SVAA will allocate +1 MWh ABSVD to the Export MSID (i.e. decreasing the magnitude)

### Example 6 – where none of the MSID Delivered Volume can be allocated to the "preferred" MSID

MSID Pair Delivered Volume = -4 MWh

Import MSID metered volume = 0 MWh

Export MSID metered volume = immaterial

As the Import MSID metered volume is zero (and therefore less than the magnitude of the MSID Delivered Volume), none of the metered volume can be allocated to the Import MSID in the MSID Pair and so the total amount should be allocated to the Export MSID in the MSID Pair (with a change of sign to indicate that Demand has been reduced)

SVAA will allocate 0 MWh ABSVD to the Import MSID

SVAA will allocate +4 MWh ABSVD to the Export MSID (i.e. decreasing the magnitude)

## 6. APPENDIX C – DETAILS OF ORIGINAL AND REVISED SCOPE OF P354

### Original Scope

Under the original solution set out in the P354 Modification Proposal and discussed at Workgroup 1 on 22 February 2017, the high level BRs were based on the TC allocating ABSVD to Metering Systems. This solution was found to be problematic at the second Workgroup for the reasons discussed below.

### Revised Scope

At its second meeting on 26 April 2017, the Workgroup agreed to amend the original solution to address a number of issues:

- In some cases, Balancing Services will be provided through an Aggregator, with the TC currently having no access to disaggregated metered data for the individual delivery sites delivering the service. The Workgroup acknowledged that bringing such sites into the scope of P354 would require the TC to obtain disaggregated data which they do not currently have from Aggregators. This is primarily an issue for the TC and the ABSVD Methodology, rather than the BSC solution. The Workgroup intends to discuss this further in subsequent meetings.
- The Workgroup agreed that correctly allocating ABSVD to MSIDs requires HH metered data for each MSID, which the TC does not have. The Workgroup therefore agreed to change the solution so that the TC provides ABSVD at the delivery site level rather than the MSID level, and the SVAA allocates the data to MSIDs (using HH metered data provided by the HHDA). In order for SVAA to do this, the TC will provide details of the Import and Export MSID(s) at the site, and (where there is more than one Import or Export MSID) the proportion in which ABSVD should be allocated to them (an "**Allocation Rule**"<sup>11</sup>). For the avoidance of doubt, Allocation Rules will only be used to allocate volumes between the MSIDs in a single delivery site, not to allocate between delivery sites.
- The Workgroup noted that discussion is ongoing (at the [P344 'Project TERRE implementation into GB market arrangements'](#) Workgroup and elsewhere) about whether it was appropriate for BSC Systems to disclose to Suppliers which of their customers are providing Balancing Services. The Workgroup therefore agreed that the architecture of the P354 solution should not rely on the Supplier to notify Settlement when one of the customers providing balancing services changed their Supplier.

For the revised P354 solution agreed at P354 Workgroup 2, the high level requirements were:

- TC to provide Allocation Rules with Effective From Date for each non-BM Balancing Services provider delivery site (where required to do so by the ABSVD Methodology<sup>12</sup>) to the Supplier SVAA<sup>13</sup>;
- TC to send the net (i.e. not split into import and export) delivered volumes for Balancing Services provided at delivery site level to the SVAA, when available<sup>14</sup>. SVAA operator to obtain from ECOES<sup>15</sup> details of Supplier, HHDA and GSP Group for each MSID eligible for use in the provision of Balancing Services ("Eligible Metering System") received from the TC and populate SVAA with this data;
- SVAA to request disaggregated (i.e. MSID-level) metered data from HHDAs for each Eligible Metering System;
- Each HHDA to provide disaggregated metered data to SVAA for all requested MSIDs for each Settlement Period. This data will be provided for each Volume Allocation Run, and will include (for each relevant Metering System and Settlement Period) the HH consumption data (not adjusted for line losses), the

<sup>11</sup> See Appendix B for examples of Allocation Rules

<sup>12</sup> As amended by the TC as part of its C16 annual update in February 2018

<sup>13</sup> Not to the SAA, which was the original intention of the Mod

<sup>14</sup> This could be up to D+30 (30 Calendar days after the end of the month)

<sup>15</sup> Subject to MRASCo agreeing to grant a licence



applicable Line Loss Factor Class (LLFC) value and the Supplier Id to which the Metering System is registered;

- SVAA to allocate delivery site level delivered volumes to the appropriate MSID(s) in accordance with the Allocation Rules, creating MSID-level ABSVD;
- SVAA to apply the Line Loss Factor (LLF) associated with the relevant LLFC to the MSID-level ABSVD;
- SVAA to aggregate MSID-level ABSVD to GSP Group level for each Supplier Id;

*The P354 Workgroup agreed that SVAA is not required to apply GSP Group Correction to the ABSVD data. Doing so would introduce additional uncertainty into the ABSVD volumes entering Settlement, and would require SVAA to receive consumption data broken down by Consumption Component Class (in order to apply the appropriate GSP Group Correction Scaling Weights).*

- SVAA to send GSP Group level ABSVD for each Supplier Id to SAA for each Settlement Period;
- SAA to receive from ELEXON and store TLFs for each GSP Group and BSC Season;
- SAA to apply Transmission Loss Multipliers to GSP Group level ABSVD for each Supplier Id ("TLM-adjusted GSP Group level ABSVD");
- SAA to aggregate TLM-adjusted GSP Group level ABSVD to Supplier Id level;
- SAA to include Supplier Id level ABSVD in the Settlement calculation, as an adjustment to the Consumption Account of each Supplier;
- SAA to include Supplier Id level ABSVD in the SAA-I014 Settlement Reports; and
- BMRA to publish Supplier Id level ABSVD.
- The TC may resubmit revised delivered volumes for a Settlement Period up to [RF].
- The SVAA and SAA shall process any revised delivered volumes for a Settlement Period received from the TC in the next available Reconciliation Run.

### Scope of the P354 solution at 15/11/2017

At its second meeting on 26 September 2017, the C16 ABSVD Workgroup agreed that the TC should send "collared<sup>16</sup> delivered volumes" for each Metering System ID (MSID) Pair involved in the provision of Balancing Services (other than where the TC could assign ABSVD directly to a BM Unit).

As a result, there are no longer requirements for:

- the TC to send Allocation Rules to the Supplier Volume Allocation Agent (SVAA) system; and
- the SVAA to load, store and apply Allocation Rules.

For the resultant "Scope of the P354 solution at 15/11/2017", the high level requirements are:

- TC to provide a list of all MSIDs for Metering Systems that are eligible to provide non-BM Balancing Services ("**Eligible Metering Systems**"), specified in "**MSID Pairs**", and specifying whether the Customer<sup>17</sup> has consented to the Supplier receiving **MSID ABSVD**, to the SVAA [10] WDs before the P354 Implementation Date;
- TC to provide any new Eligible Metering Systems specified in "MSID Pairs" to the SVAA within [5] WDs of receiving notification of such from non-BM Balancing Services providers;

<sup>16</sup> Where "collared" means "capped positive values for Export volumes and capped negative values for Import volumes".

<sup>17</sup> Each non BM Balancing Services Provider should specify to the TC whether Customer consent has been given for each relevant Metering System used to deliver Balancing Services.

- TC to send, when available and no later than 45 days after the relevant Settlement Date<sup>18</sup>, the net delivered volumes for Balancing Services provided for each MSID Pair in respect of all non-BM Balancing Services ("**MSID Pair Delivered Volumes**") for each Settlement Period to the SVAA.
- SVAA to obtain details of Supplier, Half Hourly Data Aggregator (HHDA) and Grid Supply Point (GSP) Group for each Eligible Metering System from the Electricity Central Online Enquiry Service (ECOES)<sup>19</sup>, or other source agreed by the Panel, and to populate SVAA with this data before the P354 Implementation Date, for the purposes of establishing the "**SVA Metering System Balancing Services Register**";
- SVAA operator to obtain details of Supplier, HHDA and GSP Group for each new Eligible Metering System notified by the TC (after the P354 implementation date) from ECOES<sup>2</sup>, or other source approved by the Panel, for the purposes of maintaining the SVA Metering System Balancing Services Register;
- SVAA to identify the HHDA responsible for each Eligible Metering System and to request disaggregated metered data for each Settlement Period from each HHDA for the Eligible Metering Systems for which they are responsible;
- Each HHDA to provide disaggregated metered data to SVAA for each Eligible Metering System requested by the SVAA for each Settlement Period. HHDA's to provide this data for each Volume Allocation Run, and include (for each Metering System and Settlement Period) the metered data (not adjusted for line losses), the applicable Line Loss Factor Class (LLFC) value and the Supplier Id to which the Metering System is registered;
- HHDA's will be required not to disclose details of the requested MSID's to Suppliers.
- SVAA to allocate MSID Pair Delivered Volumes to the constituent MSID(s) in the MSID Pair using the metered data provided by HHDA's, creating "**MSID ABSVD**" (see examples in Appendix B);
- SVAA to apply the Line Loss Factor (LLF) associated with the relevant LLFC for a MSID to MSID ABSVD, creating "**LLF adjusted MSID ABSVD**";
- SVAA to provide MSID ABSVD and LLF adjusted MSID ABSVD to Suppliers for those Eligible Metering Systems where the Customer has given consent;
- SVAA to aggregate LLF adjusted MSID ABSVD to GSP Group level for each Supplier Id, creating "**GSP Group ABSVD**";  
*The P354 Workgroup agreed that SVAA is not required to apply GSP Group Correction to the ABSVD data. Doing so would introduce additional uncertainty into the ABSVD volumes entering settlement, and would require SVAA to receive consumption data broken down by Consumption Component Class (in order to apply the appropriate GSP Group Correction Scaling Weights).*
- SVAA to send **GSP Group ABSVD** for each Supplier Id to SAA for each Settlement Period;
- SAA to apply the correct Transmission Loss Multiplier (TLM) to GSP Group ABSVD for each Supplier, creating "**TLM adjusted GSP Group ABSVD**";
- SAA to aggregate TLM adjusted GSP Group ABSVD for each GSP Group for a Supplier ID and then for each Supplier ID in an Energy Account, creating "**Account Period ABSVD**";
- SAA to include **Account Period ABSVD** in the Settlement calculation, as an adjustment to the Consumption Account of each Supplier;
- SAA to include **Account Period ABSVD** in the SAA-I014 Settlement Reports; and
- Balancing Mechanism Reporting Agent (BMRA) to publish **Account Period ABSVD**.
- The TC may resubmit revised MSID Pair Delivered Volumes for a Settlement Period up to RF.

<sup>18</sup> To allow ABSVD to be calculated for the First Reconciliation Run.

<sup>19</sup> Subject to agreement by MRASCo.

- The SVAA and SAA shall process any revised delivered volumes for a Settlement Period received from the TC in the next available Reconciliation Run.

