

P499 Release Circular

Date	24/03/2026	Purpose	For your review
To	Industry	From	Releases@elexon.co.uk

Review of IDD changes for P499 'BSC Changes for GC0166: New Dynamic Parameters for Limited Duration Assets'

1. What is the purpose of this Circular?

- 1.1 Modification [P499 'BSC Changes for GC0166: New Dynamic Parameters for Limited Duration Assets'](#), if approved by The Authority, will be delivered as part of a June 2026 Standard Release.
- 1.2 This Release Circular invites you to review these BSC Configurable Items (CI) in the table below.
- 1.3 Please return your comments to releases@elexon.co.uk, using the review form provided as Attachment A to this circular, by **17.00 on 16 April 2026**.

2. Who is impacted by P499?

- 2.1 P499 will impact:

- NESO

3. Which BSC Configurable Items (CI) do I need to review?

- 3.4 The following BSC CIs will require your review. Please click the links to review the changes. You can download the redlined changes from the relevant Modification or CP webpages or the [Release Circulars webpage](#).

BSC Configurable Item	Version	Changes
BMRS Data Catalogue	V5.1	Update reporting requirements to include MDO and MDB as part of Dynamic Parameters datasets
NETA Interface Definition and Design Part 1 Document	V62.1	Update of flow BMRA-I004 (output) to include MDO/MDV and remove obsolete data sets MDV/MDP
NETA Interface Definition and Design Part 2 Document	V54.1	Update flow BMRA-I002 : (input) Balancing Mechanism Data to include MDO/MDB and remove obsolete datasets MDV/MDP

4. What will happen after the industry reviews?

- 4.4 BSCCo will consider all review comments and update the BSC CIs as required. Elexon will also discuss the outcome of any comments with the relevant reviewer where necessary.
- 4.5 P499 was approved by the BSC Panel on 9 October 2025 for implementation on 25 June 2026 as part of the June 2026 standard BSC Release.

5. When will the BSC Configurable Items become effective?

- 5.1 All P499 BSC CIs will become effective on the P499 Implementation Date, which is 25 June 2026

5.2 If you have any queries about this circular, please email **Releases@elexon.co.uk**.

Attachments

Attachment A – Response Form

Attachment B – Redlined changes to Configurable Items

For more information, please contact:

Ayo Bammeke, Senior Change Lead

ayo.bammeke@elexon.co.uk

020 7380 4176

For more details related to P499, please see the [Releases](#) webpage.